

Account Settings

▼ dale.plummer@vanderbilt.edu

Server Settings
Copies & Folders
Composition & Addressing
Junk Settings
Synchronization & Storage
Return Receipts
Security

▼ Local Folders

Junk Settings
Disk Space
Outgoing Server (SMTP)

Account Settings - <dale.plummer@vanderbilt.edu>

Account Name: dale.plummer@vanderbilt.edu

Default Identity

Each account has an identity, which is the information that other people see when they read your messages.

Your Name: Dale Plummer

Email Address: dale.plummer@vanderbilt.edu

Reply-to Address: Recipients will reply to this other address

Organization:

Signature text: ☐ Use HTML (e.g., bold)

☐ Attach the signature from a file instead (text, HTML, or image):

☐ Attach my vCard to messages

Outgoing Server (SMTP): dalep - smtpauth.vanderbilt.edu (Default)

Manage Identities...

Account Actions ▼

Cancel

OK

Account Settings

▼ dale.plummer@vanderbilt.edu

Server Settings

Copies & Folders

Composition & Addressing

Junk Settings

Synchronization & Storage

Return Receipts

Security

▼ Local Folders

Junk Settings

Disk Space

Outgoing Server (SMTP)

Account Actions

Server Settings

Server Type: IMAP Mail Server

Server Name: email.vanderbilt.eduPort: 993Default:

User Name: dalep

Security Settings

Connection security: SSL/TLS

Authentication method: Normal password

Server Settings

☒ Check for new messages at startup

☒ Check for new messages every 10 minutes

When I delete a message:

☒ Move it to this folder: Trash

☐ Just mark it as deleted

☐ Remove it immediately

Message Storage

☐ Clean up ("Expunge") Inbox on Exit

☐ Empty Trash on Exit

Local directory:

/home/dalep/.thunderbird/5rf8y4jl.default/ImapMail/email.vanderb

Advanced

Browse..

CancelOK

- ▼ dale.plummer@vanderbilt.edu
 - Server Settings
 - Copies & Folders**
 - Composition & Addressing
 - Junk Settings
 - Synchronization & Storage
 - Return Receipts
 - Security
- ▼ Local Folders
 - Junk Settings
 - Disk Space
 - Outgoing Server (SMTP)

Copies & Folders

When sending messages, automatically:

☒ Place a copy in:

☒ "Sent" Folder on: dale.plummer@vanderbilt.edu

☐ Other: Sent on dale.plummer@vanderbilt.edu

☐ Place replies in the folder of the message being replied to

☐ Cc these email addresses: Separate addresses with commas

☐ Bcc these email addresses: Separate addresses with commas

Message Archives

☒ Keep message archives in: Archive options...

☒ "Archives" Folder on: dale.plummer@vanderbilt.edu

☐ Other: Archives on dale.plummer@vanderbilt.edu

Drafts and Templates

Keep message drafts in:

☒ "Drafts" Folder on: dale.plummer@vanderbilt.edu

☐ Other: Drafts on dale.plummer@vanderbilt.edu

Keep message templates in:

☒ "Templates" Folder on: dale.plummer@vanderbilt.edu

☐ Other: Templates on dale.plummer@vanderbilt.edu

☐ Show confirmation dialog when messages are saved

Account Actions

Cancel

OK

▼ dale.plummer@vanderbilt.edu

Server Settings

Copies & Folders

Composition & Addressing

Junk Settings

Synchronization & Storage

Return Receipts

Security

▼ Local Folders

Junk Settings

Disk Space

Outgoing Server (SMTP)

Account Actions ▼

Composition & Addressing

Composition

☒ Compose messages in HTML format

☒ Automatically quote the original message when replying

Then, start my reply below the quote

and place my signature below the quote (recommended)

☒ Include signature for replies

☐ Include signature for forwards

Addressing

When looking up addresses:

☐ Use my global LDAP server preferences for this account


☒ Use a different LDAP server:

VUdirectory

Edit Directories...

Cancel

OK



Account Settings

▼ dale.plummer@vanderbilt.edu

- Server Settings
- Copies & Folders
- Composition & Addressing
- Junk Settings**

- Synchronization & Storage
- Return Receipts
- Security

▼ Local Folders

- Junk Settings
- Disk Space
- Outgoing Server (SMTP)

Account Actions ▼

Junk Settings

If enabled, you must first train Thunderbird to identify junk mail by using the Junk toolbar button to mark messages as junk or not. You need to identify both junk and non junk messages.

☒ **Enable adaptive junk mail controls for this account**

Do not mark mail as junk if the sender is in:

- ☐ Collected Addresses
- ☒ Personal Address Book

☐ Trust junk mail headers set by: SpamAssassin

☐ Move new junk messages to:

☒ "Junk" folder on: dale.plummer@vanderbilt.edu

☐ Other: Junk on Local Folders

☐ Automatically delete junk mail older than 14 days

Cancel

OK

▼ dale.plummer@vanderbilt.edu

Server Settings
Copies & Folders
Composition & Addressing
Junk Settings

Synchronization & Storage

Return Receipts

Security

▼ Local Folders

Junk Settings

Disk Space

Outgoing Server (SMTP)

Account Actions ▼

Synchronization & Storage

Message Synchronizing

☒ Keep messages for this account on this computer

Advanced...

Disk Space

To save disk space, downloading messages from the server and keeping local copies for offline use can be restricted by age or size.

☒ Synchronize all messages locally regardless of age

☐ Synchronize the most recent Days

☐ Don't download messages larger than KB

To recover disk space, old messages can be permanently deleted, both local copies and originals on the remote server.

☒ Don't delete any messages

☐ Delete all but the most recent messages

☐ Delete messages more than days old

☒ Always keep starred messages

Cancel

OK

▼ dale.plummer@vanderbilt.edu

Server Settings

Copies & Folders

Composition & Addressing

Junk Settings

Synchronization & Storage

Return Receipts

Security

▼ Local Folders

Junk Settings

Disk Space

Outgoing Server (SMTP)

Account Actions ▼

Return Receipts

Return Receipts

☒ Use my global return receipt preferences for this account

☐ Customize return receipts for this account

☐ When sending messages, always request a return receipt

When a receipt arrives:

☒ Leave it in my Inbox

☐ Move it to my "Sent" folder

When I receive a request for a return receipt:

☐ Never send a return receipt

☒ Allow return receipts for some messages

If I'm not in the To or Cc of the message:

Ask me

If the sender is outside my domain:

Ask me

In all other cases:

Ask me

Cancel

OK

Account Settings

▼ dale.plummer@vanderbilt.edu

- Server Settings
- Copies & Folders
- Composition & Addressing
- Junk Settings
- Synchronization & Storage
- Return Receipts

Security

▼ Local Folders

- Junk Settings
- Disk Space
- Outgoing Server (SMTP)

Account Actions ▼

Security

To send and receive signed or encrypted messages, you should specify both a digital signing certificate and an encryption certificate.

Digital Signing

Use this certificate to digitally sign messages you send:

Select...

Clear

☐ Digitally sign messages (by default)

Encryption

Use this certificate to encrypt & decrypt messages sent to you:

Select...

Clear

Default encryption setting when sending messages:

☒ Never (do not use encryption)

☐ Required (can't send message unless all recipients have certificates)

Certificates

View Certificates

Security Devices

Cancel

OK

▼ dale.plummer@vanderbilt.edu

Server Settings
Copies & Folders
Composition & Addressing
Junk Settings
Synchronization & Storage
Return Receipts
Security

▼ Local Folders

Junk Settings
Disk Space
Outgoing Server (SMTP)

Account Actions ▼

Account Settings

The following is a special account. There are no identities associated with it.

Account Name: Local Folders

Message Storage

☐ Empty Trash on Exit

Local directory:

/home/dalep/.thunderbird/5rf8y4jl.default/Mail/Local Folders

Browse...

Cancel

OK

▼ dale.plummer@vanderbilt.edu

- Server Settings
- Copies & Folders
- Composition & Addressing
- Junk Settings
- Synchronization & Storage
- Return Receipts
- Security

▼ Local Folders

Junk Settings

- Disk Space
- Outgoing Server (SMTP)

Junk Settings

If enabled, you must first train Thunderbird to identify junk mail by using the Junk toolbar button to mark messages as junk or not. You need to identify both junk and non junk messages.

☒ Enable adaptive junk mail controls for this account

Do not mark mail as junk if the sender is in:

- ☐ Collected Addresses
- ☒ Personal Address Book

☐ Trust junk mail headers set by: SpamAssassin

☐ Move new junk messages to:

☒ "Junk" folder on: Local Folders

☐ Other: Junk on Local Folders

☐ Automatically delete junk mail older than 14 days

Account Actions ▼

Cancel

OK

▼ dale.plummer@vanderbilt.edu

Server Settings

Copies & Folders

Composition & Addressing

Junk Settings

Synchronization & Storage

Return Receipts

Security

▼ Local Folders

Junk Settings

Disk Space

Outgoing Server (SMTP)

Account Actions ▼

Disk Space

To recover disk space, old messages can be permanently deleted.

- ☒ Don't delete any messages
- ☐ Delete all but the most recent messages
- ☐ Delete messages more than days old
- ☒ Always keep starred messages

Cancel

OK

▼ dale.plummer@vanderbilt.edu

- Server Settings
- Copies & Folders
- Composition & Addressing
- Junk Settings
- Synchronization & Storage
- Return Receipts
- Security

▼ Local Folders

- Junk Settings
- Disk Space

Outgoing Server (SMTP)

Outgoing Server (SMTP) Settings

Although you can specify more than one outgoing server (SMTP), this is only recommended for advanced users. Setting up multiple SMTP servers can cause errors when sending messages.

dalep - smtpauth.vanderbilt.edu (Default)

Add...

Edit...

Remove

Set Default

Description: <not specified>

Server Name: smtpauth.vanderbilt.edu

Port: 587

User Name: dalep

Authentication method: Normal password

Connection Security: STARTTLS

Account Actions ▼

Cancel

OK

SMTP Server

Settings

Description:

Server Name:

Port: Default: 587

Security and Authentication

Connection security:

Authentication method:

User Name:

Cancel OK