


A		B		C		D	
		太仓律秀电子有限公司 Taicang Luxiu Electronics Co. , Ltd				TEL: 13913787520 FAX: 0512-53437928	
ATTENTION DISCREPANCY OF SPECIFICATION / SAMPLE							
Customer:Lanto				Product name:Inductance电感			
Customer Code: L500				Version: 00			
Luxiu Code: LX-RH10400029				Version: 00			
项目 Item		客户原始规格 Customer Version		律秀规格或建议更改项目 Luxiu suggested changes to the items			
A				预定版2023. 08. 17			
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!							
客户确认签名： Customer signature:							
品管部复核： Jean		确认： Geosoon. li		审查： ChenXin		制图： Huyikang	
A		B		C		D	



A		B		C		D	
		Customer Code: L500		Product name: 电感Inductance			
		Version: 00		Luxiu Code: LX-RH10400029			
1. 外观尺寸图Outer Dimension:(单位 :m/m)							
 A:30MAX B:40MAX C:4.5±0.5 D:18±0.5 E:2.5+0.2/-0.1 F:1.5MAX 注意:进出与线圈与磁芯点两点黑胶固定。 Note: The coil and the magnetic core are fixed with black glue							
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!							
客户确认签名： Customer signature: 							
品管部复核： Jean		确认： Geosoon.li		审查： ChenXin		制图： Huyikang	
2023.08.17							
A		B		C		D	

A		B		C		D																						
1			Customer Code: L500		Product name: 电感Inductance																							
			Version: 00		Luxiu Code: LX-RH10400029																							
2. 接线图Wiring diagram:																												
S 2.5 1UEW-N*16TS F 																												
3. 绕线结构图Winding structure diagram:																												
<table><tr><td>WDG</td><td>Pin S--F</td><td>Material & SPEC</td><td>Turns</td><td>Tape SPEC & Turns</td><td>MARGIN SPEC & Turns</td><td>Remarks</td></tr><tr><td>N1</td><td>S--F</td><td>1UEW-N 2.5mm*1P</td><td>16TS</td><td></td><td></td><td>密绕2层</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								WDG	Pin S--F	Material & SPEC	Turns	Tape SPEC & Turns	MARGIN SPEC & Turns	Remarks	N1	S--F	1UEW-N 2.5mm*1P	16TS			密绕2层							
WDG	Pin S--F	Material & SPEC	Turns	Tape SPEC & Turns	MARGIN SPEC & Turns	Remarks																						
N1	S--F	1UEW-N 2.5mm*1P	16TS			密绕2层																						
3																												
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!																												
客户确认签名：																												
Customer signature: 																												
品管部复核： Jean		确认： Geosoon.li		审查： ChenXin		制图： Huyikang																						
						2023. 08. 17																						
A		B		C		D																						

A		B		C		D			
		Customer Code: L500		Product name: 电感Inductance					
		Version: 00		Luxiu Code: LX-RH10400029					
1		4. 电气特性Electrical characteristics:						1	
2		序号 S/N	项目 Item	测试条件或方式 Conditions	规格范围 Specifications	单位 Unit	测试仪器或设备 Test equipment	2	
		1	电感 LS	S-F @100KHz 1V 25℃	11.5±10%	uH	CHEN HUA#1062或#3250		
		2	直流电阻 DCR	S-F 25℃	6 MAX	mΩ	CHEN HUA#1062或#3250		
		5. 材料清单Bill of materials:							
		序号 S/N	项目 Item	规格/材质 Specifications	供应商 Suppliers	UL NO.			
		1	磁芯 CORE	RH10*40		N/A			
		2	绝缘线 WIRE	ø2.5mm 1UEW-N 180℃	SAITE ELECTRONIC	E194410			
		3	锡 TIN	99/Sn/0.7Cu	Hunan Shenghan Tin Co. , Ltd.	ROHS			
		4	黑胶 EPOXY	Y-306	Shenzhen Qiangya Electronic Materials Co. , Ltd.	ROHS			
		如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!							
4		客户确认签名： Customer signature						4	
		品管部复核： Jean		确认： Geosoon.li	审查： ChenXin	制图： Huyikang		2023. 08. 17	
A		B		C		D			

A		B		C		D	
		Customer Code: L500		Product name: 电感Inductance			
		Version: 00		Luxiu Code: LX-RH10400029			
6. 电气测试记录表Electrical Test record sheet:							
序号 S/N	项目 Item	测试范围 Specifications	样品1 Sample1	样品2 Sample2	样品3 Sample3	样品4 Sample4	判定 Judgment
1	LS	S-F 1.5uH ±10% 100KHz 1V 25℃					
2	DCR	S-F 25℃ 6.0mΩ MAX					
7. 外观尺寸测试记录表Appearance Dimension Test record sheet:							
序号 S/N	项目 Item	测试范围 Specifications	样品1 Sample1	样品2 Sample2	样品3 Sample3	样品4 Sample4	判定 Judgment
1	L	A:30MAX					
2	W	B:40MAX					
3	PIN长	C:4.5±0.5					
4	PIN距	D:18±0.5					
5	PIN径	E:2.5+0.2/-0.1					
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!							
客户确认签名： Customer signature:							
品管部复核： Jean		确认： Geosoon.li	审查： ChenXin	制图： Huyikang	2023.08.17		
A		B		C		D	