



福昕PDF编辑器

· 永久 · 轻巧 · 自由

点击升级会员

点击批量购买



永久使用

无限制使用次数



极速轻巧

超低资源占用，告别卡顿慢



自由编辑

享受Word一样的编辑自由



扫一扫，关注公众号



福昕PDF编辑器

· 永久 · 轻巧 · 自由

点击升级会员

点击批量购买



永久使用

无限制使用次数



极速轻巧

超低资源占用，告别卡顿慢



自由编辑



享受Word一样的编辑自由




扫一扫，关注公众号

A	B	C	D														
 太仓律秀电子有限公司 Taicang Luxiu Electronics Co. , Ltd TEL: 13913787520 FAX: 0512-53437928																	
1 <ATTENTION> DISCREPANCY OF SPECIFICATION / SAMPLE 2 Customer:Lanto Product name:Transformers Customer Code: T400 Version: 00 Luxiu Code: LX-PQ50500027 Version: 00 2																	
<table><tr><td colspan="2">项目 Item</td><td>客户原始规格 Customer Version</td><td>律秀规格或建议更改项目 Luxiu suggested changes to the items</td></tr><tr><td rowspan="3"></td><td>A</td><td></td><td>预定版2023. 08. 18</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>				项目 Item		客户原始规格 Customer Version	律秀规格或建议更改项目 Luxiu suggested changes to the items		A		预定版2023. 08. 18						
项目 Item		客户原始规格 Customer Version	律秀规格或建议更改项目 Luxiu suggested changes to the items														
	A		预定版2023. 08. 18														
3 如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract! 3 客户确认签名： Customer signature: 品管部复核： Jean 确认： Geosoon. li 审查： ChenXin 制图： Huyikang 2023. 08. 18 4																	
A B C D																	



	A	B	C	D
1		Customer Code: T400	Product name: Transformers	
		Version: 00	Luxiu Code: LX-PQ50500027	
1. 外观尺寸图Outer Dimension:(单位 :m/m)				
2	 A:51MAX B:74MAX C:45MAX D:150 MIN NL1与NP2出线长度150mm NS1与NS2出线长度350mm OT端子处需要制作线号名称，便于组装区分同名端 谐振电感磁芯变更为PQ5050磁芯半副 谐振电感需要分段气隙，气隙分为2段，磁柱尺寸：直径20mm，厚度4.2mm，材质JPP95或等同  绕制方式图			
3	注意: 产品进出线套红黑热缩套管，进出线用 圆形带孔端子片装 M3螺钉。 Note: Red and black heat shrinkable bushing for in-out line Round terminals with holes for inlet and outlet lines Install No. 3 Screw			
4	如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!			
客户确认签名： Customer signature:				
品管部复核： Jean		确认： Geosoon.li	审查： ChenXin	制图： Huyikang
A		B	C	D

A		B		C		D	
		Customer Code: T400		Product name: Transformers			
		Version: 00		Luxiu Code: LX-PQ50500027			
2. 接线图Wiring diagram:							
							
3. 绕线结构图Winding structure diagram:							
WDG	Pin S--F	Material & SPEC	Turns	Tape SPEC & Turns	MARGIN SPEC & Turns	Remarks	
NP	NP1-NP2	PET膜包线 0.1*300P	20TS	3TS	CCW	并绕4层	
NS	NS1-NS2	PET膜包线 0.1*300P	20TS				
NL	NL1-NL2	PET膜包线 0.1*300P	18TS	3TS	CW	密绕3层	
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!							
客户确认签名: Customer signature:							
品管部复核: Jean		确认: Geosoon.li	审查: ChenXin	制图: Huyikang	2023. 08. 18		

A		B		C		D		
		Customer Code: T400		Product name: Transformers				
		Version: 00		Luxiu Code: LX-PQ50500027				
1		4. 电气特性Electrical characteristics:						1
2		序号 S/N	项目 Item	测试条件或方式 Conditions	规格范围 Specifications	单位 Unit	测试仪器或设备 Test equipment	2
		1	电感 LS	NL1-NP2 SHORTED NS @100KHz 0.1V 25℃	30±1	uH	CHEN HUA#1062或#3250	
		2	直流电阻 DCR	NL1-NP2 25℃	TBD	mΩ	CHEN HUA#1062或#3250	
				NS1-NS2 26℃	TBD			
		3	制样耐压 Sample Up	NP-NS NP/NS-CORE @交流3.0kv 60秒	1	mA	TONGHUI 9053A or EQUIVALENT	
		4	生产耐压 Hi-Pot	NP-NS NP/NS-CORE @交流3.3kv 3秒	1	mA	TONGHUI 9053A or EQUIVALENT	
		注意: 测量方法, 谐振电感和主变压器是串联不分断的, 主变压器不开气隙, 谐振电感中柱开气隙控制感量。 Note: Measurement method: the resonant inductor and the main transformer are connected in series, the main transformer is not open air gap, the resonant inductor column open air gap control inductance.						
		如果您已经测试了我们的样品并且承认本规格书, 请将此页签回给我司 后续如采购, 此规格书将作为采购合同的技术规格附件! If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!						
4		客户确认签名:						4
		品管部复核: Jean	确认: Geosoon.li	审查: ChenXin	制图: Huyikang	2023.08.18		
A		B		C		D		

A		B		C		D	
		Customer Code: T400		Product name: Transformers			
		Version: 00		Luxiu Code: LX-PQ50500027			
5. 材料清单Bill of materials:							
序号 S/N	项目 Item	规格/材质 Specifications		供应商 Suppliers		UL NO.	
1	磁芯 CORE	PQ5050 PQ5040半副 ZP95		TAICANG CITY HENGYI ELECTRONIC TECHNOLOGY CO.,LTD		N/A	
2	绝缘线 WIRE	ø0.1mm*350 膜包线 QPN/180		Guangdong Liziwire electric technology Co.,Ltd		E504985	
3	锡 TIN	99/Sn/0.7Cu		Hunan Shenghan Tin Co. , Ltd.		ROHS	
4	胶带 TAPE	CT* (b) (g) 130℃		JINGJIANG JINGYI ADHESIVE PRODUCT CO LTD		E165111	
5	套管 TUBE	PE TUBES		DONGGUAN LINGFREE HARDWARE PLASTICS PRODUCT CO.LTD		E520027	
6	凡立水 VARNISHE	468-2(d) 155℃		ELANTAS ZHUHAI CO., LTD		E314793	
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!							
客户确认签名： Customer signature:							
品管部复核： Jean		确认： Geosoon.li		审查： ChenXin		制图： Huyikang	
2023. 08. 18							
A		B		C		D	



1	A	B		C			D	1
		Customer Code: T400		Product name: Transformers				
		Version: 00		Luxiu Code: LX-PQ50500027				
6. 电气测试记录表Electrical Test record sheet:								
序号 S/N	项目 ltem	测试范围 Specifications	样品1 Sample1	样品2 Sample2	样品3 Sample3	样品4 Sample4	判定 Judgment	
1	LS	NL1-NP2 30±1uH SHORTED NS @100KHz 0.1V 25℃						
2	DCR	NL1-NP2 25℃ TBD						
		NS1-NS2 25℃ TBD						
3	制样耐压 Sample Up	NP-NS NP/NS-CORE @交流3.0kv 60秒 1mA						
4	生产耐压 Hi-Pot	NP-NS NP/NS-CORE @交流3.3kv 3秒 1mA						
7. 外观尺寸测试记录表Appearance Dimension Test record sheet:								
序号 S/N	项目 ltem	测试范围 Specifications	样品1 Sample1	样品2 Sample2	样品3 Sample3	样品4 Sample4	判定 Judgment	
1	L	A:51MAX						
2	W	B:74MAX						
3	H	C:45MAX						
4	线长	D:150MIN						
如果您已经测试了我们的样品并且承认本规格书，请将此页签回给我司 后续如采购，此规格书将作为采购合同的技术规格附件！ If you have tested our samples and acknowledge this specification, please sign this page back to us for follow-up such as purchasing, this specification will be attached as the technical specifications of the procurement contract!								
4	客户确认签名： Customer signature							
品管部复核： Jean		确认： Geosoon.li	审查： ChenXin	制图： Huyikang	2023.08.18			
A		B		C		D		