




Title:	6.6kW Daul OBC +11kW WPT			Cannot open file C:\Users\Administrator\Desktop\屏幕截图 2023-04-28 092105.jpg
Revision:	V 1.0	Engineer:	*	
ApprovedBy:	*	Size:	A3	
ModifiedDate:	2023/7/13	Author:	*	
DocumentName:	1.Input.SchDoc	Sheet	1 of 14	









Title:	6.6kW Dual OBC +11kW WPT		
Revision:	V 1.0	Engineer:	*
ApprovedBy:	*	Size:	A3
ModifiedDate	2023/7/13	Author:	*
DocumentName:	5.LC SEC.SchDoc		
		Sheet	5 of 14


Cannot open file
C:\Users\Administrator\Desktop\屏幕截图 2023-04-28 092105.jpg




DC Current Protect
Threshold: 42.7A(Peak), Ref Voltage: 2.21V




DC Voltage Protect
Threshold: 520V(Peak), Ref Voltage: 2.61V



AC Current Protect
Threshold: +/-70A(Peak), Ref Voltage: 2.46V or 0.54V



COIL Current Protect
Threshold: +/-78A(Peak), Ref Voltage: 2.573V or 0.427V



A

B

C




D

A

B

C

D



Title:	6.6kW Daul OBC +11kW WPT		
Revision:	V 1.0	Engineer:	*
ApprovedBy:	*	Size:	A3
ModifiedDate:	2023/7/13	Author:	*
DocumentName:	8.3 LV_SIGNAL&FILTER.SchDoc Sheet 11 of 14		

Cannot open file
C:\Users\Administrator\Desktop\屏幕截图 2023-04-28 092105.jpg

