

Complete Reference

github.com/wdunlevy/claude-cheatsheet

● Create ● Validate ● Ship ● Non-code

- **/using-superpowers** Discover available skills

- **/using-superpowers** Discover available skills
- **/brainstorming** Creative exploration before code
- **/writing-plans** Implementation plans from specs
- **/writing-skills** Create or edit CC skills
- **/receiving-code-review** Handle review feedback
- **/requesting-code-review** Request review of work
- **/systematic-debugging** Structured bug investigation
- **/test-driven-development** Tests before implementation
- **/verification-before-completion** Verify before claiming done
- **/dispatching-parallel-agents** Run 2+ tasks concurrently
- **/executing-plans** Execute plan task-by-task
- **/finishing-a-development-branch** Merge, PR, keep, or discard
- **/subagent-driven-development** Parallel subagent execution
- **/using-git-worktrees** Isolated worktree setup

- [/code-review](#) Code review a PR

- `/review` Review a pull request
- `/review-pr` Multi-agent PR review
- `/clean_gone` Clean deleted remote branches
- `/commit` Git commit (conventional msg)
- `/commit-push-pr` Commit + push + open PR

- **/feature-dev** Guided feature dev + architecture

- **/claude-md-improver** Audit CLAUDE.md quality
- **/revise-claude-md** Update CLAUDE.md from session
- **/run** Launch app to see change working
- **/security-review** Security review pending changes
- **/simplify** Review code for reuse & clarity
- **/verify** Verify change by running the app

- **/dataviz** Chart & dashboard design system

- **/deep-research** Multi-source cited research report
- **/frontend-design** Production-grade frontend UI
- **/playground** Interactive HTML explorers
- **/skill-creator** Create & benchmark skills

- `/cursor` Open Cursor IDE for cwd

- **/claude-automation-recommender** Recommend automations
- **/init** Initialize new CLAUDE.md
- **/keybindings-help** Customize shortcuts
- **/fewer-permission-prompts** Auto-allowlist read-only tools
- **/update-config** Edit settings.json / hooks
- **/claude-api** Build with Claude API / SDK
- **/new-sdk-app** Create Agent SDK app

- **/loop** Recurring prompt interval
- **/schedule** Cron-scheduled remote agents

warehouse-init · analyzing-data · airflow · authoring-dags · debugging-
dags · testing-dags · deploying-airflow · airflow-hitl · airflow-plugins ·
cosmos-dbt-core · cosmos-dbt-fusion · checking-freshness · profiling-
tables · tracing-upstream-lineage · tracing-downstream-lineage ·
annotating-task-lineage · creating-openlineage-extractors · setting-up-
astro-project · managing-astro-local-env · managing-astro-deployments ·
troubleshooting-astro-deployments · migrating-airflow-2-to-3

- **/add-dir** Add working directory
- **/branch** Fork conversation (*/fork*)
- **/btw** Side question mid-response
- **/clear** Clear & start fresh
- **/compact** Summarize to free context
- **/memory** View/edit persistent memory
- **/plan** Enter plan mode
- **/rename** Name current session
- **/resume** Resume previous conversation
- **/rewind** Undo code changes

```
/execute-plan → /executing-plans · /write-plan → /writing-plans ·  
/brainstorm → /brainstorming · /output-style → /config
```

- ! Bash mode (shell commands)
- / Slash commands & skills
- @ File paths, agents, MCP resources
- & Send to background agent
- Shift+↵ Insert newline in prompt
- Tab Autocomplete file / command
- ↑ / ↓ Cycle prompt history
- Esc Interrupt (2x to clear input)
- Ctrl+U Clear input line
- Ctrl+K Cut to end of line

- Ctrl+Y** Yank (paste cut text)
- Alt+Y** Yank-pop (cycle kill ring)
- Shift+Tab** Toggle auto-accept edits
- Ctrl+O** Transcript / verbose output
- Ctrl+R** History search (bash-style)
- Ctrl+S** Stash prompt (save for later)
- Ctrl+G** Edit prompt in \$EDITOR
- Ctrl+X Ctrl+E** Edit in \$EDITOR (alt)
- Ctrl+L** Clear screen & redraw
- Ctrl+Z** Suspend (fg to resume)

[illegible]

- **/cheatsheet** Generate reference PDF
- **/context** Context window breakdown
- **/cost** Session cost & tokens
- **/debug** Debug current session
- **/doctor** Config & env diagnostics
- **/feedback** Submit feedback
- **/help** Show help
- **/release-notes** View release notes
- **/stats** Personal usage stats
- **/status** System & account status
- **/usage** Plan usage limits

- **/agents** List agents
- **/extra-usage** Purchase extra usage
- **/ide** IDE extension
- **/image:access** iMessage access policy
- **/image:configure** iMessage channel setup
- **/mcp** MCP servers
- **/mintlify** Build Mintlify docs
- **/permissions** Tool permission rules
- **/plugins** Plugin management
- **/remote-control** Bridge to claude.ai/code
- **/sandbox** Bash sandboxing
- **/skills** List skills
- **/terminal-setup** Terminal integration
- **/todos** Current todo items
- **/upgrade** Switch to Max plan

- p, --print** Non-interactive output (pipes)
- c, --continue** Continue last conversation
- r, --resume [id]** Resume by session ID
- w, --worktree [name]** Isolated git worktree
- bg, --background** Start as background agent
- n, --name <name>** Session display name
- session-id <uuid>** Fixed session UUID
- from-pr [pr]** Resume PR-linked session
- fork-session** New ID when resuming
- model <model>** opus / sonnet / haiku
- effort <level>** low / med / high / max
- agent <agent>** Use specific agent

- agents <json> Custom agent definitions
- fallback-model <m> Overload fallback (--print)
- brief Agent-to-user messaging
- [no-]chrome Chrome integration on/off
- ide Auto-connect to IDE on startup
- add-dir <dirs> Additional directories
- file <specs> Fetch file resources
- system-prompt <text> Override system prompt
- append-system-prompt Append to system prompt
- exclude-dynamic-system-prompt-sections Cross-user cache reuse
- settings <file|ison> Load settings

- ```
--setting-sources <S> user / project / local
--mcp-config <files> MCP server configs
--strict-mcp-config Only --mcp-config MCPs
--plugin-dir <path> Plugins from directory
--plugin-url <url> Fetch plugin .zip from URL
--tools <tools> Restrict available tools
--allowed-tools <t> Whitelist specific tools
--disallowed-tools <t> Deny specific tools
--disable-slash-commands Disable all skills
--permission-mode <m> default / plan / auto / ...
--dangerously-skip-permissions Bypass checks
```

|                                                                  |                                                                    |                                                         |
|------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------|
| <b>--allow-dangerously-skip-permissions</b> Enable bypass option | <b>--ax-screen-reader</b> Screen-reader friendly output            | <b>claude agents</b> List configured agents             |
| <b>--bare</b> Minimal mode (no hooks/LSP)                        | <b>--max-budget-usd &lt;\$&gt;</b> Spending cap                    | <b>claude auto-mode</b> Auto mode classifier            |
| <b>--safe-mode</b> Disable all customizations                    | <b>--no-session-persistence</b> Ephemeral session (--print)        | <b>claude doctor</b> Health check                       |
| <b>--output-format &lt;fmt&gt;</b> text / json / stream-json     | <b>--tmux</b> tmux session (with -w)                               | <b>claude gateway</b> Enterprise auth/telemetry gateway |
| <b>--input-format &lt;fmt&gt;</b> text / stream-json             | <b>--remote-control [name]</b> Start with Remote Control on        | <b>claude mcp</b> add / remove / list servers           |
| <b>--json-schema &lt;schema&gt;</b> Structured output            | <b>--remote-control-session-name-prefix</b> RC session name prefix | <b>claude plugin</b> install / enable / disable         |
| <b>--include-partial-messages</b> Partial stream chunks          | <b>-d, --debug [filter]</b> Debug mode                             | <b>claude install</b> Install native build              |
| <b>--include-hook-events</b> Hook events in stream-json          | <b>--debug-file &lt;path&gt;</b> Debug log to file                 | <b>claude project</b> Manage project state              |
| <b>--replay-user-messages</b> Echo user input on stdout          | <b>--betas &lt;betas&gt;</b> Beta API headers                      | <b>claude setup-token</b> Long-lived auth token         |
| <b>--prompt-suggestions</b> Emit predicted next prompt           | <b>-v, --version</b> Show version                                  | <b>claude ultrareview</b> Cloud multi-agent code review |
| <b>--verbose</b> Verbose mode override                           | <b>claude auth</b> login / status / logout                         | <b>claude update</b> Check & install updates            |