

Claude Code

Complete Reference

Skills · commands · keys · CLI · v1.36 · 2026-09-03

github.com/wdunleavy/claude-cheatsheet

● Create ● Validate ● Ship ● Non-code

PROJECT-SPECIFIC

● /cursor Open Cursor IDE for cwd

SETUP & CONFIG

- /claude-automation-recommender Recommend automations
- /init Initialize new CLAUDE.md
- /keybindings-help Customize shortcuts
- /fewer-permission-prompts Auto-allowlist read-only tools
- /update-config Edit settings.json / hooks
- /claude-api Build with Claude API / SDK
- /new-sdk-app Create Agent SDK app

AUTOMATION

- /workflow-authoring Write Workflow tool scripts
- /loop Recurring prompt interval
- /schedule Cron-scheduled remote agents

DATA ENGINEERING (22 SKILLS)

warehouse-init · analyzing-data · airflow · authoring-dags · debugging-dags · testing-dags · deploying-airflow · airflow-hiti · airflow-plugins · cosmos-dbt-core · cosmos-dbt-fusion · checking-freshness · profiling-tables · tracing-upstream-lineage · tracing-downstream-lineage · annotating-task-lineage · creating-openlineage-extractors · setting-up-astro-project · managing-astro-local-env · managing-astro-deployments · troubleshooting-astro-deployments · migrating-airflow-2-to-3

SESSION & CONTEXT

- /add-dir Add working directory
- /branch Fork conversation (/fork)
- /btw Side question mid-response
- /clear Clear & start fresh
- /compact Summarize to free context
- /memory View/edit persistent memory
- /plan Enter plan mode
- /rename Name current session
- /resume Resume previous conversation
- /rewind Undo code changes

DEPRECATED

/execute-plan → /executing-plans · /write-plan → /writing-plans · /brainstorm → /brainstorming · /output-style → /config

MODEL & OUTPUT

- /color Prompt bar color
- /config Settings (/settings)
- /copy Copy response / code blocks
- /effort Thinking effort (○ ◐ ◑ ●)
- /export Export conversation
- /fast Toggle fast mode
- /model Switch model
- /theme Color theme
- /voice Voice input (push-to-talk)

INFO & DIAGNOSTICS

- /cheatsheet Generate reference PDF
- /context Context window breakdown
- /cost Session cost & tokens
- /debug Debug current session
- /doctor Config & env diagnostics
- /feedback Submit feedback
- /help Show help
- /release-notes View release notes
- /stats Personal usage stats
- /status System & account status
- /usage Plan usage limits

EXTENSIONS & INTEGRATIONS

- /agents List agents
- /extra-usage Purchase extra usage
- /ide IDE extension
- /message:access iMessage access policy
- /message:configure iMessage channel setup
- /mcp MCP servers
- /mintlify Build Mintlify docs
- /permissions Tool permission rules
- /plugins Plugin management
- /remote-control Bridge to claude.ai/code
- /sandbox Bash sandboxing
- /skills List skills
- /terminal-setup Terminal integration
- /todos Current todo items
- /upgrade Switch to Max plan

GIT & PR

- /code-review Code review a PR
- /review Review a pull request
- /review-pr Multi-agent PR review
- /clean_gone Clean deleted remote branches
- /commit Git commit (conventional msg)
- /commit-push-pr Commit + push + open PR

CODE QUALITY

- /feature-dev Guided feature dev + architecture
- /claude-md-improver Audit CLAUDE.md quality
- /revise-claude-md Update CLAUDE.md from session
- /run Launch app to see change working
- /security-review Security review pending changes
- /simplify Review code for reuse & clarity
- /verify Verify change by running the app

CREATIVE & DESIGN

- /dataviz Chart & dashboard design system
- /deep-research Multi-source cited research report
- /frontend-design Production-grade frontend UI
- /playground Interactive HTML explorers
- /skill-creator Create & benchmark skills

KEYBOARD SHORTCUTS

- ! Bash mode (shell commands)
- / Slash commands & skills
- @ File paths, agents, MCP resources
- & Send to background agent
- Shift+↵ Insert newline in prompt
- Tab Autocomplete file / command
- ↑ / ↓ Cycle prompt history
- Esc Interrupt (2× to clear input)
- Ctrl+U Clear input line
- Ctrl+K Cut to end of line

- Ctrl+Y Yank (paste cut text)
- Alt+Y Yank-pop (cycle kill ring)
- Shift+Tab Toggle auto-accept edits
- Ctrl+O Transcript / verbose output
- Ctrl+R History search (bash-style)
- Ctrl+S Stash prompt (save for later)
- Ctrl+G Edit prompt in \$EDITOR
- Ctrl+X Ctrl+E Edit in \$EDITOR (alt)
- Ctrl+L Clear screen & redraw
- Ctrl+Z Suspend (fg to resume)

- Ctrl+_ Undo prompt input
- Alt+P Switch model (while typing)
- Alt+O Toggle fast mode
- Alt+T Toggle thinking mode
- Ctrl+V Paste images from clipboard
- Ctrl+B Background running task
- Ctrl+X Ctrl+K Kill all background agents
- Shift+⇧ Expand teammate pane
- Space Push-to-talk (voice mode)

CLI — CLAUDE [OPTIONS] [PROMPT]

- p, --print Non-interactive output (pipes)
- c, --continue Continue last conversation
- r, --resume [id] Resume by session ID
- w, --worktree [name] Isolated git worktree
- bg, --background Start as background agent
- n, --name <name> Session display name
- session-id <uuid> Fixed session UUID
- from-pr [pr] Resume PR-linked session
- fork-session New ID when resuming
- cloud [desc|id|url] Create or attach cloud session
- environment <id> Cloud session on self-hosted env
- teleport [session] Resume a teleport session

- model <model> opus / sonnet / haiku
- effort <level> low / med / high / max
- agent <agent> Use specific agent
- agents <json> Custom agent definitions
- fallback-model <m> Overload fallback (--print)
- brief Agent-to-user messaging
- [no-]chrome Chrome integration on/off
- ide Auto-connect to IDE on startup
- add-dir <dirs> Additional directories
- file <sspecs> Fetch file resources
- system-prompt <text> Override system prompt
- append-system-prompt Append to system prompt

- system-prompt-snapshot <on|off> Record system prompt once, reuse verbatim
- exclude-dynamic-system-prompt-sections Cross-user cache reuse
- settings <file|json> Load settings
- setting-sources <s> user / project / local
- mcp-config <files> MCP server configs
- strict-mcp-config Only --mcp-config MCPs
- plugin-dir <path> Plugins from directory
- plugin-url <url> Fetch plugin .zip from URL
- tools <tools> Restrict available tools
- allowed-tools <t> Whitelist specific tools

--disallowed-tools <t> Deny specific tools

--disable-slash-commands Disable all skills

--permission-mode <m> default / plan / auto / ...

--permission-prompts <t> Prompt handler: host / none (--print)

--dangerously-skip-permissions Bypass checks

--allow-dangerously-skip-permissions Enable bypass option

--bare Minimal mode (no hooks/LSP)

--safe-mode Disable all customizations

--restricted Remove code-running tools & ignore user settings

--output-format <fmt> text / json / stream-json

--input-format <fmt> text / stream-json

--json-schema <schema> Structured output

--include-partial-messages Partial stream chunks

--include-hook-events Hook events in stream-json

--forward-subagent-text Forward subagent text (--print stream-json)

--replay-user-messages Echo user input on stdout

--prompt-suggestions Emit predicted next prompt

--verbose Verbose mode override

--ax-screen-reader Screen-reader friendly output

--max-budget-usd <\$> Spending cap

--no-session-persistence Ephemeral session (--print)

--autocompact <a|tokens> Auto-compact window (100k–1M)

--tmux tmux session (with -w)

--remote-control [name] Start with Remote Control on

--remote-control-session-name-prefix RC session name prefix

-d, --debug [filter] Debug mode

--debug-file <path> Debug log to file

--betas <betas> Beta API headers

-v, --version Show version

.....

claude auth login / status / logout

claude agents List configured agents

claude auto-mode Auto mode classifier

claude doctor Health check

claude gateway Enterprise auth/telemetry gateway

claude import Import config from other AI coder

claude mcp add / remove / list servers

claude plugin install / enable / disable

claude install Install native build

claude project Manage project state

claude setup-token Long-lived auth token

claude ultrareview Cloud multi-agent code review

claude update Check & install updates

claude attach <id> Open background session in terminal

claude logs <id> Print background session output

claude respawn [id] Restart background session(s)

claude rm <id> Delete background session

claude stop <id> Stop background session (kill)