

Level 1 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 2 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 3 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 4 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 5 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 6 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 7 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

Level 8 - Acceptance Section

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.

This paragraph verifies that multi-column text remains selectable while outline analysis runs in a worker. Page turning, scrolling, selection, and window resizing must stay independent from directory extraction.