

CALIFORNIA ENVIRONMENTAL
PROTECTION AGENCYState of California
Regional Water Quality Control BoardAPPLICATION/REPORT OF WASTE DISCHARGE
GENERAL INFORMATION FORM FOR
WASTE DISCHARGE REQUIREMENTS OR NPDES PERMIT

RECEIVED

A. Facility:

I. FACILITY INFORMATION

Name: Bear Valley Community Service District Wastewater Treatment Facility				MAR - 8 2012
Address: Section 9, T32S, R31E, MDB&M				
City: Tehachapi	County: Kern	State: CA	Zip Code: 93561	RWQCB-CVR FRESNO, CALIF.
Contact Person: John Yeakley		Telephone Number: 661-821-4428		

B. Facility Owner:

Name: Bear Valley Community Service District			Owner Type (Check One)	
Address: 28999 South Lower Valley Road			1. ☐ Individual 2. ☐ Corporation	
City: Tehachapi	State: CA	Zip Code: 93561	3. ☐ Governmental Agency 4. ☐ Partnership Agency	
Contact Person: John Yeakley			5. ☒ Other: <u>Service District</u>	
Telephone Number: 661-821-4428		Federal Tax ID: 95-2684780		

C. Facility Operator (The agency or business, not the person):

Name: Bear Valley Community Service District			Operator Type (Check One)	
Address: 28999 South Lower Valley Road			1. ☐ Individual 2. ☐ Corporation	
City: Tehachapi	State: CA	Zip Code: 93561	3. ☐ Governmental Agency 4. ☐ Partnership Agency	
Contact Person: Patrick Calhoun			5. ☒ Other: <u>Service District</u>	
Telephone Number: 661-821-2409				

D. Owner of the Land:

Name: Bear Valley Community Service District			Owner Type (Check One)	
Address: 28999 South Lower Valley Road			1. ☐ Individual 2. ☐ Corporation	
City: Tehachapi	State: CA	Zip Code: 93561	3. ☐ Governmental Agency 4. ☐ Partnership Agency	
Contact Person: John Yeakley			5. ☒ Other: <u>Service District</u>	
Telephone Number: 661-821-4428				

E. Address Where Legal Notice May Be Served:

Address: 28999 South Lower Valley Road		
City: Tehachapi	State: CA	Zip Code: 93561
Contact Person: John Yeakley	Telephone Number: 661-821-4428	

F. Billing Address:

Address: 28999 South Lower Valley Road		
City: Tehachapi	State: CA	Zip Code: 93561
Contact Person: John Yeakley	Telephone Number: 661-821-4428	

CALIFORNIA ENVIRONMENTAL
PROTECTION AGENCY



State of California
Regional Water Quality Control Board

**APPLICATION/REPORT OF WASTE DISCHARGE
GENERAL INFORMATION FORM FOR
WASTE DISCHARGE REQUIREMENTS OR NPDES PERMIT**



II. TYPE OF DISCHARGE

Check Type of Discharge(s) Described in this Application (A or B):

☐ A. WASTE DISCHARGE TO LAND

☒ B. WASTE DISCHARGE TO SURFACE WATER

Check all that apply:

☒ Domestic/Municipal Wastewater
Treatment and Disposal

☐ Cooling Water

☐ Mining

☐ Waste Pile

☒ Wastewater Reclamation

☐ Other, please describe: _____

☐ Animal Waste Solids

☐ Land Treatment Unit

☐ Dredge Material Disposal

☒ Surface Impoundment

☐ Industrial Process Wastewater

☐ Animal or Aquacultural Wastewater

☐ Biosolids/Residual

☐ Hazardous Waste (see instructions)

☐ Landfill (see instructions)

☐ Storm Water

III. LOCATION OF THE FACILITY

Describe the physical location of the facility.

1. Assessor's Parcel Number(s)

Facility: 323-014-01

Discharge Point: 323-014-01

2. Latitude

Facility: 35.16528

Discharge Point: 35.16528

3. Longitude

Facility: -118.65667

Discharge Point: -118.65667

IV. REASON FOR FILING

☒ New Discharge or Facility

☐ Changes in Ownership/Operator (see instructions)

☐ Change in Design or Operation

☒ Waste Discharge Requirements Update or NPDES Permit Reissuance

☐ Change in Quantity/Type of Discharge

☐ Other: _____

V. CALIFORNIA ENVIRONMENTAL QUALITY ACT (CEQA)

Name of Lead Agency: Unknown

Has a public agency determined that the proposed project is exempt from CEQA?

☐ Yes

☐ No

If Yes, state the basis for the exemption and the name of the agency supplying the exemption on the line below.

Basis for Exemption/Agency: _____

Has a "Notice of Determination" been filed under CEQA?

☐ Yes

☐ No

If Yes, enclose a copy of the CEQA document, Environmental Impact Report, or Negative Declaration. If no, identify the expected type of CEQA document and expected date of completion.

Expected CEQA Documents:

☐ EIR

☐ Negative Declaration

Expected CEQA Completion Date: _____

CALIFORNIA ENVIRONMENTAL
PROTECTION AGENCYState of California
Regional Water Quality Control Board

APPLICATION/REPORT OF WASTE DISCHARGE GENERAL INFORMATION FORM FOR WASTE DISCHARGE REQUIREMENTS OR NPDES PERMIT



VI. OTHER REQUIRED INFORMATION

Please provide a COMPLETE characterization of your discharge. A complete characterization includes, but is not limited to, design and actual flows, a list of constituents and the discharge concentration of each constituent, a list of other appropriate waste discharge characteristics, a description and schematic drawing of all treatment processes, a description of any Best Management Practices (BMPs) used, and a description of disposal methods.

Also include a site map showing the location of the facility and, if you are submitting this application for an NPDES permit, identify the surface water to which you propose to discharge. Please try to limit your maps to a scale of 1:24,000 (7.5' USGS Quadrangle) or a street map, if more appropriate.

VII. OTHER

Attach additional sheets to explain any responses which need clarification. List attachments with titles and dates below:

You will be notified by a representative of the RWQCB within 30 days of receipt of your application. The notice will state if your application is complete or if there is additional information you must submit to complete your Application/Report of Waste Discharge, pursuant to Division 7, Section 13260 of the California Water Code.

VIII. CERTIFICATION

"I certify under penalty of law that this document, including all attachments and supplemental information, were prepared under my direction and supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

Print Name: John C. Yeakley

Title: General Manager

Signature:

Date: 3-6-12

FOR OFFICE USE ONLY

Date Form 200 Received: 3/8/12	Letter to Discharger:	Fee Amount Received: 0	Check #:
-----------------------------------	-----------------------	---------------------------	----------

ATTACHMENT TO ITEM IV. OTHER REQUIRED INFORMATION

The BVCSD WWTP is designed to provide biological and tertiary treatment capable of treating the community's wastewater to Title 22 recycled water effluent standards for unrestricted reuse. Its design average dry weather flow (ADWF) capacity is 0.25 million gallons per day (mgd). Peak hydraulic (wet weather) flow capacity is approximately 0.5 mgd. Annualized average daily flow for calendar year 2009 was approximately 75,600 gallons per day (gpd), and the ADWF has been in the 70,000 to 80,000 gpd range over the last several years. Peak wet weather flow rates can reach levels up to 200,000 gpd for short periods due to wet weather inflow into the sewer collection system.

The WWTP uses a combination of activated sludge treatment with an oxidation ditch, and tertiary treatment utilizing coagulation / flocculation and filtration. Disinfection is provided using sodium hypochlorite addition. The treated effluent is dechlorinated prior to discharge through Outfall 001 to Sycamore Creek. A process flow schematic of the WWTP is included in Figure 5. A schematic diagram of the WWTP is included in Appendix D.

Solid waste generated at the WWTP includes the headwork's screenings and the waste activated sludge. The waste activated sludge stream is metered off and transported to six sludge drying beds on site. Drainage from the sludge drying beds is fed to the WWTP headworks and back through the treatment process. Every two years, the dried sludge is disposed off-site for composting at MacCarthy Farms. Dewatered screenings from the headworks screens are disposed of off-site at the Tehachapi Class III Landfill regulated by Lahontan Regional Board Order No. 01-035.

Effluent from the WWTP is discharged under permit to either of the following two outfalls:

Discharge Point 001. Discharge to Sycamore Creek, an ephemeral stream that terminates on the lower San Joaquin Valley floor. The Discharger Self-Monitoring Reports indicate that about 50 percent of the WWTP effluent is discharged to Sycamore Creek on an annual basis.

Discharge Point 002. Discharge to Oak Tree Country Club Golf Course. Recycled water is pumped from the WWTP directly into the golf course's irrigation water distribution piping system. The 70-acre golf course is the Use Area permitted under the current WDRs. The Discharger Self-Monitoring Reports indicate that the remaining 50 percent of the WWTP effluent is recycled to this Use Area on an annual basis.

This ROWD proposes to recycle more of the effluent sent to Sycamore Creek (Discharge Point 001) by expanding the Use Area to include direct filling of Four Island Lake and Cub Lake when recycled water is available and not needed for the Oak Tree Country Club Golf Course irrigation. Figures 2 and 3 have the location of the WWTP and the surface water (Four Island Lake) receiving the recycled water. The table below provides the constituents present in the effluent discharged by the WWTP at monitoring locations EFF-001 and EFF-002 in calendar year 2011.

FACILITY NAME AND PERMIT NUMBER:

BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

FORM
2A
NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants.** All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd.** All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification.** All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data.** A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data.** A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes.** A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems.** A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

FACILITY NAME AND PERMIT NUMBER:

BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086**BASIC APPLICATION INFORMATION****PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS:**

All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet.

A.1. Facility Information.

Facility name Bear Valley Community Services District Wastewater Treatment Facility

Mailing Address 28999 South Lower Valley Road
Tehachapi, California 93561

Contact person John Yeakley

Title General Manager

Telephone number (661) 821-4428

Facility Address Section 9, T32S, R31E, MDB&M
(not P.O. Box) _____

A.2. Applicant Information. If the applicant is different from the above, provide the following:

Applicant name _____

Mailing Address _____

Contact person _____

Title _____

Telephone number _____

Is the applicant the owner or operator (or both) of the treatment works?

☒ owner ☒ operator

Indicate whether correspondence regarding this permit should be directed to the facility or the applicant.

☐ facility ☒ applicant**A.3. Existing Environmental Permits.** Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).

NPDES CA0081213 PSD _____

UIC _____ Other _____

RCRA _____ Other _____

A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.).

Name	Population Served	Type of Collection System	Ownership
<u>Bear Valley Springs</u>	<u>1,100</u>	<u>Separate</u>	<u>Municipal</u>
_____	_____	_____	_____
_____	_____	_____	_____
Total population served _____			

FACILITY NAME AND PERMIT NUMBER:

BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

A.5. Indian Country.

- a. Is the treatment works located in Indian Country?

☐ Yes ☒ No

- b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

☐ Yes ☒ No

A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

- a. Design flow rate
- 0.25
- mgd

	<u>Two Years Ago</u>	<u>Last Year</u>	<u>This Year</u>
b. Annual average daily flow rate	<u>0.08</u>	<u>0.10</u>	<u>0.10</u> mgd
c. Maximum daily flow rate	<u>0.17</u>	<u>0.31</u>	<u>0.29</u> mgd

A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

☒ Separate sanitary sewer 100.00 %
☐ Combined storm and sanitary sewer _____ %

A.8. Discharges and Other Disposal Methods.

- a. Does the treatment works discharge effluent to waters of the U.S.?
- ☒
- Yes
- ☐
- No

If yes, list how many of each of the following types of discharge points the treatment works uses:

i. Discharges of treated effluent 1
ii. Discharges of untreated or partially treated effluent 0
iii. Combined sewer overflow points 0
iv. Constructed emergency overflows (prior to the headworks) 0
v. Other _____

- b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.?

☐ Yes ☒ No

If yes, provide the following for each surface impoundment:

Location: _____

Annual average daily volume discharged to surface impoundment(s) _____ mgd

Is discharge _____ continuous or ☒ intermittent?

- c. Does the treatment works land-apply treated wastewater?

☒ Yes ☐ No

If yes, provide the following for each land application site:

Location: Bear Valley Oak Tree Country Club golf course (Section 4 & 9, T32S R31E MDB&M)Number of acres: 70.00Annual average daily volume applied to site: 0.08 MgdIs land application _____ continuous or ☒ intermittent?

- d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?

☐ Yes ☒ No

FACILITY NAME AND PERMIT NUMBER:

BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).

If transport is by a party other than the applicant, provide:

Transporter name: _____

Mailing Address: _____

Contact person: _____

Title: _____

Telephone number: _____

For each treatment works that receives this discharge, provide the following:

Name: _____

Mailing Address: _____

Contact person: _____

Title: _____

Telephone number: _____

If known, provide the NPDES permit number of the treatment works that receives this discharge. _____

Provide the average daily flow rate from the treatment works into the receiving facility. _____

mgd

- e. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)?

_____ Yes

_____ ☒ No

If yes, provide the following for each disposal method:

Description of method (including location and size of site(s) if applicable):

Annual daily volume disposed of by this method: _____

Is disposal through this method _____ continuous or _____ intermittent?

FACILITY NAME AND PERMIT NUMBER:
BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 **once for each outfall** (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

A.9. Description of Outfall.

- a. Outfall number EFF-001/EFF-002
- b. Location Tehachapi 93561
(City or town, if applicable) (Zip Code)
Kern County California
(County) (State)
35.16528 -118.65667
(Latitude) (Longitude)
- c. Distance from shore (if applicable) _____ ft.
- d. Depth below surface (if applicable) _____ ft.
- e. Average daily flow rate _____ 0.08 mgd
- f. Does this outfall have either an intermittent or a periodic discharge? ☒ Yes ☐ No (go to A.9.g.)
- If yes, provide the following information:
- Number of times per year discharge occurs: _____ 200-240
- Average duration of each discharge: _____ 16 hours
- Average flow per discharge: _____ 0.11 mgd
- Months in which discharge occurs: _____ November-February
- g. Is outfall equipped with a diffuser? _____ Yes ☒ No

A.10. Description of Receiving Waters.

- a. Name of receiving water Sycamore Creek
- b. Name of watershed (if known) unknown
- United States Soil Conservation Service 14-digit watershed code (if known): unknown
- c. Name of State Management/River Basin (if known): Tulare Lake Hydrologic Region
- United States Geological Survey 8-digit hydrologic cataloging unit code (if known): unknown
- d. Critical low flow of receiving stream (if applicable):
acute _____ cfs chronic _____ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): _____ mg/l of CaCO₃

FACILITY NAME AND PERMIT NUMBER:
BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

A.11. Description of Treatment.

- a. What levels of treatment are provided? Check all that apply.

☐ Primary

☐ Secondary

☒ Advanced

☐ Other. Describe: _____

- b. Indicate the following removal rates (as applicable):

Design BOD₅ removal or Design CBOD₅ removal 90.00 %

Design SS removal _____ %

Design P removal _____ %

Design N removal _____ %

Other _____ %

- c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

Sodium Hypochlorite Solution (12.5%) disinfection

If disinfection is by chlorination, is dechlorination used for this outfall?

☒ Yes

☐ No

- d. Does the treatment plant have post aeration?

☐ Yes

☒ No

A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: EFF-001 and EFF-002

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE		
	Value	Units	Value	Units	Number of Samples
pH (Minimum)	6.50	s.u.			
pH (Maximum)	7.50	s.u.			
Flow Rate	286,766.00	gpd	102,085.00	gpd	403.00
Temperature (Winter)	16.00	celsius	9.92	celsius	41.00
Temperature (Summer)	15.00	celsius	12.38	celsius	16.00

* For pH please report a minimum and a maximum daily value

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		

CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.

BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD-5	4.30	mg/L	2.48	mg/L	37.00	SM 5210-B	1.5 PQL
	CBOD-5							
FECAL COLIFORM		0.33	MPN/mL	0.02	MPN/mL	166.00	SM 9221-B	<2.0 MDL
TOTAL SUSPENDED SOLIDS (TSS)		5.00	mg/L	2.09	mg/L	28.00	SM 2540-D	1.0 PQL

END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).

All applicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).

B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.

91,247.00 gpd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

None

B.2. Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)

- The area surrounding the treatment plant, including all unit processes.
- The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
- Each well where wastewater from the treatment plant is injected underground.
- Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
- Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
- If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.

B.3. Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

B.4. Operation/Maintenance Performed by Contractor(s).

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? ☐ Yes ☒ No

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: _____

Mailing Address: _____

Telephone Number: _____

Responsibilities of Contractor: _____

B.5. Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

- List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

- Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

☐ Yes ☐ No

FACILITY NAME AND PERMIT NUMBER:
BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086

- c. If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).

- d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.

Implementation Stage	Schedule MM / DD / YYYY	Actual Completion MM / DD / YYYY
- Begin construction	___/___/___	___/___/___
- End construction	___/___/___	___/___/___
- Begin discharge	___/___/___	___/___/___
- Attain operational level	___/___/___	___/___/___

- e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained? ____ Yes ____ No

Describe briefly: _____

B.6. EFFLUENT TESTING DATA (GREATER THAN 0.1 MGD ONLY).

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: EFF-002

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.							
AMMONIA (as N)	1.00	mg/L	0.21	mg/L	69.00	EPA 350.1/HACH	0.01 MDL
CHLORINE (TOTAL RESIDUAL, TRC)	0.02	mg/L	0.02	mg/L	168.00	HACH 8021	0.02 MDL
DISSOLVED OXYGEN	11.40	mg/L	8.70	mg/L	114.00	YSI Manual/51B	+/- 0.2 PPM
TOTAL KJELDAHL NITROGEN (TKN)		mg/L		mg/L		EPA 351.2	1.0PQL/1.0DLR
NITRATE PLUS NITRITE NITROGEN	18.64	mg/L	25.00	mg/L	11.00	EPA 353.2/HACH	1.0PQL/0.5MDL
OIL and GREASE		mg/L		mg/L		EPA 1664	1.0PQL/1.0DLR
PHOSPHORUS (Total)		mg/L		mg/L		EPA 365.4	0.75PQL/.3MDL
TOTAL DISSOLVED SOLIDS (TDS)		mg/L		mg/L		EPA 160.1	33 PQL
OTHER							

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

BVCSD Treatment Facility (CA0081213)

Form Approved 1/14/99
OMB Number 2040-0086**BASIC APPLICATION INFORMATION****PART C. CERTIFICATION**

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.


Indicate which parts of Form 2A you have completed and are submitting:

Basic Application Information packet

Supplemental Application Information packet:

☐ Part D (Expanded Effluent Testing Data)☐ Part E (Toxicity Testing: Biomonitoring Data)☐ Part F (Industrial User Discharges and RCRA/CERCLA Wastes)☐ Part G (Combined Sewer Systems)**ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.**

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title John C. Yeakley, General ManagerSignature Telephone number (661) 821-4428Date signed 3-6-12

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO: