



# County of San Diego

**BRIAN ALBRIGHT**  
DIRECTOR

DEPARTMENT OF PUBLIC WORKS  
5510 OVERLAND AVENUE, SUITE 410  
SAN DIEGO, CA 92123-1237  
(858) 694-2212  
[www.sdcounty.ca.gov/dpw/](http://www.sdcounty.ca.gov/dpw/)

December 10, 2019

Attention: Ms. Chehreh Komeylyan  
San Diego Regional Water Quality Control Board 2375 Northside Drive, Suite 100  
San Diego, CA 92108

Dear Ms. Komeylyan:

**SUBJECT (IN REFERENCE TO 234117: CKomeylyan): SUBMITTAL OF REQUIRED PLANS FOR JULIAN WATER POLLUTION CONTROL FACILITY UNDER ORDER WQ2014-0153-DWQ**

Enclosed please find the copy of required plans specified under NOA Section 3.a. for Julian Water Pollution Control Facility for your review and approval:

- Spill Prevention and emergency Response Plan
- Sampling and Analysis Plan
- Sludge Management Plan

If you have any questions or concerns, please do not hesitate to contact me. I can be reached at (858)-694 3921, or via e-mail [Kyehee.Kim@sdcounty.ca.gov](mailto:Kyehee.Kim@sdcounty.ca.gov).

Sincerely,

*Kyehee Kim*

Kyehee Kim  
Unit Manager, Wastewater Management  
County of San Diego/San Diego County Sanitation District

**SPILL PREVENTION AND EMERGENCY RESPONSE PLAN  
FOR THE  
JULIAN WASTEWATER TREATMENT PLANT**

**COUNTY OF SAN DIEGO  
SAN DIEGO COUNTY SANITATION DISTRICT**

**SUBMITTED TO:**

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION**



**PREPARED BY: COUNTY OF SAN DIEGO DEPARTMENT OF PUBLIC WORKS  
WASTEWATER MANAGEMENT  
5500 OVERLAND AVENUE, SUITE 315  
SAN DIEGO, CA 92123**

**DECEMBER 2019**

**Name of Business**

County of San Diego, Julian Wastewater Treatment Plant

**Facility Address:** 2840 Hwy 78, Julian CA 92036

**Facility Supervisor**

**Name:** Jim Dohrer

**Phone** (858) 204-1648; **E-mail:** [James.Dohrer@sdcounty.ca.gov](mailto:James.Dohrer@sdcounty.ca.gov)

**Facility Chief Operator**

**Name:** Christine Lavoie

**Phone** (619) 823-8478; **E-mail:** [Christine.Lavoie@sdcounty.ca.gov](mailto:Christine.Lavoie@sdcounty.ca.gov)

**Facility Unit Manager**

**Name:** Kyehee Kim

**Phone** (858) 694-3921; **E-mail:** [Kyehee.Kim@sdcounty.ca.gov](mailto:Kyehee.Kim@sdcounty.ca.gov)

- In case of sewer spill, follow 'County of San Diego Sanitary Sewer Overflow Emergency Response Plan' included in Appendix A.
- 'Approved Contractors and Equipment Rental Vendors' list is included in Appendix A, Attachment C.
- County of San Diego Standby Staff Contact Information is included in Appendix A, Attachment B.
- Notification Procedures and list are included in Appendix A.

## I. DESCRIPTION OF THE FACILITY

The Julian Wastewater Treatment Plant is owned and operated by the County of San Diego, San Diego County Sanitation District, and is located in the town of Julian, California approximately 60 miles from the City of San Diego, and approximately one mile West of downtown Julian. The topography of the treatment plant site is mainly flat along the southern border and the areas immediately adjacent to the treatment facilities, but is moderately undulating throughout the rest of the site. The 14-acre JWWTP provides secondary treatment of raw wastewater coming primarily from the town's business area.

Wastewater from the town of Julian initially flows through an eight-inch sewer main into the equalization tank for pre-treatment. The flow from the tank is measured by a channel-type flow meter, located in a manhole upstream of the headworks structure. The headworks are housed in a 5 feet x 10 feet below-grade concrete tank, with dual channels and bar screens. Afterwards, the wastewater flows into the aeration tanks. The aeration tanks consist of two 53 feet x 53 feet below-grade concrete basins, each equipped with a floating mechanical aerator to facilitate complete mix, extended aeration secondary treatment. The wastewater then flows to the secondary clarifiers for sludge settling and removal, which consist of two 18 feet diameter concrete tanks. The settled sludge from the clarifiers is then routed to the Return Activated Sludge (RAS)/Waste Activated Sludge (WAS) pump station. The pump station is comprised of two rotary lobe pumps housed in a concrete vault capable of returning or wasting the settled sludge from the secondary clarifiers. Most of the settled sludge is treated as RAS, which is pumped back into the aeration tank which aides in the continued processing of the influent. The WAS is pumped to the aerobic digester tanks. The RAS/WAS pump station is also fitted with a flowmeter. The aerobic digesters are two 18 feet x 18 feet above-ground concrete tanks where the sludge digestion process is completed. Once digestion is complete, the WAS is sent to the Sludge Drying Beds until it becomes dry enough to haul away to an appropriate landfill. Any excess wet sludge during Winter months are hauled off to City of San Diego Pump Station 1.

From the clarifiers, the effluent flows into the effluent wetwell, and from the wetwell, the effluent is pumped into the two effluent storage basins. The storage basins are below-grade concrete lined ponds with a total capacity of 225,000 cubic feet of storage, roughly equal to 67 days of treated effluent at an average daily flow rate of 25,000 gallons per day (gpd). The clarified effluent is pumped to an adjacent field on the site and used for spray irrigation. The volume of effluent sprayed is tracked using a flowmeter attached to the irrigation pumps.

Per the Notice of applicability for Order WQ 2014-0153-DWQ, Julian Wastewater Treatment Plant, the discharge of an effluent containing pollutants in excess of the following effluent limitations presented in Table 1 is prohibited:

**Table 1. Effluent Discharge Limits per Order WQ 2014-0153-DWQ for Julian WWTP**

| Constituent                | Unit | Monthly Avg. | 7-Day Avg |
|----------------------------|------|--------------|-----------|
| Daily Flowrate             | gpd  | 80,000       | -         |
| BOD                        | mg/L | 30           | 45        |
| TSS                        | mg/L | 30           | 45        |
| Total Nitrogen as Nitrogen | mg/L | 50% (annual) | -         |

**Figure 1. Project Location - Julian Wastewater Treatment Plant**




Figure 2. Process Flow Diagram for Julian WWTP





Figure 3. Julian Sewer Service Area



## II. OPERATION AND CONTROL OF THE FACILITY

The Julian WWTP is operated by the State certified Grade II operator as a chief operator and the State certified Grade V operator as a facility supervisor. The facility is maintained and inspected by the chief operator daily during weekdays. During weekends and holidays, operation staffs only respond to emergency situations such as power outage, electrical and mechanical equipment failure and notification by park rangers. See below for the Regular Operational Procedures. The facility is included County-wide wastewater supervisory control and data acquisition (SCADA) network, which enables the operators to monitor the conditions of the facility and control the operations remotely.

### Daily Routine

1. Check mechanical equipment
2. Check electric panel
3. Check aerator process trains visually
4. Check effluent storage pond/percolation field area
5. General housekeeping
6. Measure flow

### Weekly/Monthly

#### *Aerators Lab Test*

1. Take DO each aerator and raw
2. Take DO each final
3. Take pH each final
4. Take Temperature of sewage in raw
5. Take settleable solids each tank and raw

#### *Monitoring*

1. Perform monthly effluent and influent monitoring required per the permit

#### *Irrigation Pumps (Main & Standby)*

1. Use main pump to keep ponds pumped down
2. Check pump and motor operation
3. Check seal water

#### *Housekeeping*

1. Keep the site clean
2. Clean weed and trash from compound
3. Clean rag screen on aerator influent lines
4. Wash down aerators and finals. Add chlorine, if odor problems

### Semi-Annually

1. Clean lower pond out completely by utilizing septic tank pump truck. Clean weeds from ponds and berm in upper pond



### **Annually**

1. Grease all irrigation pumps and motors
2. Perform groundwater monitoring per the permit

### **Manual Power Shut-Down**

1. Turn Off main power breaker inside of compound
2. Reverse procedure for re-start

## **III. SLUDGE HANDLING**

Sludge generated from the treatment process is regularly hauled offsite from sludge drying Beds to an approved landfill where it is used as alternative daily cover. The sludge may also be hauled offsite to the City of San Diego's Pump Station #1 under the Industrial Waste Permit # 25-0015-25A or the alternative #25-0128-18A. Monthly average volume of the sludge removed from the facility is approximately 11,000 to 15,000 gallons and is included in quarterly reports submitted to State. The City issued 'Trucked Industrial Waste Generator Permit' are included in Appendix B.

## **IV. COLLECTION SYSTEM MAINTENANCE**

Sewage generated from residential, commercial, and public agencies customers is collected via gravity sewer with total length of approximately 3.3 miles and transferred to the treatment facility. The treated wastewater is pumped to the effluent storage ponds and pumped again through a 2-inch pvc pipe to the adjacent spray fields for sprinkler irrigation. Cleaning, inspection, and maintenance of gravity sewer are regularly performed by the San Diego County Sanitation District (District). The District staffs are responsible for the plant operation, all pipeline inspection and maintenance, and spray field maintenance.

## **V. EMERGENCY RESPONSE**

- **Power Outage**
  - Notify the facility supervisor.
  - Notify electrical specialist.
  - Start emergency onsite generator. Automatic transfer.
  - In the event of a spill, follow the SSO ERP procedure, Appendix A.
  - Determine the level of emergency and take further actions accordingly.
- **Electrical Emergency:**
  - Notify the facility supervisor.
  - Notify the electrical specialist.
  - Follow the Lockout/Tag Out Procedures as outlined by the County DPW director's Letter of Instruction DLI-SA-K. See Appendix C.
  - Electrical Specialist shall repair minor problems.
  - If outside contractor is required to be brought in, contact the facility supervisor.

- **Severe Weather/Flooding:**
  - Notify the facility supervisor.
  - Notify the electrical specialist.
  - Contact outside sewage hauling company for emergency sewage hauling services.
  - In the event of a spill, follow the SSO ERP procedure, Appendix A.

## **VI. NOTIFICATION PROCEDURES**

Notification Procedures shall follow the San Diego County Sanitation District's Sanitary Sewer Overflow Emergency Response Plan, and are listed in Appendix A.

## **Appendix A**

### **County of San Diego Sanitary Sewer Overflow Emergency Response Plan**



# County of San Diego Department of Public Works Sanitary Sewer Overflow Emergency Response Plan

**April 2015**

**Prepared for:**



**5555 Overland Drive  
San Diego, CA 92123**

**Prepared by:**

**ATKINS**

**3570 Carmel Mountain Road, Suite 300  
San Diego, CA 92130  
858.874.1810**

**Atkins Project No.: 1000040727**



# Table of Contents

---

|           |                                                                             |      |
|-----------|-----------------------------------------------------------------------------|------|
| Chapter 1 | Introduction.....                                                           | 1-1  |
| 1.1       | Wastewater Collection System Overview .....                                 | 1-1  |
| 1.2       | Purpose and Goals .....                                                     | 1-2  |
| 1.3       | Organization of this SSOERP.....                                            | 1-5  |
| 1.4       | Regulatory Requirements.....                                                | 1-5  |
| 1.5       | Definition of Terms .....                                                   | 1-6  |
| Chapter 2 | SSO Response Procedures .....                                               | 2-1  |
| 2.1       | Receiving Information about a Possible SSO .....                            | 2-1  |
| 2.1.1     | Telephone Notifications of Possible SSOs.....                               | 2-1  |
| 2.1.2     | Sewer Maintenance Division Personnel Notifications of Possible SSOs.....    | 2-3  |
| 2.1.3     | Lift Station Alarm Notifications of Possible SSOs.....                      | 2-4  |
| 2.2       | First Responder Responsibilities .....                                      | 2-4  |
| 2.3       | Dispatch of Crew(s) to SSO Location .....                                   | 2-5  |
| 2.4       | Requesting Additional Resources .....                                       | 2-6  |
| 2.5       | Overflow Containment, Correction, and Clean-up .....                        | 2-6  |
| 2.5.1     | Initial Containment Measures .....                                          | 2-6  |
| 2.5.2     | Additional Measures for Prolonged Overflow Conditions .....                 | 2-7  |
| 2.5.3     | Correction of SSO Cause .....                                               | 2-7  |
| 2.5.4     | Clean-up.....                                                               | 2-7  |
| 2.6       | Traffic and Crowd Control .....                                             | 2-8  |
| 2.7       | Preliminary Assessment of Damage to Private and Public Property .....       | 2-8  |
| 2.7.1     | Public Source SSO .....                                                     | 2-9  |
| 2.7.2     | Private Source SSO.....                                                     | 2-9  |
| 2.8       | Notification Requirements .....                                             | 2-9  |
| 2.9       | Regulatory Agency Notification Plan .....                                   | 2-9  |
| 2.9.1     | Initial Notification .....                                                  | 2-9  |
| 2.9.2     | Secondary Notification.....                                                 | 2-10 |
| 2.10      | Monitoring and Mitigation .....                                             | 2-11 |
| 2.11      | SSO Documentation .....                                                     | 2-11 |
| Chapter 3 | Public Advisory of Sewage Contamination Procedures.....                     | 3-1  |
| Chapter 4 | SSO Monitoring and Reporting Requirements .....                             | 4-1  |
| 4.1       | SSO Identification, Tracking, and Logging.....                              | 4-1  |
| 4.2       | SSO Category Classification .....                                           | 4-1  |
| 4.3       | On-Line Reporting Requirements .....                                        | 4-3  |
| 4.3.1     | Reporting Authority and Access.....                                         | 4-3  |
| 4.3.2     | Mandatory Information to Report via CIWQS.....                              | 4-3  |
| 4.3.3     | Monthly Reporting Requirement if no SSOs .....                              | 4-5  |
| 4.3.4     | Alternative Reporting Procedures when On-Line Reporting is Unavailable..... | 4-5  |
| 4.4       | Record Keeping and Document Retention .....                                 | 4-5  |

|           |                                       |     |
|-----------|---------------------------------------|-----|
| Chapter 5 | Training.....                         | 5-1 |
| Chapter 6 | Updating this SSOERP .....            | 6-1 |
| 6.1       | SSOERP Availability .....             | 6-1 |
| 6.2       | Review and Update of the SSOERP ..... | 6-1 |

## Figures

|            |                                                                        |     |
|------------|------------------------------------------------------------------------|-----|
| Figure 1-1 | County of San Diego Sanitation District Service Areas .....            | 1-3 |
| Figure 2-1 | Sanitary Sewer Overflow Emergency Response Procedure.....              | 2-2 |
| Figure 2-2 | Process for Alerting Staff of a Possible Sanitary Sewer Overflow ..... | 2-3 |
| Figure 4-1 | Sanitary Sewer Overflow Reporting Requirements .....                   | 4-2 |

## Tables

|           |                                                             |      |
|-----------|-------------------------------------------------------------|------|
| Table 1-1 | San Diego County Sanitation District Service Areas .....    | 1-1  |
| Table 1-2 | County Operated Treatment Plants.....                       | 1-2  |
| Table 2-1 | Lift Station Alarms.....                                    | 2-4  |
| Table 2-2 | Pump Capacity Estimating Table .....                        | 2-7  |
| Table 2-3 | SSO Notification Requirements for Regulatory Agencies ..... | 2-10 |
| Table 4-1 | County of San Diego Service Areas and WDID Numbers .....    | 4-3  |
| Table 4-2 | CIWQS Reporting Time Requirements .....                     | 4-5  |

## Attachments

|              |                                                          |
|--------------|----------------------------------------------------------|
| Attachment A | Sanitary Sewer Overflow Field Report Form                |
| Attachment B | Standby County Staff                                     |
| Attachment C | County Approved Contractors and Equipment Rental Vendors |
| Attachment D | Owner/Resident Information and Right-of-Entry Form       |
| Attachment E | Initial Damage Assessment Form for Private Property      |
| Attachment F | Sanitary Sewer Overflow Notification List                |
| Attachment G | Sanitary Sewer Overflow Report Form                      |
| Attachment H | Possible Methods for Estimating Spill Volume             |
| Attachment I | Warning Sign Samples                                     |
| Attachment J | Examples of Pre-scripted Notices                         |



# Acronyms

---

|         |                                                            |
|---------|------------------------------------------------------------|
| CFR     | Code of Federal Regulations                                |
| CIWQS   | California Integrated Water Quality System                 |
| CMMS    | Computerized Maintenance Management System                 |
| County  | County of San Diego                                        |
| CWA     | Clean Water Act                                            |
| CWEA    | Clean Water Environment Association                        |
| DEH     | County of San Diego Department of Environmental Health     |
| EPA     | Environmental Protection Agency                            |
| LRO     | Legally Responsible Officer                                |
| OES     | Office of Emergency Services                               |
| SDRWQCB | San Diego Regional Water Quality Control Board, District 9 |
| SSMP    | Sewer System Management Plan                               |
| SSO     | Sanitary Sewer Overflow                                    |
| SSOERP  | Sanitary Sewer Overflow Emergency Response Plan            |
| SWRCB   | State Water Resources Control Board                        |
| WDRs    | Waste Discharge Requirements                               |
| WWM     | Wastewater Management                                      |

This page intentionally left blank.

# Chapter 1

## Introduction

---

Since Sanitary Sewer Overflows (SSOs) of various volumes occur from time to time in spite of concerted prevention efforts, the County of San Diego (County) has prepared this Sanitary Sewer Overflow Emergency Response Plan (SSOERP). SSOs may occur from blocked sewers, pipe failures, mechanical malfunctions, and other natural or man-made causes. County crews are constantly on alert and ready to respond upon notification and confirmation of an SSO.

This SSOERP establishes the formal procedures for County staff to respond to, contain, correct, and remediate SSOs that occur within any of the County's Service Areas, and it is intended to minimize the effects of SSOs on the environment while protecting the public's health and safety. Chapter 1 provides an overview of the County's wastewater collection system, the purpose and goals of the SSOERP, the regulatory authority requiring this plan, an overview of this document's organization, and definitions of terms contained in this document.

### 1.1 Wastewater Collection System Overview

The County of San Diego's Department of Public Works staff is responsible for the operation and maintenance of an extensive wastewater collection system and is tasked with ensuring proper and efficient operation of the system. The County spans approximately 4,526 square miles and has approximately three (3) million residents. Approximately three-quarters of the unincorporated population are served by private disposal systems. The remaining unincorporated areas are served by the County Sanitation District, reflecting the rural nature of large portions of the County. The vast majority of those currently receiving public sewer service are concentrated in two (2) of the more urbanized service areas including the Spring Valley and Lakeside Service Areas.

The County administers nine (9) service areas that serve approximately 50,000 customers in several diverse and geographically separated unincorporated communities. Figure 1-1 shows the nine (9) County service areas for which the Wastewater Management (WWM) Division of the County's Department of Public Works Department provides management, administrative, operational and various support personnel to ensure the proper operation and maintenance of the wastewater collection system. Table 1-1 includes a summary of the existing service areas within the County's jurisdiction. Collectively, the conveyance system includes approximately 432 miles of pipeline, approximately 8,200 manholes, and twelve (12) lift stations.

**Table 1-1 San Diego County Sanitation District Service Areas**

| County of San Diego Service Areas |                |
|-----------------------------------|----------------|
| Alpine                            | Campo          |
| Lakeside                          | Harmony Grove  |
| Spring Valley                     | East Otay Mesa |
| Pine Valley                       | Winter Gardens |
| Julian                            | —              |

Wastewater treatment is provided by either the City of San Diego Metropolitan Wastewater system (“Metro”) or one of several locally-based plants operated by the respective County service area depending on the community. Table 1-2 provides a summary of the locally-based plants operated by the County.

**Table 1-2 County Operated Treatment Plants**

| <b>Treatment Facility</b> | <b>Address</b>                       | <b>City/State/Zip</b> |
|---------------------------|--------------------------------------|-----------------------|
| Rancho Del Campo WWTP     | 31035 Forrest Gate Rd.               | Campo, CA 92006       |
| Julian WWTP               | 2840 Hwy 78                          | Julian, CA 92036      |
| Pine Valley WWTP          | Pine Valley County Park, Old Hwy. 80 | Pine Valley, CA 91962 |
| Heise Park WWTP           | 4945 Heise Park Rd.                  | Julian, CA 92036      |
| San Pasqual Academy WWTP  | 17701 San Pasqual Valley Rd.         | Escondido, CA 92025   |


## 1.2 Purpose and Goals

The County recognizes the importance of protecting the health and safety of the public as well as the environment by preventing sewer flows from reaching surface and ground waters and waters of the United States. The County also understands the necessity to implement procedures to comply with the requirements of state regulations. The primary goal in establishing this SSOERP is to ensure that County staff responds appropriately and efficiently to all known SSOs immediately.

The objectives of the SSOERP can be summarized as:

- Protect public health and safety, and the environment;
- Protect adverse impacts to surface and ground waters;
- Minimize the effects of SSOs;
- Satisfy regulatory and discharge permit conditions;
- Protect private and public property;
- Protect County personnel;
- Minimize service interruptions to County services; and
- Protect all County owned assets.

This SSOERP is intended to supplement and be consistent with existing emergency plans and standard operating procedures currently implemented by County Wastewater Management staff for the wastewater facilities in each service area operated and maintained by County staff. The overall plan will facilitate coordination and mobilization of necessary facilities and personnel in an organized and efficient manner when responding to an SSO.



This page intentionally left blank.

### 1.3 Organization of this SSOERP

This document provides the necessary guidelines for County Wastewater Management staff to respond to an SSO event. This SSOERP contains the following elements:

- Introduction
- Sanitary Sewer Overflow Response Procedures
- Public Advisory Of Sewage Contamination Procedures
- SSO Monitoring and Reporting Requirements
- Training Requirements
- SSOERP Updating Requirements
- Various Appendices

### 1.4 Regulatory Requirements

The following regulatory requirements establish the impetus for the County to develop and follow procedures to minimize SSOs.

**Clean Water Act, Section 1251 of Chapter 33 of the United States Code:** In 1972, the federal Congress enacted the Federal Water Pollution Control Act, commonly known as the Clean Water Act (CWA). The CWA prohibits the discharge of pollutants, including sewage, into public waters of the United States. The federal government has the authority to enforce compliance with the CWA via specific permits, such as National Pollutant Discharge Elimination System permits, as well as court action such as administrative orders and consent decrees.

**California Water Code Section 13271, California Code of Regulations:** Section 13271 of the California Water Code, Title 23 of the California Code of Regulations, prohibits the discharge of sewage and hazardous material into the waters of the State and requires the proper notification of authorized agencies in the event of an SSO. Entities which do not properly follow the requirements of this section may be found guilty of a misdemeanor and punished by fine, imprisonment, or both.

**The Water Quality Control Plan for the San Diego Basin 9 (Basin Plan):** The Regional Board adopted a Water Quality Control Plan for the San Diego Basin on September 8, 1994. The Basin Plan which was subsequently approved by the State Board on December 13, 1994. The basin plan designates beneficial uses, narrative, and numerical water quality objectives, and prohibitions which are applicable to the discharges prohibited under this Order. Subsequent revisions to the Basin Plan have also been adopted by the Regional Board and approved by the State board.

**California Waste Discharge Requirements for Sanitary Sewer Systems:** On May 2, 2006, the State Water Resources Control Board (SWRCB) adopted the Statewide General Waste Discharge Requirements (WDRs) for Sanitary Sewer Systems, Order No. 2006-0003. The WDRs are applicable to all federal and state agencies, municipalities, counties, districts, and other public entities that own or operate sanitary sewer systems greater than one mile in length that collect and/or convey untreated or partially treated wastewater to publicly owned treatment facilities in the state of California. Specifically, the WDRs, as part of the Monitoring and Reporting Program, require that the County establish monitoring, record keeping, reporting, and public notification requirements for SSOs, including on-line reporting requirements through the



State's California Integrated Water Quality System (CIWQS) web-site. The WDRs required that the County began on-line reporting on January 2, 2007, and that the County prepare an Emergency Response Plan by May 2, 2009. This SSOERP fulfills the later requirement and documents the County's efforts to comply with the on-line reporting.

On February 20, 2008, the SWRCB adopted Order No. WQ 2008-0002-EXEC, which amends the Monitoring and Reporting Program of Order No. 2006-0003-DWQ of the Statewide General Waste Discharge Requirements for Sanitary Sewer Systems. The amendment serves to ensure that the agencies that have first responder duties are notified in a timely manner in order to effectively protect public health and the beneficial uses of potentially affected water. The Order requires the following:

1. For any discharges of sewage that result in a discharge to a drainage channel or a surface water, the Discharger shall, as soon as possible, but not later than two (2) hours after becoming aware of the discharge, notify the State Office Emergency Services, the local health officer or directors of environmental health with jurisdiction over affected water bodies, and the appropriate Regional Water Quality Control Board.
2. As soon as possible, but no later than twenty-four (24) hours after becoming aware of a discharge to a drainage channel or a surface water, the Discharger shall submit to the appropriate Regional Water Quality Control Board a certification that the State Office of Emergency Services and the local health officer or directors of environmental health with jurisdiction over the affected water bodies have been notified of the discharge.

On August 6, 2013, the SWRCB adopted Order No. WQ 2013-0058-EXEC, which amends the Monitoring and Reporting Program No. 2006-0003-DWQ of the Statewide General Waste Discharge Requirements for Sanitary Sewer Systems. The amendment serves to implement changes to SSO categories by adding a Category 3 SSO type. This change is intended to improve data management to further assist Water Board staff with evaluation of high threat and low threat SSOs by placing them in unique categories (i.e., Category 1 and Category 3, respectively).

**Waste Discharge Requirements for Sewage Collection Agencies in the San Diego Region:** The General Waste Discharge Requirements for Sanitary Sewer Systems, adopted by the State Board on May 2, 2006, establishes minimum requirements for publicly owned/operated sanitary sewer system and allows each regional board to issue more stringent or more prescriptive WDRs for sanitary systems within their respective jurisdiction. On February 14, 2007, the San Diego Regional Water Quality Control Board (SDRWQCB) adopted Order R9-2007-0005. The Order includes additional reporting requirements for wastewater collection agencies within Region 9, including notification of all private lateral sewage discharges for which the agencies become aware of, to the SDRWQCB. The County of San Diego is located within Region 9.

## 1.5 Definition of Terms

**Category 1 Sanitary Sewer Overflow:** All discharges of sewage resulting from a failure in the County's wastewater collection system that:

- Reaches a drainage channel and/or surface water; or
- Reaches the separate municipal storm drain system and is not fully captured and returned to the wastewater collection system and disposed of properly;
- Results in wastewater not recovered from a separate municipal storm drain system unless the storm drain system discharges to a dedicated groundwater infiltration basin.



**Category 2 Sanitary Sewer Overflow:** Discharges of untreated or partially treated wastewater resulting from a failure in the County's wastewater collection system that:

- Equals or exceeds 1,000 gallons;
- Results in a discharge that **does not** reach surface water, a drainage channel, or a separate municipal storm drain system; or
- Entire SSO discharge into the storm drain system is fully recovered and disposed of properly.

**Category 3 Sanitary Sewer Overflow:** All other discharges of untreated or partially treated wastewater resulting from a failure in the County's wastewater collection system.

**First Responder:** The County's Wastewater Maintenance staff person who is initially notified of a possible SSO and arrives first at the reported location of the possible SSO.

**Private Lateral Sewage Discharge:** Sewage discharges that are caused by blockages or other problems within a privately owned lateral.

**Public Waters:** Any body of water such as the ocean, bay, lake, pond, river, stream, or creek where there is the potential for human contact as defined by the County of San Diego Department of Environmental Health.

**Sanitary Sewer Overflow:** A sanitary sewer overflow (SSO) is any overflow, spill, release, discharge, or diversion of sewage from a wastewater collection system. SSOs include:

- Release of untreated or partially treated sewage that reaches waters of the United States;
- Release of untreated or partially treated sewage that does not reach waters of the United States; and
- Sewage backups into buildings and private property that are caused by blockages or flow conditions in a wastewater collection system, other than a building lateral. Sewage backups into buildings caused by a blockage or other malfunction of a building lateral that is privately owned is an SSO when sewage is discharged off a private property into streets, storm drains, or waters of the State.

**Sewage:** Any liquid waste and water borne solid waste resulting from residential, commercial, industrial, or institutional activities or uses.

**Surface Waters:** All permanent and intermittent drainage ways, lakes, and reservoirs, either public or private, which are not man-made for the treatment of municipal, agricultural, or industrial waste, and wholly or partially within the boundaries of the County. SSOs to storm drains tributary to surface waters shall be reported as discharges to surface waters.

**Wastewater:** Any volume of untreated or partially treated sewage discharged from the wastewater collection system upstream of a wastewater treatment plant.

**Wastewater Collection System:** Any system of pipes, pump stations, sewer lines, etc., used to collect and convey sewage to a treatment plant. Temporary storage and conveyance facilities (such as vaults, temporary piping, construction trenches, wet wells, impoundments, tanks, high-lines, etc.) are considered to be part of the sanitary sewer system, and discharges of sewage to these facilities are not sanitary sewer overflows.

**Waters of the State:** Any surface water or groundwater (including saline waters) within the boundaries of the state.

**Waters of the United States:** All waters of the United States as defined in the Code of Federal Regulations, Volume 40, Section 122.2 (40 CFR 122.2) such as navigable waters, rivers, streams, lakes, natural ponds, wetlands, etc., including tributaries to traditional navigable waters.

## Chapter 2

# SSO Response Procedures

---

SSOs are caused by a blockage or a restriction in the wastewater collection system, pipe failures, flows exceeding the capacity of the system, and other natural or man-made causes. In the event of an SSO, the County's District Engineering Section of the Wastewater Management Division staff must respond and be prepared to:

- Contain the SSO;
- Control the overflow;
- Mitigate and clean up the contaminated area; and
- Notify the appropriate authorities.

This chapter presents a strategy for staff within the County's District Engineering Section of the Wastewater Management Division to mobilize labor, materials, tools, and equipment to contain, mitigate, and clean-up residuals from a sewer overflow and correct or repair any condition which may cause or contribute to an un-permitted sewage discharge. This plan is applicable to a wide range of potential system failures within any of the County's service areas that could result in an SSO. Figure 2-1 summarizes the process presented in this chapter and offers a concise overview of the following steps required to quickly respond to an actual or possible SSO event.

### 2.1 Receiving Information about a Possible SSO


An SSO may be detected by County employees or the public. Suspicious circumstances, such as foul odors, backed up plumbing, unusual flooding, and so on, may also indicate the possibility of an actual or impending SSO. In the event of an SSO that may affect County system operations and/or may become a public health issue, personnel from various service areas of the Wastewater Management's District Engineering Section may be utilized. This section describes how County wastewater maintenance staff within this Section is notified of possible SSOs.


#### 2.1.1 Telephone Notifications of Possible SSOs

All telephone calls or complaints of possible or actual SSOs are received via the County's Operations Center Hotline at the Spring Valley Operations Center during business hours and routed to the Standby Duty Supervisor or are routed directly to the Standby Duty Operator if the notification is received during non-business hours. Figure 2-2 shows how a possible SSO will be reported to the District Collections Engineering and Operations staff.

As illustrated in Figure 2-2, notification of a potential SSO will be received by the County's Operations Center Hotline at the Spring Valley Operations Center and routed directly to the Standby Duty Supervisor during normal business hours. During non-business hours, weekends, and designated County holidays, calls will be routed directly to the Standby Duty Supervisor.

**Figure 2-1  
Sanitary Sewer Overflow  
Emergency Response Procedure**



**Figure 2-2 Process for Alerting Staff of a Possible Sanitary Sewer Overflow**

Upon receipt of a notification of a potential SSO, the Standby Duty Operator or Standby Duty Supervisor will obtain as much information as possible from the reporting entity. The relevant information that should be collected includes:

- Time and date the call/SSO report was received;
- Specific location (address, cross streets, etc.);
- Description of problem;
- Time the possible SSO was noticed by the caller;
- Caller's name and telephone number;
- Observations of the caller (e.g., odor, duration, back or front of property, etc.); and
- Other relevant information that will enable the responding County staff, personnel, and crews, if required, to quickly locate, assess, contain, and relieve the SSO.

The *Sanitary Sewer Overflow Field Report* form in Attachment A can be used by the Standby Duty Operator or the Standby Duty Supervisor to capture the relevant information needed to respond to a report of a possible SSO as well as be useful for initiating the work order assignment.

### **2.1.2 Sewer Maintenance Division Personnel Notifications of Possible SSOs**

Possible and actual SSOs detected by maintenance personnel in the course of their normal duties are reported immediately to the Supervisor. For incidents that occur during County business hours, staff closest to the location of the incident will be dispatched to the reported SSO location. Personnel on-site observing the SSO should begin efforts to contain and minimize the effects of the SSO as further described in Section 2.5 below.

### 2.1.3 Lift Station Alarm Notifications of Possible SSOs

The County's lift stations are located throughout the County and are also operated and maintained by District Engineering staff. The County's Collections Engineering and Operations staff is also responsible for responding to any possible or actual SSO reported at any of the twelve (12) lift stations.

Table 2-1 shows the alarms for each lift station that transmit signals directly to District Engineering staff during business and non-business hours. The alarms listed in Table 2-1 generally exist and are typically incorporated in lift stations. When the alarms are transmitted to the County Operations Center, the Standby Duty Operator or the Standby Duty Supervisor is alerted according to the process illustrated in Figure 2-2 for potential SSOs that are reported during non-business hours, weekends, and County holidays.

After receiving notification of an alarm activation at a lift station, the Standby Duty Operator or the Standby Duty Supervisor will proceed to the lift station to assess and resolve the situation. If the First Responder requires assistance, he will contact the appropriate personnel for assistance.

**Table 2-1 Lift Station Alarms**

| Lift Stations                      | Alarms               |               |                |                |                   |
|------------------------------------|----------------------|---------------|----------------|----------------|-------------------|
|                                    | Pump Control Failure | Power Failure | HWL in Wetwell | LWL in Wetwell | Communications    |
| <b><i>Spring Valley</i></b>        |                      |               |                |                |                   |
| Jamacha                            | *                    | Y             | Y              | Y              | Radio             |
| Ramona Avenue                      | *                    | Y             | Y              | Y              | Radio             |
| Vista Del Lago                     | *                    | Y             | Y              | Y              | Radio             |
| Rancho San Diego                   | *                    | Y             | Y              | Y              | Radio             |
| <b><i>Alpine</i></b>               |                      |               |                |                |                   |
| Galloway                           | *                    | Y             | Y              | Y              | Radio             |
| Harbison Canyon                    | *                    | Y             | Y              | Y              | Radio             |
| <b><i>Lakeside</i></b>             |                      |               |                |                |                   |
| Moreno Avenue                      | Currently Inactive   |               |                |                |                   |
| Woodcreek                          | *                    | Y             | Y              | Y              | Radio             |
| <b><i>Julian</i></b>               |                      |               |                |                |                   |
| Julian High School                 | N                    | Y             | Y              | Y              | Autodialer        |
| <b><i>Additional Locations</i></b> |                      |               |                |                |                   |
| San Pasqual Academy                | N                    | Y             | Y              | Y              | Autodialer        |
| Ramona Airport                     | N                    | Y             | Y              | Y              | Autodialer        |
| Barrett                            | Y                    | N             | Y              | N              | Local Annunciator |

\*These stations are equipped with a "float over-ride" system that takes over if the water level in the wet well rises due to pump control failure. The alarm is transmitted indicating the system was activated.

## 2.2 First Responder Responsibilities

Based on the information provided during the initial notification of a possible SSO, the Standby Duty Operator or Standby Duty Supervisor shall proceed to the SSO location to assess the

cause and extent of the SSO. The County staff member to arrive first at the location is considered the First Responder. The First Responder will determine whether to direct sewer maintenance crews, other County personnel, and/or approved contractors to the SSO location if the SSO cannot be fully contained or recovered or if it has reached public waters. If the First Responder is the Standby Duty Operator, the Standby Duty Operator will promptly notify the Standby Duty Supervisor of the type, level, and extent of the incident. The information obtained by the First Responder during the initial notification of a possible SSO may warrant the First Responder, in his best professional judgment, to immediately dispatch crews or other County personnel to the SSO location prior to proceeding to the reported SSO location.

It is the responsibility of the First Responder to protect the health and safety of the public by mitigating the impacts of the SSO to the extent possible. Areas where public contact with sewage is possible shall be isolated using barricades, signs, or other effective means. Upon determining the SSO originated in County's jurisdiction, the First Responder will perform the following:

- Determine the cause of the SSO, e.g., sewer line blockage, or pipeline break, etc.;
- Identify and request, if necessary, additional personnel, materials, and equipment necessary to minimize, contain, or isolate the impact of the SSO;
- Control public access to affected area;
- Implement efforts to stop the overflow; and
- Notify the Senior Civil Engineer.

If the First Responder determines the SSO is not within County's jurisdiction, the First Responder should notify the responsible agency to respond to the overflow. If the SSO poses an imminent danger to the public, public health, property, or to public waterways of the United States, then the First Responder should take prudent emergency actions to mitigate the SSO until staff of the responsible agency arrives.

If the First Responder cannot locate the SSO or the reported problem, he shall attempt to obtain additional information from the initial caller to clarify reported data and to locate the problem. If the SSO or reported problem still cannot be located, the First Responder shall check the system for normal flows and prepare the final field report.

## **2.3 Dispatch of Crew(s) to SSO Location**

Failure of any element within the wastewater collection system that threatens to cause or causes an SSO triggers an immediate response to isolate and correct the problem. County sewer maintenance crews and equipment are stationed at the County's Spring Valley Operations Yard, from where they are dispatched. The equipment is available 24-hours a day and staff is placed on "standby" on a rotational schedule to respond to any site of a reported SSO. Also, additional County maintenance personnel are also on "standby" if additional crews are necessary. Attachment B contains the names and contact information for County staff that may be placed on standby.

All County staff dispatched to an SSO location shall proceed immediately to the site. All necessary precautionary measures to ensure staff safety shall be in place. Overflows within the County's jurisdiction that enter into areas outside the County's authority will continue to be contained and the affected agency will be notified of the SSO to ensure proper cleaning and notifications are completed.



## **2.4 Requesting Additional Resources**

If the First Responder determines that notification of additional staff beyond the “standby” SSO response crew is required and/or County approved contractors are necessary to fully contain and recover the overflow, the Standby Duty Operator or Standby Duty Supervisor will mobilize the additional resources necessary.

County staff has access to additional resources from its own staff as well as outside on-call contractors that can be mobilized in case of an emergency or major SSOs. The list of County approved contractors and equipment rental vendors are provided in Attachment C.

## **2.5 Overflow Containment, Correction, and Clean-up**

This section describes specific actions to be performed by the District Engineering staff and additional necessary crews responding to an SSO. The objectives of actions described in this section include:

- Protect public health, the environment, and property from SSOs and restore the surrounding area back to its original condition;
- Contain the sewage discharged to the maximum extent possible and prevent the discharge of sewage into surface waters;
- Control traffic and crowds to limit public access by establishing perimeters and control zones with cones, barricades, sign postings, caution tape, vehicles, and/or terrain;
- When appropriate, promptly notify regulatory agencies of preliminary SSO information and potential impacts; and
- Minimize the County’s exposure to any regulatory agency penalties and fines.

The County shall respond with its staff, equipment, and/or contractors and, under most circumstances, the County will oversee, manage, and perform the tasks necessary to properly and effectively correct, contain, and clean up SSOs. County wastewater maintenance staff has the skill and experience to respond rapidly and in the most appropriate manner. Of critical importance with respect to an emergency response is to ensure that the temporary actions necessary to divert flows and fix the problem do not produce a problem elsewhere in the system. If the matter is not handled properly, subsequent sewer system back-ups may occur and create other SSOs.

The SSO Response Flowchart shown in Figure 2-1 illustrates emergency response procedures including notification and request of additional resources as required in the event of a large SSO.

### **2.5.1 Initial Containment Measures**

The following are initial measures to contain the SSO and recover, where possible, sewage that has already spilled to minimize impact to the public or environment. County crews responding to the incident shall:

1. Determine the immediate destination of the overflow (e.g., street curb gutter, storm drain, drainage channel, creek bed, body of water, etc.).



2. Take immediate steps to contain and recover the overflow (e.g., block storm drain, recover sewage with a vactor truck, dig or construct a containment pond, divert flow into a downstream manhole, etc.).
3. Identify and request, if necessary, assistance or additional County and/or Contractor resources (materials and equipment) to contain or isolate the overflow.
4. Large spills greater than 10,000 gallons include all of the above, a requirement to build additional emergency containment areas downstream of the SSO, if possible, and the initiation of an access plan into storm or flood control channels to contain SSOs that enter the storm drain system.

## 2.5.2 Additional Measures for Prolonged Overflow Conditions

In the event of a prolonged sewer line blockage or sewer line collapse, responding County crews shall establish a portable by-pass pumping operation around the obstruction, continuously or periodically monitor the by-pass pumping operation, and perform emergency repairs to stop the overflow. Table 2-2 can be used as a guide to select the appropriate pump.

**Table 2-2 Pump Capacity Estimating Table**

| Pump Size (inches) | Estimated Capacity (GPM) | Equivalent Gravity Sewer Flow (half full sewer) |
|--------------------|--------------------------|-------------------------------------------------|
| 2 x 2              | 200                      | 6-inch diameter                                 |
| 3 x 3              | 450                      | 8-inch diameter                                 |
| 4 x 4              | 600                      | 10-inch diameter                                |
| 6 x 6              | 1,000                    | 12-inch diameter                                |
| 8 x 8              | 1,600                    | 15-inch diameter                                |
| 10 x 10            | 2,800                    | 18-inch diameter                                |

## 2.5.3 Correction of SSO Cause

Once the SSO has been contained and the cause determined, efforts to correct the cause of the SSO should commence. These efforts may involve, but not be limited to, removing the pipe blockage by flushing or rodding and repairing a damaged pipeline or manhole. Care must be taken to prevent additional SSOs from occurring as a result of the corrective action taken to resolve the identified problem.

## 2.5.4 Clean-up

All SSO sites must be thoroughly cleaned as soon as possible after an overflow. No readily identifiable residue (e.g., sewage solids, papers, plastics, etc.) is to remain. Clean-up of all SSOs will be handled according to the following procedures:

- The SSO site must be secured to prevent contact by members of the public until the site has been thoroughly cleaned.
- Where practical, the area shall be thoroughly flushed and cleaned of any sewage or wash-down water using a high-pressure water hose or vactor truck; wash-down water shall be contained and recovered; solids and debris shall be flushed, swept, raked, or manually removed, and hauled away for proper disposal.

- Where appropriate (typically in areas with hard surfaces), areas that were in contact with the sewage shall be cleaned using an approved sanitizing agent and deodorizer.
- If sewage discharged into a body of water that may contain fish or other aquatic life, sanitizing agent will not be applied and the appropriate agency will be contacted.
- Where sanitizing agents are utilized, all contaminants shall be contained and collected for proper disposal.
- Where sewage resulted in ponding, the pond must be pumped dry and the residue removed and disposed of properly.

## 2.6 Traffic and Crowd Control

The purpose of traffic and crowd control is to limit public access to areas potentially impacted by un-permitted discharges of sewage. The following traffic and crowd control recommendations may be used as a guide for the various types of SSOs.

- Small SSO (Up to 1,000 gallons)
  - Set up cones to direct traffic away from spill area; and
  - Use County personnel to control traffic and pedestrians.
- Medium SSO (1,000 to 10,000 gallons)
  - Perform lane closures as necessary;
  - Place proper signage for any lane closures and contaminated area signs;
  - Close affected entrances or exits from public and private facilities; and
  - Place caution tape and barricades to protect pedestrians from contaminated area.
- Large SSO (greater than 10,000 gallons)
  - Assess spill situation;
  - Inform County of San Diego Sheriff's Department of any law enforcement assistance necessary for roadway closures and traffic control;
  - Delegate responsibility to County of San Diego Department of Environmental Health of informing public of hazards;
  - Place signage to inform public of potential hazards to public health and safety; and
  - Block public access to hazard using barricades, cones, and caution tape.

## 2.7 Preliminary Assessment of Damage to Private and Public Property

Initial assessment of the SSO site is performed by the Standby Duty Operator or designated back-up. If it is determined that the SSO has reached a private residence or business, the SSO is reported to the County's Risk Management Division personnel prior to responding County personnel leaving the site. A *Right of Entry* form (see Attachment D) is completed to document County staff's permitted access to the affected site for assessment. The Standby Duty Operator will determine whether the SSO originated from the County's collection system or a private business or residence. Once the source of the SSO is determined, containment and cleanup procedures are executed, and a *Sanitary Sewer Overflow Field Report* (Attachment A) will be completed.

### 2.7.1 Public Source SSO

If it is determined that the source of the SSO is from the County's wastewater collection system, containment and cleanup procedures are executed to prevent the SSO from reaching adjacent private properties, local water bodies, and the storm drain system. Once the SSO is contained and cleaned, proper documentation utilizing the appropriate forms will be completed.

If it is determined that the SSO has reached a private residence or business, the SSO is reported to the County's Risk Management Division personnel prior to responding County personnel leaving the site. An *Initial Damage Assessment to Private Property* form (see Attachment E) is completed and forwarded with the *Sanitary Sewer Overflow Field Report* to the County's Risk Management Division. Photographs and/or video footage should be taken of the overflow and the area impacted by the SSO, and should be filed with the *Sanitary Sewer Overflow Field Report*.

### 2.7.2 Private Source SSO

If it is determined that the source of the SSO is from a private property, the First Responder and crews will use discretion in assisting the property owner/occupant as reasonably as they can. County staff is cautioned that County and responding maintenance crews may be liable for further damages inflicted to private property during such assistance. If County wastewater maintenance crews enter private property it should be with the express permission of the owner/occupant of the property. County sewer maintenance crews should not enter private property for the purpose of assessing damage. While on public property, crews are directed to take appropriate still photographs and video footage, if possible, of the surrounding and impacted area in order to thoroughly document the nature and extent of the impacts. Photographs and/or video footage should be filed with the *Sanitary Sewer Overflow Field Report*.

## 2.8 Notification Requirements

The volume, impact, and location of an SSO determine the level of notifications required to comply with County and regulatory requirements. Table 2-3 provides a summary of the agencies that should be notified of an SSO as soon as practicable without impeding containment or other emergency response measures. Attachment F lists the various agencies to be contacted. The County is not required to send reports to the SDRWQCB; this reporting is now achieved using the web-based on-line SSO reporting system, CIWQS, which is further described in Chapter 4.0.

## 2.9 Regulatory Agency Notification Plan

The Regulatory Agency Notification Plan establishes procedures that the County will follow to provide formal notice to the SDRWQCB, Environmental Protection Agency (EPA), County of San Diego Department of Environmental Health, and other agencies as necessary in the event of an SSO. Written notification, when required, shall be made within three (3) business days.

### 2.9.1 Initial Notification

In the event of an overflow, the County must notify Federal and State Agency representatives as soon as possible, but no later than two (2) hours, after the overflow. Table 2-3 identifies the agencies to be notified and when they are to be notified based on the type and volume of SSO.

The initial, and any updated overflow reports will then be faxed or mailed to the various agencies as necessary and as identified in the Regulatory Agency Notification List, provided as Attachment F. The Standby Duty Supervisor in charge will contact the regulatory agencies.

Additionally, the SWRCB adopted Order No. WQ 2013-0058-EXEC, which amends the Monitoring and Reporting Program No. 2006-0003-DWQ of the Statewide General Waste Discharge Requirements for Sanitary Sewer Systems requires that for any discharge of sewage that results in a discharge to a drainage channel or a surface water, the responsible agency shall, as soon as possible, but not later than two (2) hours after becoming aware of the discharge, notify the California Office of Emergency Services (Cal OES) , and the local health officer or directors of environmental health with jurisdiction over the affected water bodies, and the appropriate Regional Water Quality Control Board as soon as practicable.

## 2.9.2 Secondary Notification

After the appropriate parties on the SSO notification list (Table 2-3) have been contacted, the County will contact all other regulatory agencies (Attachment F) as required, as well as other impacted parties if there has been an overflow.

**Table 2-3 SSO Notification Requirements for Regulatory Agencies**

| Agency/Official                                           | Reasons to Notify                                                                                                                                                             | When to Notify                                 |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| California Office of Emergency Services (Cal OES)         | Category 1 SSO $\geq$ 1,000 gallons                                                                                                                                           | Within 2 hours of becoming aware of discharge  |
|                                                           | A sewage discharge reaches or is likely to reach surface water and/or drainage channel tributary to a surface water OR enters a storm drain system and is not fully recovered |                                                |
|                                                           | Private Lateral Sewage Discharge (PLSD) $\geq$ 1,000 gallons                                                                                                                  | As soon as practicable                         |
|                                                           | A sewage discharge reaches or is likely to reach surface water and/or drainage channel tributary to a surface water OR enters a storm drain system and is not fully recovered |                                                |
| San Diego Regional Water Quality Control Board (SDRWQCB)  | Category 1 SSO $\geq$ 1,000 gallons                                                                                                                                           | As soon as practicable                         |
|                                                           | A sewage discharge to a drainage channel and/or surface water, or a discharge to a storm drain pipe that is not fully recovered                                               |                                                |
|                                                           | Private Lateral Sewage Discharge (PLSD) $\geq$ 1,000 gallons                                                                                                                  | Within 24 hours of becoming aware of discharge |
|                                                           | A sewage discharge reaches or is likely to reach surface water and/or drainage channel tributary to a surface water OR enters a storm drain system and is not fully recovered |                                                |
| County of San Diego Department of Environmental Health    | A sewage discharge to a drainage channel and/or surface water, or a discharge to a storm drain pipe that is not fully recovered                                               | As soon as practicable                         |
| San Diego County Flood Control District                   | A sewage discharge to a drainage channel and/or surface water, or a discharge to a storm drain pipe that is not fully recovered                                               | As soon as practicable                         |
| City of San Diego Police Department, Emergency Services   | Public Safety concerns, such as assistance with traffic control                                                                                                               | As soon as practicable                         |
| California Department of Fish and Game-South Coast Region | A sewage discharge to a drainage channel and/or surface water, or a discharge to a storm drain pipe that is not fully recovered                                               | As soon as practicable                         |

## 2.10 Monitoring and Mitigation

The First Responder who confirmed the SSO must ensure that the provisions of this SSOERP and other directives are met. County staff shall conduct an assessment of the impacts following an SSO. County staff shall appropriately mitigate and monitor the site for potential future SSOs and to prevent SSOs from re-occurring.

The SWRCB adopted Order No. WQ 2013-0058-EXEC requires that an SSO Water Quality Monitoring Program be developed to assess the impacts of SSOs in which 50,000 gallons or greater are spilled to surface waters. The SDRWQCB in conjunction with the San Diego Department of Environmental Health will determine the extent of the water quality testing that is required to be conducted based on the volume and location of the SSO. The types and frequency of the testing to be performed is generally based on the estimated volume of the SSO and the affected or potentially affected body of water. The SSO Water Quality Monitoring Program shall, at a minimum:

1. Contain protocols for water quality monitoring
2. Account for spill travel time in the surface water and scenarios where monitoring may not be possible (e.g. safety, access restrictions, etc.)
3. Require water quality analysis for ammonia and bacterial indicators to be performed by an accredited or certified laboratory
4. Require monitoring instruments and devices used to implement the SSO Water Quality Monitoring Program to be properly maintained and calibrated, including any records to document maintenance and calibration, as necessary, to ensure their continued accuracy
5. Within 48 hours of the enrollee becoming aware of the SSO, require water quality sampling for, at a minimum, the following constituents:
  - i. Ammonia
  - ii. Appropriate bacterial indicator(s) per the applicable Basin Plan water quality objective or Regional Board direction which may include total and fecal coliform enterococcus, and e-coli

## 2.11 SSO Documentation

Documenting SSOs and the causes provides information for:

- Management for performance measurement and decision-making
- Regulators to meet established reporting requirements
- Planning future maintenance and repair activities
- Engineering determinations regarding capacity, rehabilitation, or replacement
- Reference for historical performance or claims

It is the responsibility of the Standby Duty Supervisor to ensure that the SSO is properly investigated and documented. Information compiled during the investigation of the SSO shall be recorded on the *Sanitary Sewer Overflow Report* as shown in Attachment G. Copies of

supporting information shall be compiled. The minimum information required from the investigation is:

- Cause of SSO
- Volume of SSO including volume released and volume recovered
- Location of point of discharge, including Thomas Guide map page
- Ultimate destination of the SSO
- Impact and extent of impact
- Estimated start time of SSO
- Time County received notification of SSO
- Arrival time of crew(s) and time to correct the SSO
- End time of SSO
- Water body impacted and results of bacteriological monitoring, if applicable
- Actions taken to mitigate the SSO
- Notifications to regulators and others

A variety of approaches exist for estimating SSO volumes. Attachment H provides guidance on estimating the volume of sewage that escaped from the wastewater collection system and the amount of sewage recovered.

The First Responder shall follow up, in person or by telephone, with the person(s) initially reporting the SSO. The cause of the SSO and its resolution should be disclosed.

## Chapter 3

# **Public Advisory of Sewage Contamination Procedures**

---

This chapter describes the action that the County must take to limit public access to surface waters and other areas potentially impacted by SSOs from the wastewater collection system.

The County of San Diego Department of Environmental Health has primary responsibility for determining when to post notices of polluted surface waters or ground surfaces that resulted from uncontrolled wastewater discharges from its facilities. The County of San Diego Department of Environmental Health may also make a determination and direct the County to post notices. The postings do not necessarily prohibit the use of recreational areas, unless posted otherwise, but provide a warning of potential public health risks due to sewage contamination.

The posting of notices shall be done as soon as practicable following the initial response to the overflow. Signs should be posted on either side of the point of entry where sewage entered the body of water or public facility and the nearest public access point to that body of water or public facility. Examples of signs are included in Attachment I.

Staff shall regularly inspect the posted notices and replace any missing or damaged warning signs. Posted notices shall not be removed until it is determined that the threat to public health and safety is eliminated or at the direction of the San Diego Department of Environmental Health.

Should additional notification of sewage contamination be deemed necessary, County staff shall, in cooperation with the County's Communications Officer, provide further notices through the use of pre-scripted notices made available to the printed or electronic news media for immediate publication or airing, or by other measures, such as door hangers. Examples of pre-scripted notices, which are included in Attachment J, should be modified to accurately reflect the conditions at the time of publication and/or airing. Information specific to the SSO occurrence may be included where text is underlined or in parenthesis.

This page intentionally left blank.



## Chapter 4

# SSO Monitoring and Reporting Requirements

---

County staff shall monitor and report SSOs regardless of size and recovery that originate from the County's wastewater collection system. The County is also required to report any known SSOs that occur on private property from private laterals. This chapter details the reporting procedures necessary to comply with SWRCB and County requirements.

### 4.1 SSO Identification, Tracking, and Logging

A work order must be created to track and monitor each SSO event. Using a completed *Sanitary Sewer Overflow Field Report* form (Attachment A) and a completed *Sanitary Sewer Overflow Report* form (Attachment G), the Sanitation Regional Supervisor can create or update the work order and enter the necessary data from the forms. All forms, documentation, and monitoring results should be kept with the work order.


### 4.2 SSO Category Classification

SSOs are divided into four categories:

- **Category 1 Sanitary Sewer Overflow:** All discharges of sewage resulting from a failure in the County's wastewater collection system that:
  - Results in a surface water and/or reaches a drainage channel tributary to a surface water; or
  - Reaches the storm drain system and is not fully captured and returned to the sewer system or not otherwise captured and disposed of property.
  - Results in any volume of wastewater not recovered from the storm drain system unless the storm drain system discharges to a dedicated groundwater infiltration basin.
- **Category 2 Sanitary Sewer Overflow:** All non-Category 1 SSO discharges of sewage resulting from a failure in the County's wastewater collection system that:
  - Equals or exceeds 1,000 gallons; or
  - Reaches the storm drain system and is fully captured and returned to the sewer system or disposed of property.
- **Category 3 Sanitary Sewer Overflow:** All other discharges of untreated or partially treated wastewater resulting from an enrollee's sewer system failure or flow condition.
- **Private Lateral Sewage Discharge:** Sewage discharges that are caused by blockages or other problems within a privately owned lateral.

Figure 4-1 shows a flow chart that will guide County staff in determining the category classification of an SSO, and the reporting requirements that are necessary.

**Figure 4-1  
Sanitary Sewer Overflow  
Reporting Requirements**



California Integrated Water Quality System (CIWQS) - spill reporting site <http://ciwqs.waterboards.ca.gov>  
 California Office of Emergency Services (Cal OES) - 800.852.7550 (anytime)  
 San Diego Regional Water Quality Control Board (RWQCB) - 619.521.3362 (weekday) 619.516.1990 (weekend) 858.571.6972 (fax)

### 4.3 On-Line Reporting Requirements

As of January 2, 2007, the WDRs require that County report SSOs using the California Integrated Water Quality System (CIWQS), an internet-based reporting system. This section describes the reporting procedures.

#### 4.3.1 Reporting Authority and Access

At a minimum, the County is required to have one (1) Legally Responsible Official (LRO) who is registered with the State of California to officially sign and certify SSO reports submitted via the CIWQS web-site. Currently, the Director of Public Works is identified as the County's LRO. The County has identified the Wastewater Facilities LUEG Program Manager within the Engineering Services Division's Wastewater Management Section as an additional LRO to act as a backup.

The County must also identify Data Submitters. These are individuals registered with the State to enter SSO data, create and edit SSO reports, and review data. Data Submitters cannot certify reports. Data Submitters are typically the First Responders to an SSO location, or the person who collects the SSO data for reporting. The County can identify and register as many Data Submitters as deemed necessary.

The County obtained a unique Waste Discharge Identification Number (WDID) for several of its Service Areas, collection systems and facilities. Table 4-1 includes the various WDID numbers issued to the County.

**Table 4-1 County of San Diego Service Areas and WDID Numbers**

| County Service Areas                                                                                                                                                                      | WDID#     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| County of San Diego Collection System<br>Alpine Service Area<br>Lakeside Service Area<br>Spring Valley Service Area<br>Winter Gardens Maintenance District<br>East Otay Mesa Service Area | 9SSO10662 |
| Campo Water & Sewer Service Area (Rancho Del Campo CS)                                                                                                                                    | 9SSO10689 |
| Julian Service Area (Julian Water Pollution Facility)                                                                                                                                     | 9SSO10673 |

All LROs and Data Submitters receive a unique logon and password. This information should be guarded and protected. If an authorized user suspects his or her logon and password has been lost, stolen, or otherwise compromised, that person shall contact the SWRCB via the CIWQS help desk at 866-792-4977.

#### 4.3.2 Mandatory Information to Report via CIWQS

Specific mandatory information must be included for each SSO report submitted via CIWQS, prior to finalizing and certifying an SSO report.

The following information is required for all Category 2 SSOs:

1. Name of person notifying Cal EMA and direct return phone number
2. Location of SSO using Global Positioning System (GPS) coordinates

3. Regional Water Quality Control Board (County of San Diego is in Region 9)
4. County in which SSO occurred (San Diego County)
5. Whether the SSO entered a drainage channel and/or surface water
6. Whether the SSO was discharged into a storm drain pipe that was not fully captured and returned to the wastewater collection system
7. Estimated SSO volume in gallons
8. SSO source (e.g., manhole, cleanout, pipeline, etc.)
9. SSO cause (e.g., mainline blockage, roots, grease, etc.)
10. Time of SSO notification or discovery
11. Estimated operator arrival time
12. SSO destination
13. Estimated SSO end time

The following information is required for all Category 1 SSOs:

1. All information listed for Category 2 SSOs
2. Estimated SSO volume that reached surface water, drainage channel, or not recovered from a storm drain.
3. Estimated SSO volume recovered
4. Response and corrective action taken
5. If bacteriological samples were taken identify which regulatory agencies received sample results; if no samples were taken then N/A must be selected.
6. The parameters that samples were analyzed for (if applicable)
7. Whether health warning signs were posted
8. Beach(es) impacted, if none then N/A must be selected
9. Whether there is an ongoing investigation
10. Steps taken or planned to reduce, eliminate, and prevent reoccurrence of the SSO and a schedule of major milestones for those steps.
11. OES control number (if applicable)
12. Date OES was initially called (if applicable)
13. Time OES was initially called (if applicable)
14. Identification of whether County of San Diego Department of Environmental Health Officers were called
15. Date County of San Diego Department of Environmental Health Officers were initially called (if applicable)
16. Time County of San Diego Department of Environmental Health Officers were initially called (if applicable)

SDRWQCB requires that all private lateral SSOs brought to the attention of the County must be reported. The following information is required for Private Lateral Sewage Discharges:

1. All information listed for Category 2 SSOs
2. Identification of sewage discharge as a private lateral sewage discharge
3. Responsible party contact information, if known

The CIWQS reporting requirements are not in lieu of other reporting requirements. The County must also perform Regional Board reporting requirements, the Governor's Office of Emergency Services reporting, and notifications to the County of San Diego Department of Environmental Health.

Once the data is properly entered into the CIWQS database, and the SSO investigation is complete, the SSO report must be certified by the LRO based on the reporting requirements summarized in Table 4-2.

**Table 4-2 CIWQS Reporting Time Requirements**

| SSO Type            | Initial CIWQS Report                                                  | Certification Requirements                                                    |
|---------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------|
| Category I SSO      | Within 3 business days                                                | Within 15 calendar days of the conclusion of the SSO response and remediation |
| Category II SSO     | Within 3 business days                                                | Within 15 calendar days of the conclusion of the SSO response and remediation |
| Category III SSO    | Within 30 calendar days of the end of the month in which SSO occurred | Within 30 calendar days of the end of the month in which SSO occurred         |
| Private Lateral SSO |                                                                       |                                                                               |
| No Monthly SSOs     |                                                                       |                                                                               |

#### 4.3.3 Monthly Reporting Requirement if no SSOs

For each month that no SSOs are identified and reported via CIWQS, the County's LRO must prepare and submit a statement in the CIWQS SSO Database, certifying that there were no SSOs for the designated month. This report must be submitted within 30 days after the end of each calendar month with no SSOs, as noted in Table 4-2.

#### 4.3.4 Alternative Reporting Procedures when On-Line Reporting is Unavailable

In the event that the CIWQS SSO On-line Database is not available to submit required reports or certify reports, County staff must fax all required information to the SDRWQCB office in accordance with the time schedules identified in Table 4-2. The County is also obligated to enter all required information into the On-line SSO Database as soon as practicable.

### 4.4 Record Keeping and Document Retention

The County must retain individual SSO records for a minimum of five (5) years from the date of the SSO occurrence. This period may be extended when requested by a SDRWQCB Executive Officer. All records shall be made available for review upon State or Regional Board staff's request.

Per Order No. WQ 2013-0058-EXEC, specific records that must be retained include, but are not limited to:

1. General Records to document compliance with all provisions of the SSS WDRs and the Monitoring and Reporting Program for each sanitary sewer system owned including any required records generated by the County's sanitary sewer system contractors;
2. SSO Records for each SSO event including, but not limited to:
  - a. Complaint records documenting how the enrollee responded to all notifications of possible or actual SSOs, both during and after business hours, including complaints that do not resulting in SSOS.
    - i. Date, time, and method of notification
    - ii. Date and time of complainant or informant first noticed the SSO
    - iii. Narrative description of the complaint, including any information the caller can provide regarding whether or not the complainant or informant reporting the potential SSO knows if the SSO has reached surface waters, drainage channels or storm drains
    - iv. Follow-up return contact information for complainant or informant for each complaint received, if not reported anonymously
    - v. Final resolution of the complaint
  - b. Records documenting steps and/or remedial actions undertaken by enrollee, using all available information, to comply with Section D.7 pf the WDRs
  - c. Record documenting how all estimate(s) of volume(s) discharged and, if applicable, volume(s) recovered were calculated
3. Records documenting all changes made to the SSMP since its last certification indicating when a subsection(s) of the SSMP was changed and/or updated and who authorized change or update.
4. Electronic monitoring records relied upon for documenting SS events and/or estimating the SSO volume discharged, including, but not limited to records from:
  - a. SCADA system
  - b. Alarm System
  - c. Flow monitoring devices

To facilitate the County's ability to report regularly on SSOs, the Sanitation Regional Supervisor should track information pertaining to each SSO. The Sanitation Regional Supervisor should document data as soon practicable after an SSO event. This data can be queried for trends and used as a cross reference for the on-line SSO reporting requirements.

## Chapter 5

# Training

---

Appropriate staff will participate in regularly scheduled training sessions to assist response crews in awareness of their responsibilities and executing their duties. These training sessions will be organized based on the latest SSOERP, as well as other reference materials. Training sessions shall also incorporate hands-on field demonstrations to insure the preparedness of all response personnel to all anticipated situations.

An overview of the Sewer System Management Plan (SSMP) and the SSOERP should be provided to County staff. This will serve as a mode of instructing staff on the SSMP, SSOs, and required documentation. Field demonstrations will be performed to test equipment, response time, training effectiveness, resources, and manpower capabilities.

Training and event participation will be documented and maintained. Currently, District Engineering staff is encouraged to receive training through various vendors and to participate in Collection System Maintenance classes, and obtain Wastewater Treatment Certification through the California Water Environment Association (CWEA). Additional certification requirements may be imposed in the future if deemed necessary by the SDRWQCB.

This page intentionally left blank.



## Chapter 6

# Updating this SSOERP

---

This SSOERP reflects the County's established procedures for responding to reports of possible and confirmed SSOs originating from its wastewater collection system. As policies change and response procedures are refined, the SSOERP will be reviewed and modified to reflect all necessary changes.

### 6.1 SSOERP Availability

The SSOERP will be reviewed annually to ensure that all information is updated. The amended SSOERP will be distributed to the appropriate staff, County Departments, SDRWQCB, and be made available to the public for review. Staff shall ensure that this SSOERP is readily available to wastewater maintenance personnel, and that said personnel are familiar with the plan and comply with it at all times.

### 6.2 Review and Update of the SSOERP

County staff shall maintain this SSOERP, and amend or update it as necessary by the addition of new facilities, or changes in the operation or maintenance of the wastewater collection system that may materially affect the potential for SSOs. At a minimum, the plan will be reviewed annually and will include updating telephone numbers and forms in the appendices and a review of procedures. The annual review of the plan will also ensure all provisions of the plan are being met and implemented. County staff shall also review and amend this SSOERP as appropriate after any SSO occurrence. SSOERP deficiencies and updates will be addressed and modified accordingly. The plan performance will be routinely evaluated, reviewed and updated.

This page intentionally left blank.

---

**Attachment A**  
**Sanitary Sewer Overflow Field Report Form**

---

# COUNTY OF SAN DIEGO SANITARY SEWER OVERFLOW FIELD REPORT



| <b><u>PART A:</u> INITIAL NOTIFICATION</b>                                                                                                        |                              | <b>Tracking #</b> _____ |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------|
| Date Reported: _____                                                                                                                              | Time Reported: _____ (00:00) |                         |
| Reported by – Name: _____                                                                                                                         | Phone Number: _____          |                         |
| Address or Agency: _____                                                                                                                          |                              |                         |
| Location of Overflow: _____                                                                                                                       |                              |                         |
| Cross Street: _____                                                                                                                               | Thomas Brothers Grid: _____  |                         |
| Reason for call-out: <input type="checkbox"/> Stoppage/Overflow <input type="checkbox"/> Pump Station Alarm <input type="checkbox"/> Other: _____ |                              |                         |
| Stoppage in: <input type="checkbox"/> Mainline <input type="checkbox"/> Private Lateral    Sewer Overflow Structure ID: _____                     |                              |                         |
| Cause of Stoppage: _____                                                                                                                          |                              |                         |
| Responsible Party: <input type="checkbox"/> County <input type="checkbox"/> Private <input type="checkbox"/> Other: _____                         |                              |                         |

| <b><u>PART B:</u> INITIAL RESPONSE</b>                                         |                                                                                        |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Time Arrived at Site: _____                                                    | Responding Supervisor: _____                                                           |
| Crew Members: _____                                                            |                                                                                        |
| Date Overflow Started: _____                                                   | Date Overflow Stopped: _____                                                           |
| Time Overflow Started: _____                                                   | Time Overflow Stopped: _____                                                           |
| Est. Overflow Rate (gpm): _____                                                | Est. Overflow Volume (gal): _____                                                      |
| Duration of Flow: _____                                                        | Overflow Volume Recovered (gal): _____                                                 |
| Reach Storm Drain: <input type="checkbox"/> Yes <input type="checkbox"/> No    | Final Destination of Overflow: _____                                                   |
| Reach Surface Water: <input type="checkbox"/> Yes <input type="checkbox"/> No  | If YES, Name of Surface Water: _____                                                   |
| Pictures/Video Taken: <input type="checkbox"/> Yes <input type="checkbox"/> No | Samples Taken: <input type="checkbox"/> Yes <input type="checkbox"/> No                |
| Location of Blockage:    MH _____    MH _____                                  | Overflow Manhole:    MH _____                                                          |
| Signs Posted: <input type="checkbox"/> Yes <input type="checkbox"/> No         | Sewer Main or Private Lateral: _____                                                   |
| Barricade: <input type="checkbox"/> Yes <input type="checkbox"/> No            | County Health Dept. Notified: <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Cause of Overflow: (Check All that Apply)                                      |                                                                                        |
| <input type="checkbox"/> Blockage                                              | <input type="checkbox"/> Roots                                                         |
| <input type="checkbox"/> Flood/Rain                                            | <input type="checkbox"/> Infiltration                                                  |
| <input type="checkbox"/> Construction                                          | <input type="checkbox"/> Private Property                                              |
| <input type="checkbox"/> Rocks                                                 | <input type="checkbox"/> Debris                                                        |
| <input type="checkbox"/> Pump Station                                          | <input type="checkbox"/> Manhole                                                       |
| <input type="checkbox"/> Other: _____                                          | <input type="checkbox"/> Grease                                                        |
|                                                                                | <input type="checkbox"/> Line Break                                                    |
|                                                                                | <input type="checkbox"/> Vandalism                                                     |
|                                                                                | <input type="checkbox"/> Power Failure                                                 |
|                                                                                | <input type="checkbox"/> Unknown                                                       |
| Containment Materials: _____                                                   |                                                                                        |
| Responsible Agency: _____                                                      |                                                                                        |
| Cleanup Method: _____                                                          |                                                                                        |

\*Sketch Area on Back of Sheet

**SKETCH OF AREA:** (Include manholes, intersections, location of blockage, etc.)

**Completed by:** \_\_\_\_\_ **Agency:** \_\_\_\_\_ **Date:** \_\_\_\_\_

---

**Attachment B**  
**Standby County Staff**

---

**County of San Diego  
Standby Staff Contact Information**



| <b>Wastewater Management Staff</b>                            | <b>Contact Name</b>  | <b>Telephone Number</b> | <b>Cell Number</b> |
|---------------------------------------------------------------|----------------------|-------------------------|--------------------|
| Sanitation Regional Supervisor                                | Gary Harris          | 619-660-2007            | 619-496-7110       |
| Senior Equipment Operator                                     | Ruty Murdock         | 619-660-2007            | *619-823-8212      |
| Senior Equipment Operator                                     | Al Parra             | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Steve Williamson     | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Mike Patterson       | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Charles Jenkins      | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Michael Arakawa      | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Alex Lopez           | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Nathan Officer       | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Michael Sherman      | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Misael Sanchez       | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | William (Jr) Liseski | 619-660-2007            | *619-823-8212      |
| Equipment Operator                                            | Jose Naranjo         | 619-660-2007            | *619-823-8212      |
|                                                               |                      |                         |                    |
| Wastewater Facilities Supervisor                              | Michael Leebert      | 619-660-2008            | *858-204-1569      |
| Wastewater Plant Operator III                                 | Keith Kelly          | 619-660-2008            | *858-204-1569      |
| Wastewater Plant Operator III                                 | Joseph Tarango       | 619-660-2008            | *858-204-1569      |
| Wastewater Plant Operator II                                  | Del Bunselmeier      | 619-660-2008            | *858-204-1569      |
| Wastewater Plant Operator II                                  | Brandon Asaro        | 619-660-2008            | *858-204-1569      |
|                                                               |                      |                         |                    |
| Wastewater Facilities Supervisor                              | Jim Dohrer           | 760-756-0273            | 858-204-1648       |
| Wastewater Plant Operator III                                 | Stacy Preve          | 760-756-0273            | -                  |
| Wastewater Plant Operator III                                 | Vacant               | -                       | -                  |
| Wastewater Plant Operator II                                  | Vacant               | -                       | -                  |
|                                                               |                      |                         |                    |
| Collections Engineering and Operations, Senior Civil Engineer | Collins Solomon      | 858-357-5696            | 858-357-5696       |
| Facility Engineering & Operations, Unit Manager               | Kay Kim              | 858-694-3921            | 858-602-9730       |
| LUEG Program Manager                                          | Dan Brogadir         | 858-694-2714            | 858-822-8856       |
| Deputy Director                                               | Terry Rayback        | 858-694-8948            | --                 |

\* Revolving Stand-by Cell Number

---

**Attachment C**  
**County Approved Contractors and**  
**Equipment Rental Vendors**

---



## Approved Contractors and Equipment Rental Vendors



### Contractors:

| Contractor Name                    | Address                                                     | Telephone No.                | Contact Name                   | Services Provided                                                                                      |
|------------------------------------|-------------------------------------------------------------|------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------|
| Al-Max Sanitation                  | P.O. Box 711300<br>10023 Prospect Ave.<br>Santee, CA 92072  | 619-562-5540<br>619-883-6480 | Main Line -<br>Chuck           | Pumping, transportation and disposal of sludge, grease, scum, and related liquid wastes                |
| Atlas Pumping                      | 12740 Vigilante Rd.<br>Lakeside, CA 92040                   | 800-491-7867<br>619-443-7867 | Main Line -<br>Bill Anderson   | Pumping, transportation and disposal of sludge, grease, scum and related liquid wastes                 |
| Diamond Environmental Services     | 807 E Mission Rd.<br>San Marcos, CA 92069                   | 760-744-5918<br>760-497-3494 | Main Line -<br>Pedro Rubalcava | Pumping, transportation and disposal of sludge, grease, scum, and related liquid wastes                |
| Bonita Pipeline, Inc.              | 2209 Highland Avenue<br>National City, CA 91950             | 619-434-9801<br>619-520-3350 | Main Line -<br>Frank Marquez   | General Engineering Contractor, Plumbing and pipe repairs, excavation, concrete, structural. (Class A) |
| Underground Utilities Incorporated | 9102 Harness Street,<br>Suite B, Spring Valley,<br>CA 91977 | 619-461-9500<br>619-654-1301 | Main Line -<br>Michael Harness | General Engineering Contractor, Plumbing and pipe repairs, excavation, concrete, structural. (Class A) |
| McBride Engineering                | 339 Cypress Lane<br>El Cajon, CA 92020                      | 619-334-9700<br>619-334-9949 | Main Line -<br>Chuck McBride   | General Engineering Contractor, Plumbing and pipe repairs, excavation, concrete, structural. (Class A) |

## Equipment Vendors:

| Vendor Name  | Address                                 | Telephone No.                | Contact Name               | Available Equipment                                                                             |
|--------------|-----------------------------------------|------------------------------|----------------------------|-------------------------------------------------------------------------------------------------|
| Godwin Pumps | 11161 Harrel St.<br>Mira Loma, CA 91752 | 951-681-3636<br>951-317-8250 | Main Line -<br>Nate Warren | Various portable pumps for as-needed emergency and/or back-up services for sewage lift stations |
|              |                                         |                              |                            |                                                                                                 |
|              |                                         |                              |                            |                                                                                                 |
|              |                                         |                              |                            |                                                                                                 |
|              |                                         |                              |                            |                                                                                                 |
|              |                                         |                              |                            |                                                                                                 |
|              |                                         |                              |                            |                                                                                                 |

---

**Attachment D**  
**Owner/Resident Information**  
**and Right-of-Entry Form**

---



DATE: \_\_\_\_\_

TIME: \_\_\_\_\_

# County of San Diego

**RICHARD E. CROMPTON**  
DIRECTOR

DEPARTMENT OF PUBLIC WORKS  
5510 OVERLAND AVE, SUITE 410  
SAN DIEGO, CALIFORNIA 92123-1237  
(858) 694-2212 FAX: (858) 694-3597  
Web Site: [www.sdcountry.ca.gov/dpw/](http://www.sdcountry.ca.gov/dpw/)

## c/o SAN DIEGO COUNTY SANITATION DISTRICT SEWAGE SYSTEM FAILURE INCIDENT OWNER/RESIDENT INFORMATION AND RIGHT-OF-ENTRY

Property: \_\_\_\_\_  
(Street address)

Resident: \_\_\_\_\_ Tel.No. \_\_\_\_\_  
(Full name(s))

Owner (if different from Resident): \_\_\_\_\_ Tel. No. \_\_\_\_\_  
(Full name(s))

Address of Owner (if different from Resident): \_\_\_\_\_

As an Owner/Resident of a building served by the San Diego County Sanitation District, 5500 Overland Avenue, Suite 315, San Diego, CA 92123, (858) 514-4990 ("District"), it is the District's goal to at all times provide quality and functional sewer service.

In order for the District to assess and potentially take action to remediate a sewer system back-up or other sewer service failure ("Sewer System Failure"), it is necessary for the Owner/Resident to grant the District the right to enter the impacted private property. Owner/Resident hereby

☐

Authorizes

☐

Does not authorize

the District the right to enter the above identified Property under the following terms and conditions:

Right-of-Entry: Owner/Resident hereby grants the District, and the District's officers, employees, agents, and contractors (collectively "District Staff"), the right to enter onto the Property and into any structures on the Property to ascertain the cause and extent of the Sewer System Failure. District Staff may take photographs and perform non-destructive tests or inspection activities to attempt to ascertain the cause and extent of the Sewer System Failure. Following the inspection, District Staff shall promptly inform the Owner/Resident if the District is able to perform any work to address the Sewer System Failure. Owner/Resident grants District Staff the right to enter onto the Property to stop the overflow of sewage by

Over →

any reasonable means; remove wastewater liquids, particulates and other material; conduct disinfection activities; and perform remediation and repair work.

Denial/Termination: Owner/Resident may request that District Staff cease all or some inspection or other activities and leave the Property or any portion of the Property or structure on the Property at any time. District Staff shall promptly cease activities and leave the Property or portion of the Property or structure as requested by the Owner/Resident.

Self-Repair/Contractor of Choice: Owner/Resident may at any time refuse to allow District Staff to perform damage assessment, clean-up, disinfection, remediation work repairs or other work on the Property. Upon the passage of a reasonable time following Owner/Resident notifying District of the refusal, the Owner/Resident shall allow District to remove any equipment, supplies or tools on the Property. Upon removal of the equipment, supplies or tools, District Staff's right of entry to perform clean-up and remediation work shall terminate.

Claims: Owner/Resident may file a claim pursuant to the Government Claims Act, Government Code Section 810 et seq., against the District for personal injury, property damage, temporary lodging, and other expenses Owner/Resident feels should be paid by District as a result of the Sewer System Failure. All claims should be submitted with receipts, invoices, cancelled checks and other documents evidencing the expense and payment(s) made by Owner/Resident. Claim forms are available on the County of San Diego website at [www.sdcounty.ca.gov](http://www.sdcounty.ca.gov).

Not an Admission of Fault: Any offer by District Staff to enter onto the Property and any structure located within the property, to perform any testing or inspections, or to perform any clean-up, remediation or other work, shall not be construed as an admission of fault or liability by the District nor be understood or interpreted as a reason for Owner/Resident to fail to take reasonable steps to limit loss or harm from the Sewer System Failure. Owner/Resident should take reasonable action to protect persons and property from injury as a result of any Sewer System Failure regardless of any action taken by District Staff.

Resident: \_\_\_\_\_  
Signature

Owner: \_\_\_\_\_  
Signature (if available and different from Resident)

---

**Attachment E**  
**Initial Damage Assessment Form**  
**for Private Property**

---



## Private Property Initial Damage Assessment Form

The information requested on this form is for the purpose of documenting the possible impacts and extent of damage caused by a sanitary sewer overflow at, or as close to, the time of the event. By using this form, the County, its employees, elected officials, contract staff, and volunteers do not admit liability or culpability for the damage being documented.

**INSTRUCTIONS:** County staff at the SSO location are instructed to write notes, take photographs, and, if possible, video record the visible area without entering the private property. Please complete as much of this form as possible. Keep a copy and submit this form to Risk Management.

### SSO INFORMATION

Date of SSO event: \_\_\_\_\_ Tracking #: \_\_\_\_\_

Location of SSO Event: \_\_\_\_\_  
(ADDRESS)

Cross Street: \_\_\_\_\_ Thomas Brothers Grid: \_\_\_\_\_

### AFFECTED PROPERTY

Address of Private Property: \_\_\_\_\_

\_\_\_\_\_ Zip Code: \_\_\_\_\_

Owner/Occupant Name(s): \_\_\_\_\_

Owner/Occupant Telephone Number(s): \_\_\_\_\_

### INITIAL DAMAGE ASSESSMENT

Brief Description of Damage: \_\_\_\_\_

---

---

---

---

---

Reported by (name and title): \_\_\_\_\_

Dated: \_\_\_\_\_

*(attach sketches, photographs, and other items documenting the extent and impact of damage)*

---

**Attachment F**  
**Sanitary Sewer Overflow Notification List**

---



## Regulatory Agency SSO Notification List



| Contact List                                                  | Contact Name | Telephone No.         | Non-Business Hours      |
|---------------------------------------------------------------|--------------|-----------------------|-------------------------|
| San Diego Regional Water Quality Control Board (RWQCB)        | Joann Lim    | 619-521-3362          | 619-516-1990            |
| California Emergency Management Agency (Cal OES)              | -            | 916-845-8911          | 800-852-7550            |
| San Diego County Department of Environmental Health           | Ewan Moffat  | 858-495-5579          |                         |
| San Diego County Flood Control District                       | -            | 858-565-5262          | 858-565-5262            |
| San Diego County Storm Water Management Program               | -            | 858-495-5318          | 888-846-0800            |
| County of San Diego Sheriff's Department - Emergency Services | -            | 858-565-5200          | -                       |
| County San Diego Fire Department                              |              |                       |                         |
| Alpine                                                        | -            | 619-445-2635          | -                       |
| East Otay Mesa                                                | -            | -                     | -                       |
| Julian - Cuyamaca                                             | -            | 760-765-1510          | -                       |
| Lakeside                                                      | -            | 619-390-2350 ext. 306 | -                       |
| Pine Valley                                                   | -            | 619-473-8445          | -                       |
| Spring Valley                                                 | -            | -                     | -                       |
| Winter Gardens                                                | -            | 619-590-3100          | -                       |
| Harmony Grove                                                 | -            | -                     | -                       |
| Campo                                                         | -            | -                     | -                       |
| California Highway Patrol (CHP)                               | -            | 800-835-5247          | -                       |
| Caltrans District 11                                          | -            | 619-688-6699          | -                       |
| Hazardous Incident Response Team (HIRT)                       | Nick Vent    | 619-338-2217          | Station M: 858-565-5255 |

---

**Attachment G**  
**Sanitary Sewer Overflow Report Form**

---

# COUNTY OF SAN DIEGO SANITARY SEWER OVERFLOW REPORT



CIWQS Identifier: \_\_\_\_\_ Tracking # \_\_\_\_\_

This report is: ☐ Preliminary ☐ Final ☐ Revised

## Reporting Details

Name & Title of Person Completing this Report: \_\_\_\_\_

Phone # \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ (00:00)  
(24-hour clock)

Name of Person/Agency First Reporting SSO: \_\_\_\_\_

Phone # \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ (00:00)  
(24-hour clock)

## Location of Overflow

Street Address: \_\_\_\_\_ Nearest Cross Street: \_\_\_\_\_

Thomas Brothers Grid: \_\_\_\_\_ Latitude of SSO: \_\_\_\_\_ Longitude of SSO: \_\_\_\_\_

City: \_\_\_\_\_ County: \_\_\_\_\_ Zip: \_\_\_\_\_

Location of Potential Blockage or Problem Point: From MH#: \_\_\_\_\_ To MH#: \_\_\_\_\_

SSO Appearance Point: ☐ Building ☐ Force Main ☐ Manhole ☐ Sewer ☐ Pump Station

☐ Other: \_\_\_\_\_

Terrain at SSO Location: ☐ Flat ☐ Mixed ☐ Steep

Diameter of Sewer: \_\_\_\_\_ in Material of Sewer: \_\_\_\_\_ Estimated Age: \_\_\_\_\_ yrs

## SSO Details

Estimated Overflow **START**: Date: \_\_\_\_\_ Time: \_\_\_\_\_ (00:00)  
(24-hour clock)

Estimated **ARRIVAL** of Operator: Date: \_\_\_\_\_ Time: \_\_\_\_\_ (00:00)  
(24-hour clock)

Estimated Overflow **STOP**: Date: \_\_\_\_\_ Time: \_\_\_\_\_ (00:00)  
(24-hour clock)

Duration of Spill (in minutes) = \_\_\_\_\_ Minutes

Estimated Overflow Rate: \_\_\_\_\_ gpm Total Volume of SSO: \_\_\_\_\_ gal

SSO Volume Recovered: \_\_\_\_\_ gal SSO Volume Lost: \_\_\_\_\_ gal

SSO Cause: ☐ Debris ☐ Flow Exceeded Capacity ☐ FOG ☐ Blockage ☐ Roots ☐ Infiltration

☐ Operator Error ☐ Structural Problem ☐ Pump Station Failure ☐ Vandalism ☐ Power Failure

☐ Construction ☐ Rainfall ☐ Other: \_\_\_\_\_

If wet weather caused the SSO, chose storm size:

☐ 1yr ☐ 2yr ☐ 5yr ☐ 10yr ☐ 50yr ☐ 100yr ☐ >100yr ☐ Unknown

**SSO Destination Details**

SSO Final Destination: ☐Beach ☐Building ☐Paved Surface ☐Unpaved Surface ☐Storm Drain  
☐Curb & Gutter ☐Surface Water ☐Other: \_\_\_\_\_

If SSO reached a storm drain, give street location (Specify N/S/E/W side): \_\_\_\_\_

Describe distance (feet) and path taken from SSO to storm drain inlet: \_\_\_\_\_  
\_\_\_\_\_

If SSO reached surface waters, describe Receiving Waters: \_\_\_\_\_

If applicable, name and/or describe Secondary Receiving Water: \_\_\_\_\_

**Response**

Response Activities (Check ALL that Apply): ☐Contained All or Part of SSO ☐Restored Flow  
☐Returned All or Part of SSO to Sewer ☐Cleaned Up ☐CCTV  
☐Other: \_\_\_\_\_

Responding County Personnel:

Time Arrived:

Time Departed:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Equipment Used: \_\_\_\_\_

Other Responding Agency/Contractor: \_\_\_\_\_  
\_\_\_\_\_

**SSO Clean-up Details**

Materials Used for Containment: \_\_\_\_\_

Washwater Disposal Method: \_\_\_\_\_

Volume of Washwater Used: \_\_\_\_\_gal

Combined Volume of Recovered Washwater and Sewage-Contaminated Water: \_\_\_\_\_gal

Combined Volume of Lost Washwater and Sewage-Contaminated Water: \_\_\_\_\_gal

**Miscellaneous** (Attach photos, correspondence, or follow-up reports that provide detailed information.)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Prevention Plan**

Steps, taken or planned, to reduce or eliminate re-occurrence of SSO: \_\_\_\_\_

\_\_\_\_\_

Schedule of any MAJOR milestones or improvements: \_\_\_\_\_

\_\_\_\_\_

Steps, taken or planned, to mitigate the impacts of the SSO: \_\_\_\_\_

\_\_\_\_\_

Schedule of any MAJOR milestones or improvements: \_\_\_\_\_

\_\_\_\_\_

**Notification Contact List** (Check all who were notified.)

| Name/Agency                                                   | Phone #        | Time  | Date  |
|---------------------------------------------------------------|----------------|-------|-------|
| <input type="checkbox"/> Regional Board (SDRWQCB)             | (858) 467-2952 | _____ | _____ |
| <input type="checkbox"/> Office of Emergency Services (OES)   | (800) 852-7550 | _____ | _____ |
| <input type="checkbox"/> Department of Environmental Health   | (858) 495-5579 | _____ | _____ |
| <input type="checkbox"/> Risk Management Office               | (619) 578-5756 | _____ | _____ |
| <input type="checkbox"/> Sheriff Dept-Emergency Services      | (858) 565-5200 | _____ | _____ |
| <input type="checkbox"/> Local Fire Department                | _____          | _____ | _____ |
| <input type="checkbox"/> San Diego Flood Control District     | (858) 565-5262 | _____ | _____ |
| <input type="checkbox"/> Contracting Agencies                 | _____          | _____ | _____ |
| <input type="checkbox"/> California Department of Fish & Game | (916) 445-0411 | _____ | _____ |
| <input type="checkbox"/> Other _____                          | _____          | _____ | _____ |

**MUST** notify OES, County of San Diego Department of Environmental Health, and SDRWQCB within **2 HOURS** of becoming aware of an SSO reaching storm pipes, drainage channels, and/or surface waters

OES Control # \_\_\_\_\_

Report faxed to RWQCB? ☐ Yes ☐ No If yes, date and time of fax: \_\_\_\_\_**Public Use Closures**Were signs posted warning of contaminants? ☐ Yes ☐ No Dates Posted: \_\_\_\_\_

Location of Postings: \_\_\_\_\_

Were samples obtained of contaminated water? ☐ Yes ☐ No (Attach any and all results.)

---

**Attachment H**  
**Possible Methods for Estimating Spill Volume**

---

# Possible Methods for Estimating Spill Volume

A variety of approaches exist for estimating the volume of a sanitary sewer overflow. This attachment documents four methods that are most often employed. Other methods are also possible. The person preparing the estimate shall use the method most appropriate to the SSO in question using his/her judgment. Every effort shall be made to make the best possible estimate of the volume.

## **Method 1**     Eyeball Estimate

The volume of very small SSOs can be estimated using an “eyeball estimate.” To use this method, imagine the amount of water that would spill from a bucket or a barrel. A bucket contains 5 gallons and a barrel contains 50 gallons. If the SSO is larger than 50 gallons, try to break the standing water into barrels and then multiply by 50 gallons. This method is useful for contained spills up to 100 gallons.

## **Method 2**     Measured Volume

The volume of some small SSOs can be estimated using this method if it is not raining. In addition, the shape, dimensions, and depth of the spilled sewage are needed. The shape and dimensions are used to calculate the area of the spill and the depth is used to calculate the volume.

Step 1: Sketch the shape of the contained sewage

Step 2: Measure or pace off the dimensions

Step 3: Measure the depth in several locations

Step 4: Convert the dimensions, including depth to feet

Step 5: Calculate the area using the following formulas:

Rectangle      $\text{Area} = \text{length} \times \text{width}$

Circle      $\text{Area} = \text{diameter} \times \text{diameter} \times 0.785$

Triangle      $\text{Area} = \text{base} \times \text{height} \times 0.5$

Step 6: Multiply the area times the depth

Step 7: Multiply the volume by 7.5 to convert it to gallons

## **Method 3**     Duration and Flow Rate

Calculating the volume of SSOs where it is difficult or impossible to measure the area and depth requires a different approach. In this method separate estimates are made of the duration of the SSO and the flow rate. The methods of estimating duration and flow rate are:

**Duration:** The duration is the elapsed time from the start time to the end time, when the SSO stopped.

**Start time** is sometimes difficult to establish. Here are two approaches:

- For very large overflows, changes in flow on a downstream flow meter can be used to establish the start time. Typically the daily flow peaks are “cut off” or flattened by the loss of flow. This can be identified by comparing hourly flow data.
- Conditions at the SSO site change with time. Initially there will be limited deposits of grease and toilet paper. After a few days to a week, the grease forms a light colored residue. After a few weeks to a month the grease turns dark. In both cases the quantity of toilet paper and other materials of sewage origin increase in amount. These changes with time can be used to estimate the start time in the absence of other information.
- Sometimes it is simply not possible to estimate the start time.

**End time** is usually much easier to establish. Field crews on-site observe the “blow down” that occurs when the blockage has been removed. The “blow down” can also be observed in downstream flow meters.

**Flow Rate:** The flow rate is the average flow left in the sewer system during the time the SSO stopped. There are three ways to estimate the flow rate:

- **San Diego Manhole Flow Rate Reference Sheet:** This sheet, presented on the following page, shows the sewage flowing from a manhole cover for a variety of flow rates. The observations of the field crew are used to select the approximate flow rate from the chart.
- **Flow meter:** Changes in flows in the downstream flow meters can be used to estimate the flow rate during the spill (better for large SSOs)
- **Estimate based on up-stream connections:** Once the location of the SSO is known, the number of upstream connections can be determined from system maps. Multiply the number of connections by 200 to 250 gallons per day per connection, or 8 to 10 gallons per hour per connection, or other flow rates that are consistent with the City’s data for its connections.

Once duration and flow rate have been estimated, the volume of the SSO is the product of the duration in hours or days times the flow rate in gallons per hour or gallons per day.





City of San Diego  
Metropolitan Wastewater Department

**Reference Sheet for Estimating Sewer Spills  
from Overflowing Sewer Manholes**  
*All estimates are calculated in gallons per minute (gpm)*

Wastewater Collection Division  
(619) 654-4160



5 gpm



25 gpm



50 gpm



100 gpm



150 gpm



200 gpm



225 gpm



250 gpm



275 gpm

All photos were taken during a demonstration using metered water from a hydrant in cooperation with the City of San Diego's Water Department.

rev. 4/99

---

## **Attachment I**

### **Warning Sign Samples**

---

**DANGER!**  
**CONTAMINATED WATER**  
**KEEP OUT**



**AGUA CONTAMINADA**  
**ALEJESE**

**PELIGRO!**

County of San Diego Department of Public Works

(619) 660-2007

**WARNING!**

**RAW**

**SEWAGE**

**COUNTY OF SAN DIEGO  
(619) 660-2007**

---

**Attachment J**  
**Examples of Pre-scripted Notices**

---

## SAMPLE PRE-SCRIPTED NEWS RELEASE – INITIAL NOTIFICATION

(County of San Diego, Department of Public Works Letterhead)

### **For Immediate Release**

### **Date and Time**

Cause of failure, such as mechanical breakdown or natural cause (lightning or local flooding) damage at sewage facility located near the intersection of street name and street name has caused sewage overflow into the surface water name in area name. A map showing the location of the sewage facility and areas impacted by the overflow is attached.

Although County Wastewater Management Department crews have begun to make temporary repairs and divert some of the flows to which plant and/or interim bypass pumping has begun, backups may occur in portions of the system. Consequently, residents (reference area or location on map) are urged to reduce water usage inside their homes as much as possible and to avoid coming into physical contact with standing waters in the street or using receiving surface water for any purpose until further notice.

Please note that the drinking water supply is not affected; however, the cooperation of residents to minimize water usage in order to reduce sewage flows is of the utmost importance.

CONTACT: DPW Communications Officer  
Michael Drake  
858.495.5736

Senior Civil Engineer  
Collins Solomon  
619.660.2007

SAMPLE PRE-SCRIPTED NEWS RELEASE – REPAIR UPDATE

(County of San Diego, Department of Public Works Letterhead)

**For Immediate Release**

**Date and Time**

Cause of failure, such as mechanical breakdown or natural cause (lightning or local flooding) damage at sewage facility located near the intersection of street name and street name has caused sewage overflow into the surface water name in area name. Repair crews were dispatched to assess the extent of the damage and to initiate repairs. To date, the following actions have been taken:

[Description of work accomplished.]

It is anticipated that the repair work will be complete by day, date, and time. Additional advisories will be issued if the status of the repairs should change.

Residents are cautioned to refrain from visiting the area where the repair efforts are being conducted.

CONTACT: DPW Communications Officer  
Michael Drake  
858.495.5736

Senior Civil Engineer  
Collins Solomon  
619.660.2007

## SAMPLE PRE-SCRIPTED NEWS RELEASE – CLOSING STATEMENTS

(County of San Diego, Department of Public Works Letterhead)

### **For Immediate Release**

### **Date and Time**

Cause of failure, such as mechanical breakdown or natural cause (lightning or local flooding) damage at sewage facility located near the intersection of street name and street name has caused sewage overflow into the surface water name in area name. The leak caused the discharge of approximately number of thousand or million gallons of sewage into name of surface water, resulting in restricted public access to the area.

A specially trained team of repair experts was mobilized to take immediate and effective action. The repairs were complete in time in hours and/or days and involved around-the-clock operations.

The County's Wastewater Management Division worked in cooperation with the San Diego County Department of Environmental Health in monitoring the environmental effects of the sewage discharge on name of surface water. The media assisted in issuing advisories to keep the public informed of the status of remedial actions. As a result, the impacts of accidental sewage discharged were minimized. The water quality in name of surface water is continuing to be monitored to ensure there are no threats to public health and the environment.

CONTACT: DPW Communications Officer  
Michael Drake  
858.495.5736

Senior Civil Engineer  
Collins Solomon  
619.660.2007



## SAMPLE PRE-SCRIPTED NEWS RELEASE – WATER CONSERVATION

(County of San Diego, Department of Public Works Letterhead)

### **For Immediate Release**

### **Date and Time**

Cause of failure, such as mechanical breakdown or natural cause (lightning or local flooding) damage at sewage facility located near the intersection of street name and street name has caused sewage overflow into the surface water name in area name. The leak has caused portions of surface water name to become polluted and necessitates reducing the discharge of sewage to the sewer system.

In order to prevent backups in the sewer system and sewage spills, residents are urged to reduce household water use. Residents should take the following actions:

1. Limit clothes washing
2. Limit showers and baths
3. Limit toilet flushing

It is necessary to restrict water use only for the period required to fix the leak. The County of San Diego's Wastewater Management Division crews have already begun to make repairs. Advisories will be issued when the repairs are completed so normal water use may resume.

The break does not affect the water supply. The water is safe to drink, but please limit water use to reduce sewage flow as much as possible.

CONTACT: DPW Communications Officer  
Michael Drake  
858.495.5736

Senior Civil Engineer  
Collins Solomon  
619.660.2007

**TRUCKED INDUSTRIAL WASTE GENERATOR PERMIT APPLICATION**

Return to: City of San Diego - Industrial Wastewater Control Program  
9192 Topaz Way - San Diego, Ca 92123  
Ph: 858-654-4100 FAX: 858-654-4110

1) Business Name of Applicant: County of San Diego, Department of Public Works

Phone: 858-694-2647 Email: luis.gaspar@sdcounty.ca.gov

2) Contact Person: Luis Gaspar

Title: Assistant Engineer

3) Facility Address: 2840 HWY 78, Julian, CA 92036

4) Mailing Address: 5500 Overland Avenue Ste. 315 (MS-O384), San Diego, CA 92123

5) Requested duration of permit: From 10/02/2019 To: 10/01/2020  
(Start Date) (End Date)

6) Name of Waste Hauler: Atlas Pumping Service

Estimated number of Gallons to be discharged: 165,000 gal/year

Permit Number of Waste Hauler: 25- 0015-24A 25A (Primary)  
(Must have active Industrial Waste Hauler permit)

7) Name of facility and location  
where waste is generated: Julian Wastewater Treatment Plant

8) Description of Waste: Liquid Sludge

9) Is wastewater receiving any form of pretreatment before disposal?  
☒ NO ☐ YES. Describe: \_\_\_\_\_

10) Is wastewater generated by processes subject to federal categorical regulation?  
☒ NO ☐ YES. Describe: \_\_\_\_\_

11) Indicate constituents known or expected to be present in this wastewater based on generator knowledge:


- ☐ Caustics/Acids ☐ Pesticides/PCBs ☐ Saltwater ☐ Mud, Sand, Silt ☐ Other, List: \_\_\_\_\_  
☐ Flammable substances ☐ Radioactive Substances ☐ Oil or Grease ☐ Solvents, List: \_\_\_\_\_  
☐ Metals (circle those that apply) Cadmium, Copper, Chromium, Lead, Nickel, Mercury, Selenium, Silver, Zinc

12) Attach a copy of the lab analysis. Include all analyses performed using EPA approved methods. Lab Name: N/A Analysis Number: \_\_\_\_\_

Permittee's Certification: I hereby certify that the information found in this application is familiar to me and is complete and accurate to the best of my knowledge. I certify that the wastes that will be discharged under this permit are not hazardous wastes as defined in the Federal Resource Conservation and Recovery Act (RCRA) and by state or local regulations. I have received and read both the Trucked Waste Requirements & Procedures and the Department of Health Services' Hazardous Waste Requirements bulletin, and I agree to comply with the policies and requirements set forth therein. I certify that the wastes that will be discharged under this permit meet applicable Federal and local limits.

13) Print Name: Luis Gaspar

Title: Assistant Engineer

14) Signature: 

Date: 09/11/19

TO BE COMPLETED BY THE CITY

The following constituent limitations are applicable to this permit:

- |                                     |                 |                                         |                |
|-------------------------------------|-----------------|-----------------------------------------|----------------|
| <input type="checkbox"/> pH         | <u>5-12.5</u>   | <input type="checkbox"/> Cadmium        | <u>1 mg/L</u>  |
| <input type="checkbox"/> Oil/Grease | <u>500 mg/L</u> | <input type="checkbox"/> Chromium       | <u>5 mg/L</u>  |
| <input type="checkbox"/> Copper     | <u>11 mg/L</u>  | <input type="checkbox"/> Nickel         | <u>13 mg/L</u> |
| <input type="checkbox"/> Lead       | <u>5 mg/L</u>   | <input checked="" type="checkbox"/> COD | <u>NA</u>      |
| <input type="checkbox"/> Zinc       | <u>24 mg/L</u>  | <input checked="" type="checkbox"/> TSS | <u>NA</u>      |

Self-monitoring for the constituents listed above is required Monthly

The first self-monitoring report is due 15- NOV-2019

PIMS AR# 7492

Approved By SEC RRL

TWRP 7/18

Effective 01-OCT-2019


RCRA 7/12

Expires 01-OCT-2020

Permit Number 25- 0325-18A

☒ Renewal

☐ New

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                                                                                                                                                                             |                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>TRUCKED INDUSTRIAL WASTE GENERATOR PERMIT APPLICATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | Return to: City of San Diego - Industrial Wastewater Control Program<br>9192 Topaz Way - San Diego, Ca 92123<br>Ph: 858-654-4100 FAX: 858-654-4110                          |                                                                                                       |
| 1) Business Name of Applicant: County of San Diego, Department of Public Works                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | Phone: 858-694-2647 Email: luis.gaspar@sdcounty.ca.gov                                                                                                                      |                                                                                                       |
| 2) Contact Person: Luis Gaspar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | Title: Assistant Engineer                                                                                                                                                   |                                                                                                       |
| 3) Facility Address: 2840 HWY 78, Julian, CA 92036                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                             |                                                                                                       |
| 4) Mailing Address: 5500 Overland Avenue Ste. 315 (MS-O384), San Diego, CA 92123                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                                                                             |                                                                                                       |
| 5) Requested duration of permit: From <u>10/02/2019</u> To: <u>10/01/2020</u><br>(Start Date) (End Date)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 6) Name of Waste Hauler: <u>Sludgebusters</u>                                                                                                                               |                                                                                                       |
| Estimated number of Gallons to be discharged: <u>165,000 gal/year</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | Permit Number of Waste Hauler: <u>25- 0128-17A 18A (Secondary)</u><br>(Must have active Industrial Waste Hauler permit)                                                     |                                                                                                       |
| 7) Name of facility and location where waste is generated: <u>Julian Wastewater Treatment Plant</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                                                                                                                                                                             |                                                                                                       |
| 8) Description of Waste: <u>Liquid Sludge</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                             |                                                                                                       |
| 9) Is wastewater receiving any form of pretreatment before disposal?<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES. Describe: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | 10) Is wastewater generated by processes subject to federal categorical regulation?<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES. Describe: _____ |                                                                                                       |
| 11) Indicate constituents known or expected to be present in this wastewater based on generator knowledge:<br><input type="checkbox"/> Caustics/Acids <input type="checkbox"/> Pesticides/PCBs <input type="checkbox"/> Saltwater <input type="checkbox"/> Mud, Sand, Silt <input type="checkbox"/> Other, List: _____<br><input type="checkbox"/> Flammable substances <input type="checkbox"/> Radioactive Substances <input type="checkbox"/> Oil or Grease <input type="checkbox"/> Solvents, List: _____<br><input type="checkbox"/> Metals (circle those that apply) Cadmium, Copper, Chromium, Lead, Nickel, Mercury, Selenium, Silver, Zinc                                                                                     |  |                                                                                                                                                                             |                                                                                                       |
| 12) Attach a copy of the lab analysis. Include all analyses performed using EPA approved methods. Lab Name: <u>N/A</u> Analysis Number: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                             |                                                                                                       |
| <b>Permittee's Certification:</b> I hereby certify that the information found in this application is familiar to me and is complete and accurate to the best of my knowledge. I certify that the wastes that will be discharged under this permit are not hazardous wastes as defined in the Federal Resource Conservation and Recovery Act (RCRA) and by state or local regulations. I have received and read both the Trucked Waste Requirements & Procedures and the Department of Health Services' Hazardous Waste Requirements bulletin, and I agree to comply with the policies and requirements set forth therein. I certify that the wastes that will be discharged under this permit meet applicable Federal and local limits. |  |                                                                                                                                                                             |                                                                                                       |
| 13) Print Name: <u>Luis Gaspar</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | Title: <u>Assistant Engineer</u>                                                                                                                                            |                                                                                                       |
| 14) Signature:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | Date: <u>09/11/19</u>                                                                                                                                                       |                                                                                                       |
| <b>TO BE COMPLETED BY THE CITY</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                             |                                                                                                       |
| <b>The following constituent limitations are applicable to this permit:</b><br><input type="checkbox"/> pH 5-12.5 <input type="checkbox"/> Cadmium 1 mg/L<br><input type="checkbox"/> Oil/Grease 500 mg/L <input type="checkbox"/> Chromium 5 mg/L<br><input type="checkbox"/> Copper 11 mg/L <input type="checkbox"/> Nickel 13 mg/L<br><input type="checkbox"/> Lead 5 mg/L <input checked="" type="checkbox"/> COD <u>NA</u><br><input type="checkbox"/> Zinc 24 mg/L <input checked="" type="checkbox"/> TSS <u>NA</u><br><b>Self-monitoring for the constituents listed above is required</b> <u>MONTHLY</u><br><b>The first self-monitoring report is due</b> <u>SEE PERMIT 25-0325-18A</u>                                       |  | PIMS AR# <u>7492</u>                                                                                                                                                        | Approved By SEC  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | TWRP <u>7/18</u>                                                                                                                                                            | Effective <u>01-OCT-2019</u>                                                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | RCRA <u>7/12</u>                                                                                                                                                            | Expires <u>01-OCT-2020</u>                                                                            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | <b>Permit Number</b> <u>25- 0325-17A</u> <input checked="" type="checkbox"/> <b>Renewal</b><br><input type="checkbox"/> <b>New</b>                                          |                                                                                                       |

# Appendix C



COUNTY OF SAN DIEGO  
DEPARTMENT OF PUBLIC WORKS

## DIRECTOR'S LETTER OF INSTRUCTION

DLI - SA - K  
Page 1 of 7

### **SAFETY**

**SUBJECT:** LOCKOUT/BLOCKOUT/TAG OUT PROCEDURES

**PURPOSE:**

To establish procedures to lockout/tag out (LO/TO) or otherwise de-energize machinery or equipment during times of repair, maintenance or adjustment.

**BACKGROUND:**

CAL/OSHA regulations mandate specific training and procedures concerning repair, maintenance or adjustment of machinery and equipment.

**SCOPE:**

This Letter of Instruction applies to activities such as but not limited to: erecting, installing, constructing, repairing, adjusting, inspecting, clearing, operating or maintaining the equipment/process.

**INSTRUCTION:**

A. Responsibilities

1. The Division Managers are responsible for the administration and implementation of this program.



2. Supervisors are directly responsible for implementing this DLI including:
  - a. Ensuring that all employees required to operate, clean, service, adjust and repair machinery or equipment are trained in the use of locks, tags and blocks and their appropriate application.
  - b. Issuing locks, keys and blocks to employees and maintaining records that indicate what equipment is assigned to each employee.
  - c. Identifying equipment, jobs and procedures that require lockout, tag out or block out.
  - d. Providing employees written authorization to work on unlocked or energized equipment when no alternatives are available.
3. The Safety Coordinator will be responsible to periodically inspect DPW Pump/Lift Stations and Airport field operations to verify that the Cal-OSHA regulations and Lockout /Tag out procedures are followed.

B. Training

1. Specific training shall be provided to each employee in the type of equipment to be examined, the kinds of energy to be controlled, when an individual lockout/tag out procedure is required, how to generate the procedure and equipment needed. Each employee will attend a formal classroom-training course in LO/TO, in addition this DLI will be reviewed as a Safety Topic twice a year. (DPW Safety Coordinator has and will continue to attend the four-hour training sessions to verify the content and quality of the training. The Safety Coordinator will attend Safety Tailgate reviews periodically at all locations.) Topics will include:
  - a. Turn off equipment and disconnect the energy source.
  - b. Lockout energy sources.
  - c. Tag out at disconnect point.
  - d. Release residual energy.
  - e. Block out when necessary.

- f. Test to assure zero mechanical/energy state.

C. General Procedure

1. All employees shall comply with the provisions of the lockout/tag out system.
2. Only qualified employees shall work on electrical/mechanical equipment or systems. A "Qualified Person" is defined as one who has had adequate training and experience and has demonstrated the ability to safely perform duties in accordance with Cal/OSHA and other State and Federal regulations.
3. Locks and tags shall be the only authorized method for the lockout/tag out of energy sources.
4. Before working on de-energized equipment or systems, unless the equipment is physically removed from the wiring system the following must be done:
  - a. Notify all involved personnel.
  - b. Lockout the disconnecting means in the "open" position with the use of lockable devices, such as padlocks, combination locks or disconnect the conductor(s). Other procedures which effectively prevent unexpected or inadvertent energizing of a designated circuit equipment or appliance may be used.
  - c. Tag out the disconnecting means with suitable accident prevention tags.
  - d. Block out the operation or dissipate the energy of all stored energy devices such as capacitors or pneumatic spring loaded and like mechanisms.
5. Energy isolating devices shall be clearly labeled or identified to indicate their function unless located and arranged so the purpose is evident.

D. Lockout Control Methods

1. Applying locks at the start/stop button of switch does not meet the

standards of this program and is prohibited.

2. If switches are in a metal box, the box itself must be locked out. If a fuse is removed to de-energize equipment or circuits, the fuse box must be locked.
3. If controls or fuses are in a metal covered box, a common hasp may be welded or riveted to the door along with a lock staple. The switch can then be "opened" the door closed and padlocked.
4. Machines activated by compressed air or steams include valves that control the source of energy. These valves must be locked out and the system must be bled to release pressure and energy.

E. Lockout/Tag out Procedure

1. Accident prevention tags and locks shall be used to control a specific hazard. DO NOT USE TAGS ALONE.
2. Accident Prevention Tags.

DANGER - DO NOT OPERATE tags shall be used to comply with the tag out portion of this program.

- a. Place this tag on the control points of machinery, processes, valves, equipment or systems that are either under repair, defective, being serviced or cleaned.
  - b. The tag shall be completed and placed only after the equipment has been de-energized.
  - c. A completed tag shall contain a description of the equipment or system under service or repair, the reason for the tag out/lockout, the name of employee placing the tag, how that person may be contacted, time, and date tag was placed.
  - d. The tag shall remain in place while work is being performed.
3. Locks
    - a. When work is being performed on machinery, equipment or processes, locks will be used to secure equipment or sources of energy.

- b. Individual locks shall be applied and removed by each employee working on the equipment.
- c. If more than one employee works on the equipment, a lockout adapter suitable for the installation of several locks must be used enabling all workers to lockout the machine with individual locks.
- d. Upon completion of work, employees shall remove locks belonging only to themselves. When all locks have been removed, the designated employee may remove the tag.
- e. Each employee will have an individually assigned lock and maintain their key to that lock.
- f. Master keys for safety locks are prohibited.
- g. An extra key for assigned locks shall be maintained by the supervisor in a secure manner.
- h. Locks and tags shall remain in place as long as work is being performed.
- i. If work on the equipment, process or system has not been completed by the end of a shift, the individual assigned to such work shall not remove locks until employees of the oncoming shift have attached locks and are instructed about the scope of work.
- j. Once a disconnect switch or circuit breaker is locked and tagged, tampering with the locked element is prohibited.
- k. In the event of an emergency or other absence of a lock's owner, a lock may be removed by the supervisor only after ensuring that no employees are in contact with the equipment and that the employee who placed the lock has left the facility.

F. Testing Equipment During Lockout

- 1. In maintenance and repair operations, machinery may need to be tested and energized. Employees should follow the proper procedures for reenergizing equipment for testing purposes.



- a. Clear all personnel, tools and materials away from the equipment.
- b. Remove lockout devices and re-energize systems following proper procedures.
- c. Proceed with test.
- d. After test, neutralize all energy sources; purge all systems and lockout system before continuing work.

G. Alternatives

1. Equipment circuit design or performance limitations may dictate that alternative worker protection be provided when the established lockout procedure is not feasible. If machinery must be capable of movement or circuits energized in order to perform a maintenance task, supervisors must evaluate the circumstances. No employee shall be permitted to work on unlocked machinery or energized circuits unless sufficiently experienced, properly trained, provided with appropriate protective equipment/ tools and specifically instructed on procedure. Emergency AHA protocol for working on potential energized equipment will be developed by the Managing Supervisor and approved by the Safety Coordinator prior to any work being performed.

H. Blocks

1. A suitable block must be used to ensure that a piece of equipment is safe to be repaired or serviced. Appropriate blocks must be placed under raised dies, lifts, or any equipment that might inadvertently move by sliding, falling or rolling.
2. Blocks, special brackets, or special stands such as those which are commonly used under raised vehicles, must be made available and used by employees.
3. Another form of blocking is the placement of a blind. A blind is a disk of metal placed in a pipe to ensure that air, steam, or other substance will not pass through if the system is activated.
4. Before blinds or blocks are installed, steam, air or hydraulic lines must

be bled to reduce existing pressure. Coiled springs, spring-loaded devices, or suspended loads must be released so that stored energy will not result in inadvertent movement.

I. Restoring Equipment to Service

1. When work is completed and equipment ready to re-energize follow the proper procedure.
  - a. Ensure all employees are clear from the equipment or systems being re-energized.
  - b. Ensure that all equipment components are operationally intact including guards and safety devices. Repair or replace defective guards, if necessary.
  - c. Ensure that locking devices and tags are removed using the correct removal sequence. Locking devices and tags may be removed only by the employee who put them in place. Tags and locks may only be removed upon completion of work.

**REFERENCES:**

California Code of Regulations, Title 8, Section 3203, 3314 and 6003 (f)  
California Code of Regulations, Title 8, Electrical Safety Orders, Section 2320 4/5/6, 2530.43 and 2530.86  
DPW Lockout/Blockout/TagOut Written Program  
CAL/OSHA Lockout/Blockout S-515 Revised June 2005)  
[http://www.dir.ca.gov/dosh/dosh\\_publications/lock2005Eng.pdf](http://www.dir.ca.gov/dosh/dosh_publications/lock2005Eng.pdf)  
CAL/OSHA Lockout/Blockout Tail gate safety tool box topic Rev-may 2011  
[http://www.dir.ca.gov/dosh/dosh\\_publications/tb\\_lockblock.pdf](http://www.dir.ca.gov/dosh/dosh_publications/tb_lockblock.pdf)  
CAL/OSHA Lockout/Blockout Methods and Sample Procedures  
[http://www.dir.ca.gov/dosh/dosh\\_publications/lockout.html](http://www.dir.ca.gov/dosh/dosh_publications/lockout.html)

**APPROVED BY:**

  
RICHARD E. CROMPTON

EFFECTIVE DATE: October 30, 1993  
REVISION DATE: February 16, 2012  
SUNSET DATE: December 31, 2019

**SAMPLING AND ANALYSIS PLAN  
FOR THE  
JULIAN WASTEWATER TREATMENT PLANT**

**COUNTY OF SAN DIEGO  
SAN DIEGO COUNTY SANITATION DISTRICT**

**SUBMITTED TO:**

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION**



**PREPARED BY:  
COUNTY OF SAN DIEGO  
DEPARTMENT OF PUBLIC WORKS  
WASTEWATER MANAGEMENT  
5500 OVERLAND AVENUE, SUITE 315  
SAN DIEGO, CA 92123**

**DECEMBER 2019**

**Name of Business**

San Diego County Sanitation District, Julian Wastewater Treatment Plant

**Facility Address:** 2840 Hwy 78, Julian CA 92036

**Facility Supervisor**

**Name:** Jim Dohrer

**Phone** (858) 204-1648; **E-mail:** [James.Dohrer@sdcounty.ca.gov](mailto:James.Dohrer@sdcounty.ca.gov)

**Facility Chief Operator**

**Name:** Christine Lavoie

**Phone** (619) 823-8478; **E-mail:** [Christine.Lavoie@sdcounty.ca.gov](mailto:Christine.Lavoie@sdcounty.ca.gov)

**Facility Unit Manager**

**Name:** Kyehee Kim

**Phone** (858) 694-3921; **E-mail:** [Kyehee.Kim@sdcounty.ca.gov](mailto:Kyehee.Kim@sdcounty.ca.gov)

**Sampling Analysis Contractor**

**Company:** Eurofins TestAmerica

**Project Manager:** Janice Hsu

**Phone** (949) 261-1022; **E-mail:** [Janice.Hsu@testamericainc.com](mailto:Janice.Hsu@testamericainc.com)

## I. WASTEWATER SAMPLING ANALYSIS SERVICES

The San Diego County Sanitation District (the district), the operator of the Julian Wastewater Treatment Plant (WWTP), utilizes outside contractors for sample analysis. The contractor furnishes all materials, equipment, tools, and incidentals necessary to complete the monitoring required by the Order WQ 2014-0153-DWQ, Julian Wastewater Treatment Plant issued by California Regional Water Quality Control Board, San Diego Region.

The company providing wastewater Lab analysis is Eurofins TestAmerica, located at Irvine, CA. Eurofins TestAmerica Irvine holds State Water Board (previously California Department of Public Health) ELAP certification for the parameters required for the WPCF.

The scope of work for the contractor and its qualification is included in **Appendix A-Analytical Service-Scope of Work and Qualification**.

## II. SAMPLE CHAIN OF CUSTODY PROCEDURES AND DOCUMENTATION

The District utilizes 'Chain-of-Custody (COC)' forms provided by the contractor as included in Figure 1. Instruction provided by the contractor to fill out the COC form is as following:

### **INSTRUCTIONS:**

- 1) Fill in name and project.
- 2) Provide information on the Regulatory Program to differentiate between Drinking Water & Compliance samples.
- 3) Choose a default TAT or enter a different one if appropriate
- 4) Please indicate whether the TAT is Working or Calendar Days
- 5) In the vertical columns enter the Method/Analysis being requested
- 6) Fill out the Sample Information - each line represents one sample
- 7) Sample Date/Time is required on all samples
- 8) In the "# of Containers" field enter the total number of bottles for each sample
- 9) Check Y or N if the sample was filtered in the field (Filtered Sample).
- 10) Note 'C' for a Composite sample; or 'G' for a Grab Sample.
- 11) The Sample name should be the one you wish to see in the final report
- 12) In the cell where the Sample Information intersects the method information, enter the number of containers submitted for the method. Alternatively, simply "x" this field.
- 13) In the last row of the COC, choose the code for the right preservative used
- 14) Note any Possible Hazards.
- 15) Use the Special Instructions field to add any special instructions to the lab
- 16) If samples are sent across the country, consider indicating the Time Zone where samples were collected.

## III. SAMPLING LOCATION

Figure 2 and Figure 3 present sampling locations of influent, effluent, and groundwater monitoring.

Influent and effluent are sampled at two locations at Julian WWTP. And groundwater is monitored at five different well locations in the vicinity of Julian WWTP.

**Figure 1. Sample Chain-of-Custody Form**

[illegible]

Figure 2. Julian WWTP-Influent and Effluent Sampling Locations






Figure 3. Julian WWTP-Groundwater Sampling Locations





#### IV. SAMPLING FREQUENCY

Sampling frequency shall follow the Monitoring and Reporting Program in the Notice of Applicability, and Attachment C – Information Sheet, of the General Order as specified.

Sampling frequency required per the Order is presented in Table 1. If necessary or requested by the regulating agency, special samples may be taken as required.

**Table 1. Julian WWTP-Annual Sampling Plan**

|                          | Analysis                          | January                                                       | February | March   | April                                                         | May     | June    | July                                                          | August  | September | October                                                       | November | December |
|--------------------------|-----------------------------------|---------------------------------------------------------------|----------|---------|---------------------------------------------------------------|---------|---------|---------------------------------------------------------------|---------|-----------|---------------------------------------------------------------|----------|----------|
| Effluent                 | Flow Rate                         | Continuous                                                    |          |         |                                                               |         |         |                                                               |         |           |                                                               |          |          |
|                          | BOD                               | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | TSS                               | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
|                          | TDS                               | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
|                          | Total Nitrogen                    | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
| Influent                 | Total Nitrogen                    | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
| Storage Pond             | Dissolved Oxygen                  | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
|                          | Freeboard/Odor                    | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
|                          | Berm Conditions                   | Quarterly                                                     |          |         | Quarterly                                                     |         |         | Quarterly                                                     |         |           | Quarterly                                                     |          |          |
| GW                       | TDS, Nitrate                      | Supply Water, GW Wells (Church, WPCF, Newman, Cauzza, Farley) |          |         | Supply Water, GW Wells (Church, WPCF, Newman, Cauzza, Farley) |         |         | Supply Water, GW Wells (Church, WPCF, Newman, Cauzza, Farley) |         |           | Supply Water, GW Wells (Church, WPCF, Newman, Cauzza, Farley) |          |          |
| Land Applied Areas (LAA) | Supplemental Irrigation           | Not Applicable                                                |          |         |                                                               |         |         |                                                               |         |           |                                                               |          |          |
|                          | Wastewater Flow (gpd)             | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Local Rain Fall (in)              | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Acreage Applied (acres)           | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Application Rate (gal/acre/month) | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Soil Erosion Evidence             | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Contaminant Berm Condition        | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Soil Saturation /Ponding          | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Nuisance Odors                    | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |
|                          | Discharge Off-Site                | Monthly                                                       | Monthly  | Monthly | Monthly                                                       | Monthly | Monthly | Monthly                                                       | Monthly | Monthly   | Monthly                                                       | Monthly  | Monthly  |

#### V. SAMPLE HANDLING/PRESERVATION PROCEDURE/CONTAINERS/HOLDING TIMES

All samples are taken in pre-ordered/pre-prepared sampling bottles from the ELAP certified contractor. Sample bottles are delivered with proper preservatives for each sampling. The contractor's courier service picks up the samples on the sampling day from the North County Operations Office located at 17701 San Pasqual Valley Rd, Escondido, CA., to assure the samples are delivered on time to the lab.

#### VI. ANALYTICAL METHODS

As indicated in Appendix A, the testing shall consist of drinking water, wastewater, groundwater analyses listed in conformance with US EPA analytical methods of testing. Current methods utilized by the contractor for the facility is listed below in Table 2.

**Table 2. Julian WWTP-Analytical Methods**

| Method                                                                                                                                                                                                                                                                                                                                                                                                                | Method Description                    | Protocol | Laboratory |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------|------------|
| 300.0                                                                                                                                                                                                                                                                                                                                                                                                                 | Anions, Ion Chromatography            | MCAWW    | TAL IRV    |
| 200.7 Rev 4.4                                                                                                                                                                                                                                                                                                                                                                                                         | Metals (ICP)                          | EPA      | TAL IRV    |
| 160.4                                                                                                                                                                                                                                                                                                                                                                                                                 | Solids, Volatile Suspended (VSS)      | EPA      | TAL IRV    |
| SM 2540C                                                                                                                                                                                                                                                                                                                                                                                                              | Solids, Total Dissolved (TDS)         | SM       | TAL IRV    |
| SM 2540D                                                                                                                                                                                                                                                                                                                                                                                                              | Solids, total Suspended (TSS)         | SM       | TAL IRV    |
| SM 4500 H+B                                                                                                                                                                                                                                                                                                                                                                                                           | pH                                    | SM       | TAL IRV    |
| SM5210B                                                                                                                                                                                                                                                                                                                                                                                                               | BOD, 5 Day                            | SM       | TAL IRV    |
| SM 5220D                                                                                                                                                                                                                                                                                                                                                                                                              | COD                                   | SM       | TAL IRV    |
| 200.2                                                                                                                                                                                                                                                                                                                                                                                                                 | Preparation, Total Recoverable Metals | EPA      | TAL IRV    |
| NO3NO2 Calc                                                                                                                                                                                                                                                                                                                                                                                                           | Nitrogen, Nitrate-Nitrite             | EPA      | TAL IRV    |
| 351.2                                                                                                                                                                                                                                                                                                                                                                                                                 | Nitrogen, Total Kjeldahl              | MCAWW    | TAL IRV    |
| Total Nitrogen                                                                                                                                                                                                                                                                                                                                                                                                        | Nitrogen, Total                       | EPA      | TAL IRV    |
| <b>PROTOCOL REFERENCE:</b><br>EPA = US Environmental Protection Agency<br>MCAWW = "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983 and Subsequent Revisions<br>SM = "Standard Methods for the Examination of Water and Wastewater"<br><b>LABORATORY REFERENCE:</b><br>TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949) 261-1022 |                                       |          |            |

## VII. GROUNDWATER MONITORING

Groundwater sampling/monitoring for Julian WWTP is performed at five different locations in the vicinity of the treatment plant. Three of the monitoring wells are downstream of the treatment plant, one is upstream, and one is located within the facility. From groundwater monitoring, no additional purging is required for sampling.

---

**APPENDIX A-Analytical Service Scope of Work and Qualification**

---

**COUNTY OF SAN DIEGO  
DEPARTMENT OF PUBLIC WORKS  
AS-NEEDED WATER AND WASTEWATER LAB ANALYSIS SERVICES  
EXHIBIT A – STATEMENT OF WORK**

---

**Part 1. GENERAL****Part 1.1 - WORK SUMMARY**

The Contractor shall perform all work necessary to complete the analytical testing of samples taken within the service areas of the County of San Diego, operated and maintained by Department of Public Works Wastewater Management (DPW-WWM). Unless otherwise stated, the Contractor shall furnish all materials, equipment, tools, and incidentals necessary to complete the Work.

**Part 1.2 - WORK IN GENERAL**

The testing shall consist of drinking water, recycled water, wastewater, groundwater, surface water, screen and grit material, and dried sludge analyses listed in conformance with United States Environmental Protection Agency (EPA) analytical methods of testing; including but not limited to methods 1632; 1638; 1638/200.8; 1669; 600/R-93/116(PCM); 6020/200.8; 7199/1636; 8081A; 8082; 8260B; 8270C; 8290 (HRGC)MS; 9012A; 504.1; 505; 515.3; 524.2; 525.2; 531.1; 552.2; 608; 624; 625; 9223; 9223B; 8315A. Refer to Table 1 which defines the constituents to be tested and units used for reporting.

TABLE 1 - Water & Wastewater Analysis:

| No. | Constituent                      | Unit    |
|-----|----------------------------------|---------|
| 1   | Aggressiveness Index             | Non-agg |
| 2   | Aluminum                         | ppb     |
| 3   | Antimony                         | ppb     |
| 4   | Arsenic                          | ppb     |
| 5   | Asbestos                         | MFL     |
| 6   | Barium                           | ppb     |
| 7   | Beryllium                        | ppb     |
| 8   | Bicarbonate                      | mg/L    |
| 9   | Biological Oxygen Demand (BOD)   | mg/L    |
| 10  | Boron                            | mg/L    |
| 11  | Cadmium                          | ppb     |
| 12  | Calcium                          | mg/L    |
| 13  | Carbofuran                       | ppb     |
| 14  | Carbonate                        | mg/L    |
| 15  | Chemical Oxygen Demand (COD)     | mg/L    |
| 16  | Chloride                         | mg/L    |
| 17  | Chlorine Residual                | mg/L    |
| 18  | Chromium                         | ppb     |
| 19  | Coliform (SM 9223)               | MPN     |
| 20  | Coliform, Quanti Tray (SM 9223B) | MPN     |
| 21  | Color                            | units   |

---

**REQUEST FOR QUOTE 8683**  
**COUNTY OF SAN DIEGO**  
**DEPARTMENT OF PUBLIC WORKS**  
**AS-NEEDED WATER AND WASTEWATER LAB ANALYSIS SERVICES**  
**EXHIBIT A – STATEMENT OF WORK**

---

|    |                                            |                     |
|----|--------------------------------------------|---------------------|
| 22 | Copper                                     | µg/L                |
| 23 | Cyanide                                    | ppm                 |
| 24 | Diquat                                     | ppb                 |
| 25 | Dissolved Oxygen                           | mg/L                |
| 26 | Endothall                                  | ppm                 |
| 27 | Fluoride                                   | ppm                 |
| 28 | Formaldehyde                               | mg/L                |
| 29 | Glyphosate                                 | ppm                 |
| 30 | Gross Alpha                                | pCi/L               |
| 31 | Gross Beta                                 | mrem/yer            |
| 32 | HAA5                                       | mg/L                |
| 33 | Hexavalant Chromium                        | mg/L                |
| 34 | Hydroxide                                  | mg/L                |
| 35 | Iron                                       | ppb                 |
| 36 | Lead                                       | µg/L                |
| 37 | Magnesium                                  | mg/L                |
| 38 | Manganese                                  | ppb                 |
| 39 | Mercury                                    | ppb                 |
| 40 | Metals TTLC - Liquid                       | Units               |
| 41 | Methylene Blue-Activated Substances (MBAS) | mg/L                |
| 42 | Nickel                                     | ppb                 |
| 43 | Nitrate as NO <sub>3</sub>                 | ppm                 |
| 44 | Nitrite as N                               | ppb                 |
| 45 | Nitrogen, Total                            | mg/L                |
| 46 | Odor                                       | units               |
| 47 | Ortho-Phosphate                            | mg/L                |
| 48 | PCB 1016                                   | µg/L                |
| 49 | Percent Sodium                             | %                   |
| 50 | Perchlorate                                | ppb                 |
| 51 | pH                                         | Unit                |
| 52 | Phenol                                     | µg/L                |
| 53 | Phosphorus                                 | mg/L                |
| 54 | Radium 226                                 | pCi/L<br>(Combined) |
| 55 | Radium 228                                 |                     |
| 56 | Selenium                                   | ppb                 |
| 57 | Semi-Volatile Organic Compounds            | mg/L                |
| 58 | Settleable Solids                          | ml/L                |
| 59 | Silver                                     | ppb                 |
| 60 | Sodium                                     | mg/L                |
| 61 | Specific Conductivity                      | mg/L                |
| 62 | Strontium 90                               | pCi/L               |

---

**REQUEST FOR QUOTE 8683**  
**COUNTY OF SAN DIEGO**  
**DEPARTMENT OF PUBLIC WORKS**  
**AS-NEEDED WATER AND WASTEWATER LAB ANALYSIS SERVICES**  
**EXHIBIT A – STATEMENT OF WORK**

---

|    |                                                               |            |
|----|---------------------------------------------------------------|------------|
| 63 | Sulfate                                                       | mg/L       |
| 64 | Thallium                                                      | ppb        |
| 65 | TOC                                                           | mg/L       |
| 66 | Total Alkalinity                                              | mg/L       |
| 67 | Total Dissolved Solids (TDS)                                  | ppm        |
| 68 | Total Hardness                                                | unit       |
| 69 | Total Kjeldahl Nitrogen (TKN)                                 | mg/L       |
| 70 | Total Solids                                                  | mg/L       |
| 71 | Total Suspended Solids (TSS)                                  | mg/L       |
| 72 | TPH Extended                                                  | units      |
| 73 | Tritium                                                       | pCi/L      |
| 74 | TTHM's                                                        | mg/L       |
| 75 | Turbidity                                                     | NTU        |
| 76 | Uranium                                                       | pCi/L      |
| 77 | Vanadium                                                      | mg/L       |
| 78 | Volatile Organic Compounds                                    | mg/L       |
| 79 | Volatile Suspended Solids                                     | mg/L       |
| 80 | Zinc                                                          | ppb        |
| 81 | 2,3,7,8-TCDD (Dioxin)                                         | ppm        |
| 82 | EPA 524.2*                                                    | ppb        |
| 83 | EPA 552.2*                                                    | ppb        |
| 84 | EPA 525.2*                                                    | ppb        |
| 85 | EPA 505*                                                      | ppb        |
| 86 | EPA 515.3*                                                    | ppb        |
| 87 | EPA 531.1*                                                    | ppb        |
| 88 | EPA 504.1*                                                    | ppb        |
| 89 | EPA 624*                                                      | ppb        |
| 90 | EPA 625*                                                      | ppb        |
| 91 | EPA 508/608*                                                  | ppb        |
| 92 | Safe and Environmentally Responsible Waste Management (SERWM) | Per Sample |

Each EPA Method listed in the items 82 through 91 can analyze multiple organic analytes in the sample. It is assumed that certain testing including these chemicals will be requested as a group and not individual analytes. The chemicals/compounds determined by the specified EPA Methods are listed in each EPA Method and as following:

TABLE 2-Compounds Determined by Specified EPA Methods;

| No. | Method    | Compounds Determined                                    |
|-----|-----------|---------------------------------------------------------|
| 82  | EPA 524.2 | Purgeable Organic Compounds                             |
| 83  | EPA 552.2 | Haloacetic Acids                                        |
| 84  | EPA 525.2 | Organic Compounds including Pesticides, PCBs, Pthalates |

---

**REQUEST FOR QUOTE 8683**  
**COUNTY OF SAN DIEGO**  
**DEPARTMENT OF PUBLIC WORKS**  
**AS-NEEDED WATER AND WASTEWATER LAB ANALYSIS SERVICES**  
**EXHIBIT A – STATEMENT OF WORK**

---

|    |             |                                                         |
|----|-------------|---------------------------------------------------------|
| 85 | EPA 505     | Organohalide, Pesticides & PCBs                         |
| 86 | EPA 515.3   | Chlorinated Acids                                       |
| 87 | EPA 531.1   | Carbamates, Carbamoxylxime Pesticides                   |
| 88 | EPA 504.1   | EDB & DBCP                                              |
| 89 | EPA 624     | Purgeable Organic Compounds                             |
| 90 | EPA 625     | Organic Compounds including Pesticides, PCBs, Pthalates |
| 91 | EPA 508/608 | Chlorinated Pesticides                                  |

All analysis shall be in accordance with all Local, State, Federal laws as required by Publicly Owned Treatment Works (POTW). The Contractor shall furnish sampling bottles, preservatives, and chain-of-custody forms essential to complete the work.

County Personnel shall be responsible for gathering all samples from various County facilities. The Contractor will be required to pick-up the samples from two (2) designated locations between normal business hours of 7:00 am to 3:30 pm, Monday-Friday:

- Spring Valley Operation Center  
11937 Campo Road, Spring Valley, CA 91978
- San Pasqual Academy  
17701 San Pasqual Valley Road, Escondido, CA 92025

All cost associated with pick-up/courier service shall be borne by the Contractor. The County reserves the right to deliver samples directly at a laboratory located within the San Diego County boundary.

The bottles shall be properly labeled. Whenever necessary, the Contractor shall prepare all bottles that require preservatives. All special instruction related to the sampling must be provided along with the sampling bottles.

The Contractor shall conduct all applicable potable water tests in conformance with EPA approved analytical methods. For more information, visit [www.epa.gov/safewater/methods/compmon.html](http://www.epa.gov/safewater/methods/compmon.html)

All work shall be accomplished in accordance with the most current editions of applicable local, state, and federal codes.

### **Part 1.3 - COMMENCEMENT/COMPLETION OF WORK**

Unless otherwise stated, the Contract time shall commence upon the date of receiving the Blanket Purchase Agreement (BPA). This Contract will be a BPA for one (1) base year with four (4) one year option periods, for a total of five (5) years.

The Contractor shall begin work within five (5) working days from the date of BPA. This time is to allow for mailing of the BPA to the Contractor and to allow for the Contractor to submit all required documents. No separate Notice to Proceed will be issued.

### **Part 1.4 – TECHNICAL SUBMITTALS REQUIRED FOR BIDDING**

Technical Submittals Required for Bidding: the following items must be submitted with the bid documents. Omission of this requested information may be regarded as non-responsive bidder.

---

**REQUEST FOR QUOTE 8683**  
**COUNTY OF SAN DIEGO**  
**DEPARTMENT OF PUBLIC WORKS**  
**AS-NEEDED WATER AND WASTEWATER LAB ANALYSIS SERVICES**  
**EXHIBIT A – STATEMENT OF WORK**

---

- ELAP Certification
- Qualification Reference Form

## **PART 2. CONTRACT**

### **PART 2.1 - REPORTS**

Unless otherwise permitted by the DPW-WWM, all analyses shall be conducted at a laboratory certified to perform such analyses by the California State Water Resources Control Board (SWRCB) under Environmental Laboratory Accreditation Program (ELAP). The Laboratory shall be capable of producing and providing quality assurance/quality control (QA/QC) records for San Diego Regional Water Control Board (SDRWCB), County of San Diego Department of Environmental Health (DEH) and SWRCB. The director or authorized personnel of the laboratory whose name appears on the certification shall supervise all analytical work in his/her laboratory and shall sign all submitted reports.

The laboratory results for all analyses shall be e-mailed to DPW WWM staff, individual's contact info will be presented upon contract award.

Any report presenting new analytical data is required to include the complete laboratory and analytical report(s). The laboratory analytical report must be signed by the laboratory director and contain:

1. A complete sample analytical report.
2. A complete laboratory quality assurance/quality control (QA/QC) report.
3. A discussion of the QA/QC data.
4. A transmittal letter that shall indicate whether or not all the analytical work was supervised by the director or authorized personnel of the laboratory, and contain the following statement, "All analyses were conducted at a laboratory certified for such analyses by the SWRCB in accordance with current USEPA procedures."

For drinking water analyses, in addition to the County Staff DPW WWM, the results shall be forward to SDRWCB, and DEH representative as instructed at the time of service.

The results for Campo Water Maintenance District-Campo Hills shall be forwarded via Electronic Data Transfer (EDT) to SDRWCB. All other water analysis results shall be forwarded via email to the DEH and DPW-WWM.

A "hard copy" of the laboratory results shall not be required unless otherwise requested by the DPW WWM staff.

### **PART 2.2 - WARRANTIES AND GUARANTEES:**

---

**REQUEST FOR QUOTE 8683**  
**COUNTY OF SAN DIEGO**  
**DEPARTMENT OF PUBLIC WORKS**  
**AS-NEEDED WATER AND WASTEWATER LAB ANALYSIS SERVICES**  
**EXHIBIT A – STATEMENT OF WORK**

---

Should any problem develop during the contract period, the Contractor shall correct the problem at no additional cost to the County of San Diego. If the Facility Operations Supervisor determines that the Contractor is not responsive, a Secondary Contractor shall be utilized to complete the pending service, service rendered shall be paid under the same Contract agreement.

If the Work is not completed in accordance to SWRCB, Department of Environmental Health, State, and Federal standards, the County of San Diego will suffer penalties. It would be impractical for the County to determine the actual amount of the damages to public welfare, therefore it is understood that the Contractor will pay to the Owner/County the sum of regulatory actions/penalties incurred, issued by the CRWQCB and other regulatory agencies. The California Water Code provides various enforcement options, including civil monetary remedies for violations.

**PART 2.3 - QUALITY ASSURANCE:**

The laboratory conducting the analyses must possess a valid “Environmental Laboratory Certification” granted by the SWRCB under Environmental Laboratory Accreditation Program (ELAP) as indicated in Part 2.1, pursuant to the provisions of the California Environmental Laboratory Improvement Act (Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100825, et seq.) at the time of contract award. Other licenses shall NOT be accepted in place of the Environmental Laboratory Certification.

1. **Minimum five (5) years of experience** performing water and wastewater lab analysis.





April 16, 2018

Michael Bautista, Procurement Specialist  
County of San Diego  
Department of Purchasing and Contracting  
5560 Overland Avenue, Suite 270  
San Diego, CA 92123-1204

**RE: Request for Quotation (RFQ) 8683  
County of San Diego – Department of Public Works  
As-Needed Water and Wastewater Lab Analysis Services**

Dear Mr. Bautista:

The County of San Diego – Department of Public Works is seeking a firm certified by the California State Water Resources Control Board (SWRCB) under the Environmental Laboratory Accreditation Program (ELAP) to provide laboratory analysis of water and wastewater samples.

We recommend using a laboratory with a successful history providing similar services in a timely, cost-effective manner. TestAmerica has extensive experience supporting a variety of government environmental analytical programs. We will work with the County of San Diego and create a custom solution that meets your regulatory needs and data quality objectives.

By partnering with TestAmerica, the County of San Diego will receive these benefits and value-added services:

- ◆ Experienced laboratory staff, fully trained and committed to meeting project specifications and requirements
- ◆ A fully documented, rigorous and comprehensive QA/QC program
- ◆ Modern laboratory equipment, facilities and information management systems to ensure accuracy and full documentation of analytical results
- ◆ Dedication to meeting turnaround time requirements
- ◆ An extensive suite of more than 750 deliverables formats

Thank you for the opportunity to submit this response to RFQ 8683 for As-Needed Water and Wastewater Lab Analysis Services. We look forward to working with the County of San Diego to help ensure the success of your analytical program.

Sincerely,

**Dr. Linda Scharpenberg**

Digitally signed by Dr. Linda Scharpenberg  
DN: cn=Dr. Linda Scharpenberg, o=TestAmerica, ou=Irvine, Laboratory  
Director, email=linda.scharpenberg@testamericainc.com, c=US  
Date: 2018.04.16 14:22:51 -07'00'

Linda Scharpenberg Ed.D.  
Laboratory Director

Phone: 949.261.1022  
Email: Linda.scharpenberg@testamericainc.com

COUNTY OF SAN DIEGO, DEPARTMENT OF PUBLIC WORKS - WASTE WATER MANAGEMENT  
WATER AND WASTEWATER LAB ANALYSES  
RFB 5906 PRICING SCHEDULE

|          |                                  |         |                    |                                                  | BASE PERIOD                     |                | FIRST OPTION PERIOD             |                | SECOND OPTION PERIOD            |                | THIRD OPTION PERIOD             |                | FOURTH OPTION PERIOD            |                |
|----------|----------------------------------|---------|--------------------|--------------------------------------------------|---------------------------------|----------------|---------------------------------|----------------|---------------------------------|----------------|---------------------------------|----------------|---------------------------------|----------------|
| ITEM NO. | CONSTITUENT <sup>A</sup>         | UNIT    | ESTIMATED QUANTITY | DETECTION LIMIT<br>(Informational Purposes Only) | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE |
| 1        | Aggressiveness Index             | Non-agg | 2                  | varies                                           | \$50.00                         | \$100.00       | \$50.00                         | \$100.00       | \$50.00                         | \$100.00       | \$52.00                         | \$104.00       | \$52.00                         | \$104.00       |
| 2        | Aluminum                         | ppb     | 2                  | 10                                               | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 3        | Antimony                         | ppb     | 2                  | 2                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 4        | Arsenic                          | ppb     | 2                  | 1                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 5        | Asbestos                         | MFL     | 2                  | 0.5                                              | \$235.00                        | \$470.00       | \$235.00                        | \$470.00       | \$235.00                        | \$470.00       | \$242.00                        | \$484.00       | \$242.00                        | \$484.00       |
| 6        | Barium                           | ppb     | 2                  | 1                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 7        | Beryllium                        | ppb     | 2                  | 0.5                                              | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 8        | Bicarbonate (Alkalinity)         | mg/L    | 2                  | 4                                                | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$16.00                         | \$32.00        | \$16.00                         | \$32.00        |
| 9        | Biochemical Oxygen Demand(BOD)   | mg/L    | 60                 | 2                                                | \$23.00                         | \$1,380.00     | \$23.00                         | \$1,380.00     | \$23.00                         | \$1,380.00     | \$24.00                         | \$1,440.00     | \$24.00                         | \$1,440.00     |
| 10       | Boron                            | mg/L    | 60                 | 0.05                                             | \$10.00                         | \$600.00       | \$10.00                         | \$600.00       | \$10.00                         | \$600.00       | \$11.00                         | \$660.00       | \$11.00                         | \$660.00       |
| 11       | Cadmium                          | ppb     | 2                  | 1                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 12       | Calcium                          | mg/L    | 2                  | 0.1                                              | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 13       | Carbofuran                       | ppb     | 2                  | 2.5                                              | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$88.00                         | \$176.00       | \$88.00                         | \$176.00       |
| 14       | Carbonate                        | mg/L    | 2                  | 4                                                | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$16.00                         | \$32.00        | \$16.00                         | \$32.00        |
| 15       | Chemical Oxygen Demand (COD)     | mg/L    | 20                 | 20                                               | \$18.00                         | \$360.00       | \$18.00                         | \$360.00       | \$18.00                         | \$360.00       | \$19.00                         | \$380.00       | \$19.00                         | \$380.00       |
| 16       | Chloride                         | mg/L    | 60                 | 0.5                                              | \$9.00                          | \$540.00       | \$9.00                          | \$540.00       | \$9.00                          | \$540.00       | \$10.00                         | \$600.00       | \$10.00                         | \$600.00       |
| 17       | Chlorine Residual                | mg/L    | 2                  | 0.1                                              | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$16.00                         | \$32.00        | \$16.00                         | \$32.00        |
| 18       | Chromium                         | ppb     | 2                  | 2                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 19       | Coliform (SM 9223)               | MPN     | 60                 | 1                                                | \$25.00                         | \$1,500.00     | \$25.00                         | \$1,500.00     | \$25.00                         | \$1,500.00     | \$26.00                         | \$1,560.00     | \$26.00                         | \$1,560.00     |
| 20       | Coliform, Quanti Tray (SM 9223B) | MPN     | 60                 | 1                                                | \$25.00                         | \$1,500.00     | \$25.00                         | \$1,500.00     | \$25.00                         | \$1,500.00     | \$26.00                         | \$1,560.00     | \$26.00                         | \$1,560.00     |
| 21       | Color                            | units   | 60                 | 1                                                | \$10.00                         | \$600.00       | \$10.00                         | \$600.00       | \$10.00                         | \$600.00       | \$11.00                         | \$660.00       | \$11.00                         | \$660.00       |
| 22       | Copper                           | µg/L    | 2                  | 2                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 23       | Cyanide                          | ppm     | 2                  | 0.025                                            | \$27.00                         | \$54.00        | \$27.00                         | \$54.00        | \$27.00                         | \$54.00        | \$28.00                         | \$56.00        | \$28.00                         | \$56.00        |
| 24       | Diquat                           | ppb     | 2                  | 2                                                | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$88.00                         | \$176.00       | \$88.00                         | \$176.00       |
| 25       | Dissolved Oxygen                 | mg/L    | 60                 | 1                                                | \$13.00                         | \$780.00       | \$13.00                         | \$780.00       | \$13.00                         | \$780.00       | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       |
| 26       | Endothall                        | ppm     | 2                  | 0.01                                             | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$88.00                         | \$176.00       | \$88.00                         | \$176.00       |
| 27       | Fluoride                         | ppm     | 2                  | 0.5                                              | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$16.00                         | \$32.00        | \$16.00                         | \$32.00        |
| 28       | Formaldehyde                     | mg/L    | 5                  | 0.01                                             | \$125.00                        | \$625.00       | \$125.00                        | \$625.00       | \$125.00                        | \$625.00       | \$129.00                        | \$645.00       | \$129.00                        | \$645.00       |
| 29       | Glyphosate                       | ppm     | 2                  | 0.025                                            | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$85.00                         | \$170.00       | \$88.00                         | \$176.00       | \$88.00                         | \$176.00       |
| 30       | Gross Alpha                      | pCi/L   | 12                 | 3                                                | \$45.00                         | \$540.00       | \$45.00                         | \$540.00       | \$45.00                         | \$540.00       | \$46.00                         | \$552.00       | \$46.00                         | \$552.00       |
| 31       | Gross Beta                       | mrem/yr | 12                 | 4                                                | \$45.00                         | \$540.00       | \$45.00                         | \$540.00       | \$45.00                         | \$540.00       | \$46.00                         | \$552.00       | \$46.00                         | \$552.00       |

**COUNTY OF SAN DIEGO, DEPARTMENT OF PUBLIC WORKS - WASTE WATER MANAGEMENT  
WATER AND WASTEWATER LAB ANALYSES  
RFB 5906 PRICING SCHEDULE**

|          |                                            |                     |                    |                                                  | BASE PERIOD                  |                | FIRST OPTION PERIOD          |                | SECOND OPTION PERIOD         |                | THIRD OPTION PERIOD          |                | FOURTH OPTION PERIOD         |                |
|----------|--------------------------------------------|---------------------|--------------------|--------------------------------------------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|
| ITEM NO. | CONSTITUENT <sup>A</sup>                   | UNIT                | ESTIMATED QUANTITY | DETECTION LIMIT<br>(Informational Purposes Only) | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE |
| 32       | HAA5                                       | mg/L                | 2                  | 0.001                                            | \$85.00                      | \$170.00       | \$85.00                      | \$170.00       | \$85.00                      | \$170.00       | \$88.00                      | \$176.00       | \$88.00                      | \$176.00       |
| 33       | Hexavalent Chromium                        | mg/L                | 2                  | 0.025                                            | \$18.00                      | \$36.00        | \$18.00                      | \$36.00        | \$18.00                      | \$36.00        | \$19.00                      | \$38.00        | \$19.00                      | \$38.00        |
| 34       | Hydroxide                                  | mg/L                | 2                  | 4                                                | \$15.00                      | \$30.00        | \$15.00                      | \$30.00        | \$15.00                      | \$30.00        | \$16.00                      | \$32.00        | \$16.00                      | \$32.00        |
| 35       | Iron                                       | ppb                 | 2                  | 20                                               | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 36       | Lead                                       | µg/L                | 2                  | 1                                                | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 37       | Magnesium                                  | mg/L                | 2                  | 0.02                                             | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 38       | Manganese                                  | ppb                 | 2                  | 1                                                | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 39       | Mercury                                    | ppb                 | 2                  | 0.2                                              | \$17.00                      | \$34.00        | \$17.00                      | \$34.00        | \$17.00                      | \$34.00        | \$18.00                      | \$36.00        | \$18.00                      | \$36.00        |
| 40       | Metals TTLC - Liquid                       | Units               | 2                  | varies                                           | \$100.00                     | \$200.00       | \$100.00                     | \$200.00       | \$100.00                     | \$200.00       | \$103.00                     | \$206.00       | \$103.00                     | \$206.00       |
| 41       | Methylene Blue-Activated Substances (MBAS) | mg/L                | 60                 | 0.1                                              | \$25.00                      | \$1,500.00     | \$25.00                      | \$1,500.00     | \$25.00                      | \$1,500.00     | \$26.00                      | \$1,560.00     | \$26.00                      | \$1,560.00     |
| 42       | Nickel                                     | ppb                 | 2                  | 2                                                | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 43       | Nitrate as NO <sub>3</sub>                 | ppm                 | 60                 | 0.5                                              | \$9.00                       | \$540.00       | \$9.00                       | \$540.00       | \$9.00                       | \$540.00       | \$10.00                      | \$600.00       | \$10.00                      | \$600.00       |
| 44       | Nitrite as N                               | ppb                 | 60                 | 150                                              | \$9.00                       | \$540.00       | \$9.00                       | \$540.00       | \$9.00                       | \$540.00       | \$10.00                      | \$600.00       | \$10.00                      | \$600.00       |
| 45       | Nitrogen, Total                            | mg/L                | 60                 | 0.11                                             | \$35.00                      | \$2,100.00     | \$35.00                      | \$2,100.00     | \$35.00                      | \$2,100.00     | \$36.00                      | \$2,160.00     | \$36.00                      | \$2,160.00     |
| 46       | Odor                                       | units               | 60                 | 1                                                | \$10.00                      | \$600.00       | \$10.00                      | \$600.00       | \$10.00                      | \$600.00       | \$11.00                      | \$660.00       | \$11.00                      | \$660.00       |
| 47       | Ortho-Phosphate                            | mg/L                | 2                  | 0.15                                             | \$15.00                      | \$30.00        | \$15.00                      | \$30.00        | \$15.00                      | \$30.00        | \$16.00                      | \$32.00        | \$16.00                      | \$32.00        |
| 48       | PCB 1016                                   | µg/L                | 2                  | 1                                                | \$55.00                      | \$110.00       | \$55.00                      | \$110.00       | \$55.00                      | \$110.00       | \$57.00                      | \$114.00       | \$57.00                      | \$114.00       |
| 49       | Percent Sodium                             | %                   | 2                  | 0.5                                              | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 50       | Perchlorate                                | ppb                 | 2                  | 4                                                | \$50.00                      | \$100.00       | \$50.00                      | \$100.00       | \$50.00                      | \$100.00       | \$52.00                      | \$104.00       | \$52.00                      | \$104.00       |
| 51       | pH                                         | Unit                | 60                 | 0.1                                              | \$6.00                       | \$360.00       | \$6.00                       | \$360.00       | \$6.00                       | \$360.00       | \$7.00                       | \$420.00       | \$7.00                       | \$420.00       |
| 52       | Phenol                                     | µg/L                | 2                  | 50                                               | \$20.00                      | \$40.00        | \$20.00                      | \$40.00        | \$20.00                      | \$40.00        | \$21.00                      | \$42.00        | \$21.00                      | \$42.00        |
| 53       | Phosphorus                                 | mg/L                | 2                  | 0.05                                             | \$15.00                      | \$30.00        | \$15.00                      | \$30.00        | \$15.00                      | \$30.00        | \$16.00                      | \$32.00        | \$16.00                      | \$32.00        |
| 54       | Radium 226                                 | pCi/L<br>(Combined) | 12                 | 1                                                | \$80.00                      | \$960.00       | \$80.00                      | \$960.00       | \$80.00                      | \$960.00       | \$82.00                      | \$984.00       | \$82.00                      | \$984.00       |
| 55       | Radium 228                                 |                     | 12                 | 1                                                | \$175.00                     | \$2,100.00     | \$175.00                     | \$2,100.00     | \$175.00                     | \$2,100.00     | \$180.00                     | \$2,160.00     | \$180.00                     | \$2,160.00     |
| 56       | Selenium                                   | ppb                 | 2                  | 2                                                | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 57       | Semi-Volatile Organic Compounds            | mg/L                | 60                 | varies                                           | \$115.00                     | \$6,900.00     | \$115.00                     | \$6,900.00     | \$115.00                     | \$6,900.00     | \$118.00                     | \$7,080.00     | \$118.00                     | \$7,080.00     |
| 58       | Settleable Solids                          | ml/L                | 60                 | 0.1                                              | \$14.00                      | \$840.00       | \$14.00                      | \$840.00       | \$14.00                      | \$840.00       | \$15.00                      | \$900.00       | \$15.00                      | \$900.00       |
| 59       | Silver                                     | ppb                 | 2                  | 1                                                | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 60       | Sodium                                     | mg/L                | 2                  | 0.5                                              | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$10.00                      | \$20.00        | \$11.00                      | \$22.00        | \$11.00                      | \$22.00        |
| 61       | Specific Conductivity                      | mg/L                | 2                  | 1                                                | \$13.00                      | \$26.00        | \$13.00                      | \$26.00        | \$13.00                      | \$26.00        | \$14.00                      | \$28.00        | \$14.00                      | \$28.00        |
| 62       | Strontium 90                               | pCi/L               | 12                 | 3                                                | \$120.00                     | \$1,440.00     | \$120.00                     | \$1,440.00     | \$120.00                     | \$1,440.00     | \$124.00                     | \$1,488.00     | \$124.00                     | \$1,488.00     |

**COUNTY OF SAN DIEGO, DEPARTMENT OF PUBLIC WORKS - WASTE WATER MANAGEMENT  
WATER AND WASTEWATER LAB ANALYSES  
RFB 5906 PRICING SCHEDULE**

|          |                                 |       |                    |                                                  | BASE PERIOD                     |                | FIRST OPTION PERIOD             |                | SECOND OPTION PERIOD            |                | THIRD OPTION PERIOD             |                | FOURTH OPTION PERIOD            |                |
|----------|---------------------------------|-------|--------------------|--------------------------------------------------|---------------------------------|----------------|---------------------------------|----------------|---------------------------------|----------------|---------------------------------|----------------|---------------------------------|----------------|
| ITEM NO. | CONSTITUENT <sup>A</sup>        | UNIT  | ESTIMATED QUANTITY | DETECTION LIMIT<br>(Informational Purposes Only) | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE<br>COST PER ANALYSIS | EXTENDED PRICE |
| 63       | Sulfate                         | mg/L  | 2                  | 0.5                                              | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$16.00                         | \$32.00        | \$16.00                         | \$32.00        |
| 64       | Thallium                        | ppb   | 2                  | 1                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 65       | TOC                             | mg/L  | 60                 | 0.1                                              | \$30.00                         | \$1,800.00     | \$30.00                         | \$1,800.00     | \$30.00                         | \$1,800.00     | \$31.00                         | \$1,860.00     | \$31.00                         | \$1,860.00     |
| 66       | Total Alkalinity                | mg/L  | 2                  | 4                                                | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        | \$16.00                         | \$32.00        | \$16.00                         | \$32.00        |
| 67       | Total Dissolved Solids (TDS)    | ppm   | 60                 | 10                                               | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$15.00                         | \$900.00       | \$15.00                         | \$900.00       |
| 68       | Total Hardness                  | unit  | 2                  | 0.33                                             | \$20.00                         | \$40.00        | \$20.00                         | \$40.00        | \$20.00                         | \$40.00        | \$21.00                         | \$42.00        | \$21.00                         | \$42.00        |
| 69       | Total Kjeldahl Nitrogen (TKN)   | mg/L  | 60                 | 0.2                                              | \$17.00                         | \$1,020.00     | \$17.00                         | \$1,020.00     | \$17.00                         | \$1,020.00     | \$18.00                         | \$1,080.00     | \$18.00                         | \$1,080.00     |
| 70       | Total Solids                    | mg/L  | 60                 | 10                                               | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$15.00                         | \$900.00       | \$15.00                         | \$900.00       |
| 71       | Total Suspended Solids (TSS)    | mg/L  | 60                 | 1                                                | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$15.00                         | \$900.00       | \$15.00                         | \$900.00       |
| 72       | TPH Extended                    | units | 2                  | varies                                           | \$35.00                         | \$70.00        | \$35.00                         | \$70.00        | \$35.00                         | \$70.00        | \$36.00                         | \$72.00        | \$36.00                         | \$72.00        |
| 73       | Tritium                         | pCi/L | 2                  | 500                                              | \$70.00                         | \$140.00       | \$70.00                         | \$140.00       | \$70.00                         | \$140.00       | \$72.00                         | \$144.00       | \$72.00                         | \$144.00       |
| 74       | TTHM's                          | mg/L  | 2                  | varies                                           | \$40.00                         | \$80.00        | \$40.00                         | \$80.00        | \$40.00                         | \$80.00        | \$41.00                         | \$82.00        | \$41.00                         | \$82.00        |
| 75       | Turbidity                       | NTU   | 2                  | 0.1                                              | \$14.00                         | \$28.00        | \$14.00                         | \$28.00        | \$14.00                         | \$28.00        | \$15.00                         | \$30.00        | \$15.00                         | \$30.00        |
| 76       | Uranium                         | pCi/L | 12                 | 1                                                | \$90.00                         | \$1,080.00     | \$90.00                         | \$1,080.00     | \$90.00                         | \$1,080.00     | \$93.00                         | \$1,116.00     | \$93.00                         | \$1,116.00     |
| 77       | Vanadium                        | mg/L  | 2                  | 2                                                | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 78       | Volatile Organic Compounds      | mg/L  | 60                 | varies                                           | \$45.00                         | \$2,700.00     | \$45.00                         | \$2,700.00     | \$45.00                         | \$2,700.00     | \$46.00                         | \$2,760.00     | \$46.00                         | \$2,760.00     |
| 79       | Volatile Suspended Solids (VSS) | ppm   | 60                 | 10                                               | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$14.00                         | \$840.00       | \$15.00                         | \$900.00       | \$15.00                         | \$900.00       |
| 80       | Zinc                            | ppb   | 2                  | 20                                               | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$10.00                         | \$20.00        | \$11.00                         | \$22.00        | \$11.00                         | \$22.00        |
| 81       | 2,3,7,8-TCDD (Dioxin)           | ppm   | 2                  | 10                                               | \$350.00                        | \$700.00       | \$350.00                        | \$700.00       | \$350.00                        | \$700.00       | \$361.00                        | \$722.00       | \$361.00                        | \$722.00       |
| 82       | EPA 524.2*                      | ppb   | 2                  | varies                                           | \$60.00                         | \$120.00       | \$60.00                         | \$120.00       | \$60.00                         | \$120.00       | \$62.00                         | \$124.00       | \$62.00                         | \$124.00       |
| 83       | EPA 552.2*                      | ppb   | 2                  | varies                                           | \$60.00                         | \$120.00       | \$60.00                         | \$120.00       | \$60.00                         | \$120.00       | \$62.00                         | \$124.00       | \$62.00                         | \$124.00       |
| 84       | EPA 525.2*                      | ppb   | 2                  | varies                                           | \$125.00                        | \$250.00       | \$125.00                        | \$250.00       | \$125.00                        | \$250.00       | \$129.00                        | \$258.00       | \$129.00                        | \$258.00       |
| 85       | EPA 505*                        | ppb   | 2                  | varies                                           | \$70.00                         | \$140.00       | \$70.00                         | \$140.00       | \$70.00                         | \$140.00       | \$72.00                         | \$144.00       | \$72.00                         | \$144.00       |
| 86       | EPA 515.3*                      | ppb   | 2                  | varies                                           | \$60.00                         | \$120.00       | \$60.00                         | \$120.00       | \$60.00                         | \$120.00       | \$62.00                         | \$124.00       | \$62.00                         | \$124.00       |
| 87       | EPA 531.1*                      | ppb   | 2                  | varies                                           | \$80.00                         | \$160.00       | \$80.00                         | \$160.00       | \$80.00                         | \$160.00       | \$82.00                         | \$164.00       | \$82.00                         | \$164.00       |
| 88       | EPA 504.1*                      | ppb   | 2                  | varies                                           | \$45.00                         | \$90.00        | \$45.00                         | \$90.00        | \$45.00                         | \$90.00        | \$46.00                         | \$92.00        | \$46.00                         | \$92.00        |
| 89       | EPA 624*                        | ppb   | 2                  | varies                                           | \$45.00                         | \$90.00        | \$45.00                         | \$90.00        | \$45.00                         | \$90.00        | \$46.00                         | \$92.00        | \$46.00                         | \$92.00        |
| 90       | EPA 625*                        | ppb   | 2                  | varies                                           | \$115.00                        | \$230.00       | \$115.00                        | \$230.00       | \$115.00                        | \$230.00       | \$118.00                        | \$236.00       | \$118.00                        | \$236.00       |
| 91       | EPA 508/608*                    | ppb   | 2                  | varies                                           | \$68.00                         | \$136.00       | \$68.00                         | \$136.00       | \$68.00                         | \$136.00       | \$70.00                         | \$140.00       | \$70.00                         | \$140.00       |

COUNTY OF SAN DIEGO, DEPARTMENT OF PUBLIC WORKS - WASTE WATER MANAGEMENT  
WATER AND WASTEWATER LAB ANALYSES  
RFB 5906 PRICING SCHEDULE

|                            |                                                               |            |                    |                                                  | BASE PERIOD                  |                | FIRST OPTION PERIOD          |                | SECOND OPTION PERIOD         |                | THIRD OPTION PERIOD          |                | FOURTH OPTION PERIOD         |                |
|----------------------------|---------------------------------------------------------------|------------|--------------------|--------------------------------------------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|
| ITEM NO.                   | CONSTITUENT <sup>A</sup>                                      | UNIT       | ESTIMATED QUANTITY | DETECTION LIMIT<br>(Informational Purposes Only) | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE | UNIT PRICE COST PER ANALYSIS | EXTENDED PRICE |
| 92                         | Safe and Environmentally Responsible Waste Management (SERWM) | per sample | 300                |                                                  | \$2.50                       | \$750.00       | \$2.50                       | \$750.00       | \$2.50                       | \$750.00       | \$2.50                       | \$750.00       | \$2.50                       | \$750.00       |
| TOTAL AMOUNT FOR EACH YEAR |                                                               |            |                    |                                                  | \$42,779.00                  |                | \$42,779.00                  |                | \$42,779.00                  |                | \$44,659.00                  |                | \$44,659.00                  |                |

<sup>A</sup>: UNIT PRICE FOR ALL CONSTITUENTS SHALL BE PROVIDED. NO ITEM SHALL BE LEFT AS BLANK OR "0" EXCEPT FOR SERWM (ITEM #92). IF SERWM IS APPLICABLE, INSERT UNIT PRICE; IF NOT, INSERT "0".  
<sup>\*</sup>: ANALYTES INCLUDED IN EACH EPA METHOD ARE PRESENTED IN SCOPE OF WORK AND EACH EPA METHOD. IF CERTAIN EPA METHOD(S) ARE NOT AVAILABLE, USE THE UNIT PRICE OF THE AVAILABLE EPA METHOD TESTING THAT CAN PROVIDE MOST SIMILAR TESTING RESULTS.

|                             |              |
|-----------------------------|--------------|
| SUBTOTAL FOR ALL FIVE YEARS | \$217,655.00 |
|-----------------------------|--------------|

COMPANY: TestAmerica Laboratories, Inc.  
CONTACT NAME: Tina Paulauskas  
PHONE NUMBER: 602-659-7617  
EMAIL ADDRESS: tina.paulauskas@testamericainc.com



STATE WATER RESOURCES CONTROL BOARD  
REGIONAL WATER QUALITY CONTROL BOARDS

CALIFORNIA STATE



## ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

### CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

**TestAmerica Irvine**

**Irvine**

17461 Derian Avenue, Suite 100

Irvine, CA 92614-5817

Scope of the certificate is limited to the  
"Fields of Testing"  
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **2706**

Expiration Date: **6/30/2018**

Effective Date: **7/1/2016**

A handwritten signature in black ink, appearing to read "Christine Sotelo".

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Chief  
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE**  
**ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**  
**Accredited Fields of Testing**



**TestAmerica Irvine**

Irvine  
17461 Derian Avenue  
Irvine, CA 92614-5817  
Phone: (949) 261-1022

**Certificate No. 2706**  
**Expiration Date 6/30/2018**

**Field of Testing: 101 - Microbiology of Drinking Water**

|         |     |                              |                                     |
|---------|-----|------------------------------|-------------------------------------|
| 101.010 | 001 | Heterotrophic Bacteria       | SM9215B                             |
| 101.010 | 002 | Heterotrophic Bacteria       | SimPlate                            |
| 101.020 | 001 | Total Coliform P/A           | SM9221B                             |
| 101.020 | 002 | Fecal Coliform P/A           | SM 9221 B,E                         |
| 101.020 | 003 | E. coli P/A                  | SM 9221 B,F                         |
| 101.050 | 005 | Total Coliform P/A           | SM9223B (Colilert 18)               |
| 101.050 | 006 | E. coli P/A                  | SM9223B (Colilert 18)               |
| 101.050 | 007 | Total Coliform (Enumeration) | SM9223B (Colilert 18 Quantity Tray) |
| 101.050 | 008 | E. coli (Enumeration)        | SM9223B (Colilert 18 Quantity Tray) |
| 101.050 | 009 | Total Coliform P/A           | SM9223B (Colisure)                  |
| 101.050 | 010 | E. coli P/A                  | SM9223B (Colisure)                  |
| 101.050 | 011 | Total Coliform (Enumeration) | SM9223B (Colisure)                  |
| 101.050 | 012 | E. coli (Enumeration)        | SM9223B (Colisure)                  |

**Field of Testing: 102 - Inorganic Chemistry of Drinking Water**

|         |     |                         |              |
|---------|-----|-------------------------|--------------|
| 102.015 | 001 | Hydrogen Ion (pH)       | EPA 150.1    |
| 102.020 | 001 | Turbidity               | EPA 180.1    |
| 102.026 | 001 | Calcium                 | EPA 200.7    |
| 102.026 | 002 | Magnesium               | EPA 200.7    |
| 102.026 | 003 | Potassium               | EPA 200.7    |
| 102.026 | 004 | Silica                  | EPA 200.7    |
| 102.026 | 005 | Sodium                  | EPA 200.7    |
| 102.026 | 006 | Hardness (calculation)  | EPA 200.7    |
| 102.030 | 003 | Chloride                | EPA 300.0    |
| 102.030 | 005 | Fluoride                | EPA 300.0    |
| 102.030 | 006 | Nitrate (as N)          | EPA 300.0    |
| 102.030 | 007 | Nitrite (as N)          | EPA 300.0    |
| 102.030 | 008 | Phosphate, Ortho (as P) | EPA 300.0    |
| 102.030 | 009 | Sulfate                 | EPA 300.0    |
| 102.040 | 001 | Bromide                 | EPA 300.1    |
| 102.040 | 002 | Chlorite                | EPA 300.1    |
| 102.040 | 003 | Chlorate                | EPA 300.1    |
| 102.040 | 004 | Bromate                 | EPA 300.1    |
| 102.045 | 001 | Perchlorate             | EPA 314.0    |
| 102.048 | 001 | Perchlorate             | EPA 332.0    |
| 102.095 | 001 | Turbidity               | SM2130B-2001 |
| 102.100 | 001 | Alkalinity              | SM2320B-1997 |
| 102.120 | 001 | Hardness (calculation)  | SM2340B-1997 |
| 102.121 | 001 | Hardness                | SM2340C-1997 |



|         |     |                                |                  |
|---------|-----|--------------------------------|------------------|
| 102.130 | 001 | Conductivity                   | SM2510B-1997     |
| 102.140 | 001 | Residue, Filterable TDS        | SM2540C-1997     |
| 102.175 | 001 | Chlorine, Free                 | SM4500-Cl G-2000 |
| 102.175 | 002 | Chlorine, Total Residual       | SM4500-Cl G-2000 |
| 102.190 | 001 | Cyanide, Total                 | SM4500-CN E      |
| 102.200 | 001 | Fluoride                       | SM4500-F C       |
| 102.203 | 001 | Hydrogen Ion (pH)              | SM4500-H+ B-2000 |
| 102.262 | 001 | Total Organic Carbon TOC       | SM5310C          |
| 102.263 | 001 | Dissolved Organic Carbon (DOC) | SM5310C          |
| 102.270 | 001 | Surfactants                    | SM5540C          |
| 102.564 | 001 | Cyanide                        | Kelada-01        |

**Field of Testing: 103 - Toxic Chemical Elements of Drinking Water**

|         |     |               |           |
|---------|-----|---------------|-----------|
| 103.130 | 001 | Aluminum      | EPA 200.7 |
| 103.130 | 003 | Barium        | EPA 200.7 |
| 103.130 | 004 | Beryllium     | EPA 200.7 |
| 103.130 | 005 | Cadmium       | EPA 200.7 |
| 103.130 | 007 | Chromium      | EPA 200.7 |
| 103.130 | 008 | Copper        | EPA 200.7 |
| 103.130 | 009 | Iron          | EPA 200.7 |
| 103.130 | 011 | Manganese     | EPA 200.7 |
| 103.130 | 012 | Nickel        | EPA 200.7 |
| 103.130 | 015 | Silver        | EPA 200.7 |
| 103.130 | 017 | Zinc          | EPA 200.7 |
| 103.130 | 018 | Boron         | EPA 200.7 |
| 103.140 | 001 | Aluminum      | EPA 200.8 |
| 103.140 | 002 | Antimony      | EPA 200.8 |
| 103.140 | 003 | Arsenic       | EPA 200.8 |
| 103.140 | 004 | Barium        | EPA 200.8 |
| 103.140 | 005 | Beryllium     | EPA 200.8 |
| 103.140 | 006 | Cadmium       | EPA 200.8 |
| 103.140 | 007 | Chromium      | EPA 200.8 |
| 103.140 | 008 | Copper        | EPA 200.8 |
| 103.140 | 009 | Lead          | EPA 200.8 |
| 103.140 | 010 | Manganese     | EPA 200.8 |
| 103.140 | 012 | Nickel        | EPA 200.8 |
| 103.140 | 013 | Selenium      | EPA 200.8 |
| 103.140 | 014 | Silver        | EPA 200.8 |
| 103.140 | 015 | Thallium      | EPA 200.8 |
| 103.140 | 016 | Zinc          | EPA 200.8 |
| 103.140 | 018 | Vanadium      | EPA 200.8 |
| 103.160 | 001 | Mercury       | EPA 245.1 |
| 103.310 | 001 | Chromium (VI) | EPA 218.6 |
| 103.311 | 001 | Chromium (VI) | EPA 218.7 |

**Field of Testing: 104 - Volatile Organic Chemistry of Drinking Water**

|         |     |                             |           |
|---------|-----|-----------------------------|-----------|
| 104.030 | 001 | 1,2-Dibromoethane           | EPA 504.1 |
| 104.030 | 002 | 1,2-Dibromo-3-chloropropane | EPA 504.1 |



|         |     |                            |              |
|---------|-----|----------------------------|--------------|
| 104.035 | 001 | 1,2,3-Trichloropropane     | SRL 524M-TCP |
| 104.040 | 000 | Volatile Organic Compounds | EPA 524.2    |
| 104.040 | 001 | Benzene                    | EPA 524.2    |
| 104.040 | 007 | n-Butylbenzene             | EPA 524.2    |
| 104.040 | 008 | sec-Butylbenzene           | EPA 524.2    |
| 104.040 | 009 | tert-Butylbenzene          | EPA 524.2    |
| 104.040 | 010 | Carbon Tetrachloride       | EPA 524.2    |
| 104.040 | 011 | Chlorobenzene              | EPA 524.2    |
| 104.040 | 015 | 2-Chlorotoluene            | EPA 524.2    |
| 104.040 | 016 | 4-Chlorotoluene            | EPA 524.2    |
| 104.040 | 019 | 1,3-Dichlorobenzene        | EPA 524.2    |
| 104.040 | 020 | 1,2-Dichlorobenzene        | EPA 524.2    |
| 104.040 | 021 | 1,4-Dichlorobenzene        | EPA 524.2    |
| 104.040 | 022 | Dichlorodifluoromethane    | EPA 524.2    |
| 104.040 | 023 | 1,1-Dichloroethane         | EPA 524.2    |
| 104.040 | 024 | 1,2-Dichloroethane         | EPA 524.2    |
| 104.040 | 025 | 1,1-Dichloroethene         | EPA 524.2    |
| 104.040 | 026 | cis-1,2-Dichloroethene     | EPA 524.2    |
| 104.040 | 027 | trans-1,2-Dichloroethene   | EPA 524.2    |
| 104.040 | 028 | Dichloromethane            | EPA 524.2    |
| 104.040 | 029 | 1,2-Dichloropropane        | EPA 524.2    |
| 104.040 | 033 | cis-1,3-Dichloropropene    | EPA 524.2    |
| 104.040 | 034 | trans-1,3-Dichloropropene  | EPA 524.2    |
| 104.040 | 035 | Ethylbenzene               | EPA 524.2    |
| 104.040 | 037 | Isopropylbenzene           | EPA 524.2    |
| 104.040 | 039 | Naphthalene                | EPA 524.2    |
| 104.040 | 041 | N-propylbenzene            | EPA 524.2    |
| 104.040 | 042 | Styrene                    | EPA 524.2    |
| 104.040 | 043 | 1,1,1,2-Tetrachloroethane  | EPA 524.2    |
| 104.040 | 044 | 1,1,2,2-Tetrachloroethane  | EPA 524.2    |
| 104.040 | 045 | Tetrachloroethene          | EPA 524.2    |
| 104.040 | 046 | Toluene                    | EPA 524.2    |
| 104.040 | 047 | 1,2,3-Trichlorobenzene     | EPA 524.2    |
| 104.040 | 048 | 1,2,4-Trichlorobenzene     | EPA 524.2    |
| 104.040 | 049 | 1,1,1-Trichloroethane      | EPA 524.2    |
| 104.040 | 050 | 1,1,2-Trichloroethane      | EPA 524.2    |
| 104.040 | 051 | Trichloroethene            | EPA 524.2    |
| 104.040 | 052 | Trichlorofluoromethane     | EPA 524.2    |
| 104.040 | 054 | 1,2,4-Trimethylbenzene     | EPA 524.2    |
| 104.040 | 055 | 1,3,5-Trimethylbenzene     | EPA 524.2    |
| 104.040 | 056 | Vinyl Chloride             | EPA 524.2    |
| 104.040 | 057 | Xylenes, Total             | EPA 524.2    |
| 104.040 | 061 | Carbon Disulfide           | EPA 524.2    |
| 104.040 | 062 | Methyl Isobutyl Ketone     | EPA 524.2    |
| 104.045 | 000 | Trihalomethanes, Total     | EPA 524.2    |
| 104.045 | 001 | Bromodichloromethane       | EPA 524.2    |
| 104.045 | 002 | Bromoform                  | EPA 524.2    |

|         |     |                                |           |
|---------|-----|--------------------------------|-----------|
| 104.045 | 003 | Chloroform                     | EPA 524.2 |
| 104.045 | 004 | Dibromochloromethane           | EPA 524.2 |
| 104.050 | 000 | Gasoline Additives             | EPA 524.2 |
| 104.050 | 002 | Methyl tert-butyl Ether (MTBE) | EPA 524.2 |
| 104.050 | 003 | tert-Amyl Methyl Ether (TAME)  | EPA 524.2 |
| 104.050 | 004 | Ethyl tert-butyl Ether (ETBE)  | EPA 524.2 |
| 104.050 | 005 | Trichlorotrifluoroethane       | EPA 524.2 |
| 104.050 | 006 | tert-Butyl Alcohol (TBA)       | EPA 524.2 |

---

**Field of Testing: 105 - Semi-volatile Organic Chemistry of Drinking Water**


---

|         |     |                                 |           |
|---------|-----|---------------------------------|-----------|
| 105.010 | 002 | Alachlor                        | EPA 505   |
| 105.010 | 004 | Chlordane                       | EPA 505   |
| 105.010 | 006 | Endrin                          | EPA 505   |
| 105.010 | 007 | Heptachlor                      | EPA 505   |
| 105.010 | 008 | Heptachlor Epoxide              | EPA 505   |
| 105.010 | 009 | Hexachlorobenzene               | EPA 505   |
| 105.010 | 010 | Hexachlorocyclopentadiene       | EPA 505   |
| 105.010 | 011 | Lindane                         | EPA 505   |
| 105.010 | 012 | Methoxychlor                    | EPA 505   |
| 105.010 | 014 | Toxaphene                       | EPA 505   |
| 105.010 | 015 | PCBs as Aroclors (screen)       | EPA 505   |
| 105.083 | 000 | Chlorinated Acids               | EPA 515.4 |
| 105.083 | 001 | 2,4-D                           | EPA 515.4 |
| 105.083 | 002 | Dinoseb                         | EPA 515.4 |
| 105.083 | 003 | Pentachlorophenol               | EPA 515.4 |
| 105.083 | 004 | Picloram                        | EPA 515.4 |
| 105.083 | 005 | 2,4,5-TP                        | EPA 515.4 |
| 105.083 | 006 | Dalapon                         | EPA 515.4 |
| 105.083 | 007 | Bentazon                        | EPA 515.4 |
| 105.083 | 008 | Dicamba                         | EPA 515.4 |
| 105.090 | 000 | Semi-volatile Organic Compounds | EPA 525.2 |
| 105.090 | 001 | Alachlor                        | EPA 525.2 |
| 105.090 | 002 | Aldrin                          | EPA 525.2 |
| 105.090 | 003 | Atrazine                        | EPA 525.2 |
| 105.090 | 004 | Benzo(a)pyrene                  | EPA 525.2 |
| 105.090 | 005 | Butachlor                       | EPA 525.2 |
| 105.090 | 007 | Dieldrin                        | EPA 525.2 |
| 105.090 | 008 | Adipates                        | EPA 525.2 |
| 105.090 | 009 | Phthalates                      | EPA 525.2 |
| 105.090 | 016 | Hexachlorobenzene               | EPA 525.2 |
| 105.090 | 017 | Hexachlorocyclopentadiene       | EPA 525.2 |
| 105.090 | 018 | Lindane                         | EPA 525.2 |
| 105.090 | 019 | Methoxychlor                    | EPA 525.2 |
| 105.090 | 022 | Molinate                        | EPA 525.2 |
| 105.090 | 025 | Simazine                        | EPA 525.2 |
| 105.100 | 000 | Carbamates                      | EPA 531.1 |
| 105.100 | 001 | Aldicarb                        | EPA 531.1 |
| 105.100 | 002 | Aldicarb Sulfone                | EPA 531.1 |

|         |     |                         |           |
|---------|-----|-------------------------|-----------|
| 105.100 | 003 | Aldicarb Sulfoxide      | EPA 531.1 |
| 105.100 | 004 | Carbaryl                | EPA 531.1 |
| 105.100 | 005 | Carbofuran              | EPA 531.1 |
| 105.100 | 006 | 3-Hydroxycarbofuran     | EPA 531.1 |
| 105.100 | 007 | Methomyl                | EPA 531.1 |
| 105.100 | 008 | Oxamyl                  | EPA 531.1 |
| 105.120 | 001 | Glyphosate              | EPA 547   |
| 105.140 | 001 | Endothall               | EPA 548.1 |
| 105.150 | 001 | Diquat                  | EPA 549.2 |
| 105.200 | 001 | Bromoacetic Acid        | EPA 552.2 |
| 105.200 | 003 | Chloroacetic Acid       | EPA 552.2 |
| 105.200 | 005 | Dibromoacetic Acid      | EPA 552.2 |
| 105.200 | 006 | Dichloroacetic Acid     | EPA 552.2 |
| 105.200 | 007 | Trichloroacetic Acid    | EPA 552.2 |
| 105.200 | 008 | Haloacetic Acids (HAA5) | EPA 552.2 |

**Field of Testing:** 106 - Radiochemistry of Drinking Water

|         |     |         |           |
|---------|-----|---------|-----------|
| 106.092 | 001 | Uranium | EPA 200.8 |
|---------|-----|---------|-----------|

**Field of Testing:** 107 - Microbiology of Wastewater

|         |     |                                      |                    |
|---------|-----|--------------------------------------|--------------------|
| 107.010 | 001 | Heterotrophic Bacteria               | SM9215B            |
| 107.020 | 002 | Total Coliform (Enumeration)         | SM9221B,E-2006     |
| 107.030 | 002 | Total Coliform with Chlorine Present | SM9221B,C-2006     |
| 107.040 | 002 | Fecal Coliform (Enumeration)         | SM9221C,E-2006     |
| 107.050 | 002 | Fecal Coliform with Chlorine Present | SM9221C,E-2006     |
| 107.242 | 001 | Enterococci                          | Enterolert         |
| 107.245 | 002 | E. coli (Enumeration)                | SM9223B (Colilert) |
| 107.245 | 003 | E. coli (Enumeration)                | SM9223B (Colisure) |
| 107.247 | 001 | E. coli (Enumeration)                | SM9221B,F-2006     |

**Field of Testing:** 108 - Inorganic Chemistry of Wastewater

|         |     |                        |           |
|---------|-----|------------------------|-----------|
| 108.020 | 001 | Conductivity           | EPA 120.1 |
| 108.090 | 001 | Residue, Volatile      | EPA 160.4 |
| 108.110 | 001 | Turbidity              | EPA 180.1 |
| 108.112 | 001 | Boron                  | EPA 200.7 |
| 108.112 | 002 | Calcium                | EPA 200.7 |
| 108.112 | 003 | Hardness (calculation) | EPA 200.7 |
| 108.112 | 004 | Magnesium              | EPA 200.7 |
| 108.112 | 005 | Potassium              | EPA 200.7 |
| 108.112 | 006 | Silica, Dissolved      | EPA 200.7 |
| 108.112 | 007 | Sodium                 | EPA 200.7 |
| 108.112 | 008 | Phosphorus, Total      | EPA 200.7 |
| 108.120 | 001 | Bromide                | EPA 300.0 |
| 108.120 | 002 | Chloride               | EPA 300.0 |
| 108.120 | 003 | Fluoride               | EPA 300.0 |
| 108.120 | 008 | Sulfate                | EPA 300.0 |
| 108.120 | 012 | Nitrate (as N)         | EPA 300.0 |
| 108.120 | 013 | Nitrate-Nitrite (as N) | EPA 300.0 |
| 108.120 | 014 | Nitrite (as N)         | EPA 300.0 |

|         |     |                                 |                       |
|---------|-----|---------------------------------|-----------------------|
| 108.120 | 015 | Phosphate, Ortho (as P)         | EPA 300.0             |
| 108.209 | 001 | Ammonia (as N)                  | EPA 350.1             |
| 108.211 | 002 | Kjeldahl Nitrogen, Total (as N) | EPA 351.2             |
| 108.264 | 001 | Phosphate, Ortho                | EPA 365.3             |
| 108.265 | 001 | Phosphorus, Total               | EPA 365.3             |
| 108.323 | 001 | Chemical Oxygen Demand          | EPA 410.4             |
| 108.381 | 001 | Oil and Grease                  | EPA 1664A             |
| 108.385 | 001 | Color                           | SM2120B-2001          |
| 108.390 | 001 | Turbidity                       | SM2130B-2001          |
| 108.400 | 001 | Acidity                         | SM2310B-1997          |
| 108.410 | 001 | Alkalinity                      | SM2320B-1997          |
| 108.420 | 001 | Hardness (calculation)          | SM2340B-1997          |
| 108.421 | 001 | Hardness                        | SM2340C-1997          |
| 108.430 | 001 | Conductivity                    | SM2510B-1997          |
| 108.439 | 001 | Residue, Volatile               | SM2540E-1997          |
| 108.440 | 001 | Residue, Total                  | SM2540B-1997          |
| 108.441 | 001 | Residue, Filterable TDS         | SM2540C-1997          |
| 108.442 | 001 | Residue, Non-filterable TSS     | SM2540D-1997          |
| 108.443 | 001 | Residue, Settleable             | SM2540F-1997          |
| 108.465 | 001 | Chlorine, Total Residual        | SM4500-Cl G-2000      |
| 108.465 | 002 | Chlorine, Free                  | SM4500-Cl G-2000      |
| 108.470 | 001 | Cyanide, Total                  | SM4500-CN B or C-1999 |
| 108.472 | 001 | Cyanide, Total                  | SM4500-CN E-1999      |
| 108.490 | 001 | Hydrogen Ion (pH)               | SM4500-H+ B-2000      |
| 108.502 | 002 | Ammonia (as N)                  | SM4500-NH3 B,D-1997   |
| 108.506 | 002 | Ammonia (as N)                  | SM4500-NH3 G-1997     |
| 108.536 | 001 | Oxygen, dissolved               | SM4500-O G-2001       |
| 108.584 | 001 | Sulfide (as S)                  | SM4500-S= D-2000      |
| 108.592 | 001 | Biochemical Oxygen Demand       | SM5210B-2001          |
| 108.592 | 002 | Carbonaceous BOD                | SM5210B-2001          |
| 108.595 | 001 | Chemical Oxygen Demand          | SM5220D-1997          |
| 108.596 | 001 | Organic Carbon-Total (TOC)      | SM5310B-2000          |
| 108.605 | 001 | Surfactants                     | SM5540C-2000          |

**Field of Testing: 109 - Toxic Chemical Elements of Wastewater**

|         |     |           |           |
|---------|-----|-----------|-----------|
| 109.010 | 001 | Aluminum  | EPA 200.7 |
| 109.010 | 002 | Antimony  | EPA 200.7 |
| 109.010 | 003 | Arsenic   | EPA 200.7 |
| 109.010 | 004 | Barium    | EPA 200.7 |
| 109.010 | 005 | Beryllium | EPA 200.7 |
| 109.010 | 006 | Boron     | EPA 200.7 |
| 109.010 | 007 | Cadmium   | EPA 200.7 |
| 109.010 | 009 | Chromium  | EPA 200.7 |
| 109.010 | 010 | Cobalt    | EPA 200.7 |
| 109.010 | 011 | Copper    | EPA 200.7 |
| 109.010 | 012 | Iron      | EPA 200.7 |
| 109.010 | 013 | Lead      | EPA 200.7 |
| 109.010 | 015 | Manganese | EPA 200.7 |

|         |     |               |                  |
|---------|-----|---------------|------------------|
| 109.010 | 016 | Molybdenum    | EPA 200.7        |
| 109.010 | 017 | Nickel        | EPA 200.7        |
| 109.010 | 019 | Selenium      | EPA 200.7        |
| 109.010 | 021 | Silver        | EPA 200.7        |
| 109.010 | 023 | Thallium      | EPA 200.7        |
| 109.010 | 024 | Tin           | EPA 200.7        |
| 109.010 | 025 | Titanium      | EPA 200.7        |
| 109.010 | 026 | Vanadium      | EPA 200.7        |
| 109.010 | 027 | Zinc          | EPA 200.7        |
| 109.020 | 001 | Aluminum      | EPA 200.8        |
| 109.020 | 002 | Antimony      | EPA 200.8        |
| 109.020 | 003 | Arsenic       | EPA 200.8        |
| 109.020 | 004 | Barium        | EPA 200.8        |
| 109.020 | 005 | Beryllium     | EPA 200.8        |
| 109.020 | 006 | Cadmium       | EPA 200.8        |
| 109.020 | 007 | Chromium      | EPA 200.8        |
| 109.020 | 008 | Cobalt        | EPA 200.8        |
| 109.020 | 009 | Copper        | EPA 200.8        |
| 109.020 | 010 | Lead          | EPA 200.8        |
| 109.020 | 011 | Manganese     | EPA 200.8        |
| 109.020 | 012 | Molybdenum    | EPA 200.8        |
| 109.020 | 013 | Nickel        | EPA 200.8        |
| 109.020 | 014 | Selenium      | EPA 200.8        |
| 109.020 | 015 | Silver        | EPA 200.8        |
| 109.020 | 016 | Thallium      | EPA 200.8        |
| 109.020 | 017 | Vanadium      | EPA 200.8        |
| 109.020 | 018 | Zinc          | EPA 200.8        |
| 109.020 | 021 | Iron          | EPA 200.8        |
| 109.020 | 022 | Tin           | EPA 200.8        |
| 109.104 | 001 | Chromium (VI) | EPA 218.6        |
| 109.190 | 001 | Mercury       | EPA 245.1        |
| 109.445 | 001 | Chromium      | SM3500-Cr B-2009 |
| 109.449 | 001 | Iron          | SM3500-Fe B-1997 |

**Field of Testing: 110 - Volatile Organic Chemistry of Wastewater**

|         |     |                             |         |
|---------|-----|-----------------------------|---------|
| 110.040 | 000 | Purgeable Organic Compounds | EPA 624 |
|---------|-----|-----------------------------|---------|

**Field of Testing: 111 - Semi-volatile Organic Chemistry of Wastewater**

|         |     |                                    |                   |
|---------|-----|------------------------------------|-------------------|
| 111.100 | 000 | Base/Neutral & Acid Organics       | EPA 625           |
| 111.103 | 000 | Nitrosamines                       | EPA 625           |
| 111.120 | 000 | Semi-volatile Organic Compounds    | EPA 1625B Interim |
| 111.170 | 000 | Organochlorine Pesticides and PCBs | EPA 608           |

**Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste**

|         |     |           |           |
|---------|-----|-----------|-----------|
| 114.010 | 001 | Antimony  | EPA 6010B |
| 114.010 | 002 | Arsenic   | EPA 6010B |
| 114.010 | 003 | Barium    | EPA 6010B |
| 114.010 | 004 | Beryllium | EPA 6010B |
| 114.010 | 005 | Cadmium   | EPA 6010B |

|         |     |                                |           |
|---------|-----|--------------------------------|-----------|
| 114.010 | 006 | Chromium                       | EPA 6010B |
| 114.010 | 007 | Cobalt                         | EPA 6010B |
| 114.010 | 008 | Copper                         | EPA 6010B |
| 114.010 | 009 | Lead                           | EPA 6010B |
| 114.010 | 010 | Molybdenum                     | EPA 6010B |
| 114.010 | 011 | Nickel                         | EPA 6010B |
| 114.010 | 012 | Selenium                       | EPA 6010B |
| 114.010 | 013 | Silver                         | EPA 6010B |
| 114.010 | 014 | Thallium                       | EPA 6010B |
| 114.010 | 015 | Vanadium                       | EPA 6010B |
| 114.010 | 016 | Zinc                           | EPA 6010B |
| 114.020 | 001 | Antimony                       | EPA 6020  |
| 114.020 | 002 | Arsenic                        | EPA 6020  |
| 114.020 | 003 | Barium                         | EPA 6020  |
| 114.020 | 004 | Beryllium                      | EPA 6020  |
| 114.020 | 005 | Cadmium                        | EPA 6020  |
| 114.020 | 006 | Chromium                       | EPA 6020  |
| 114.020 | 007 | Cobalt                         | EPA 6020  |
| 114.020 | 008 | Copper                         | EPA 6020  |
| 114.020 | 009 | Lead                           | EPA 6020  |
| 114.020 | 010 | Molybdenum                     | EPA 6020  |
| 114.020 | 011 | Nickel                         | EPA 6020  |
| 114.020 | 012 | Selenium                       | EPA 6020  |
| 114.020 | 013 | Silver                         | EPA 6020  |
| 114.020 | 014 | Thallium                       | EPA 6020  |
| 114.020 | 015 | Vanadium                       | EPA 6020  |
| 114.020 | 016 | Zinc                           | EPA 6020  |
| 114.103 | 001 | Chromium (VI)                  | EPA 7196A |
| 114.106 | 001 | Chromium (VI)                  | EPA 7199  |
| 114.140 | 001 | Mercury                        | EPA 7470A |
| 114.141 | 001 | Mercury                        | EPA 7471A |
| 114.222 | 001 | Cyanide                        | EPA 9014  |
| 114.230 | 001 | Sulfides, Total                | EPA 9034  |
| 114.240 | 001 | Corrosivity - pH Determination | EPA 9040B |
| 114.241 | 001 | Corrosivity - pH Determination | EPA 9045C |
| 114.250 | 001 | Fluoride                       | EPA 9056  |
| 114.270 | 001 | Fluoride                       | EPA 9214  |

**Field of Testing: 115 - Extraction Test of Hazardous Waste**

|         |     |                                                   |                                        |
|---------|-----|---------------------------------------------------|----------------------------------------|
| 115.020 | 001 | Toxicity Characteristic Leaching Procedure (TCLP) | EPA 1311                               |
| 115.021 | 001 | TCLP Inorganics                                   | EPA 1311                               |
| 115.022 | 001 | TCLP Extractables                                 | EPA 1311                               |
| 115.023 | 001 | TCLP Volatiles                                    | EPA 1311                               |
| 115.030 | 001 | Waste Extraction Test (WET)                       | CCR Chapter 11, Article 5, Appendix II |
| 115.040 | 001 | Synthetic Precipitation Leaching Procedure (SPLP) | EPA 1312                               |

**Field of Testing: 116 - Volatile Organic Chemistry of Hazardous Waste**

|         |     |                      |           |
|---------|-----|----------------------|-----------|
| 116.020 | 031 | Ethanol and Methanol | EPA 8015B |
|---------|-----|----------------------|-----------|

|         |     |                                         |            |
|---------|-----|-----------------------------------------|------------|
| 116.030 | 001 | Gasoline-range Organics                 | EPA 8015B  |
| 116.080 | 000 | Volatile Organic Compounds              | EPA 8260B  |
| 116.080 | 120 | Oxygenates                              | EPA 8260B  |
| 116.100 | 001 | Total Petroleum Hydrocarbons - Gasoline | LUFT GC/MS |
| 116.110 | 001 | Total Petroleum Hydrocarbons - Gasoline | LUFT       |

---

**Field of Testing: 117 - Semi-volatile Organic Chemistry of Hazardous Waste**


---

|         |     |                                           |           |
|---------|-----|-------------------------------------------|-----------|
| 117.010 | 001 | Diesel-range Total Petroleum Hydrocarbons | EPA 8015B |
| 117.016 | 001 | Diesel-range Total Petroleum Hydrocarbons | LUFT      |
| 117.110 | 000 | Extractable Organics                      | EPA 8270C |
| 117.150 | 000 | Carbonyl Compounds                        | EPA 8315A |
| 117.210 | 000 | Organochlorine Pesticides                 | EPA 8081A |
| 117.220 | 000 | PCBs                                      | EPA 8082  |

---

**Field of Testing: 120 - Physical Properties of Hazardous Waste**


---

|         |     |                                |           |
|---------|-----|--------------------------------|-----------|
| 120.010 | 001 | Ignitability                   | EPA 1010  |
| 120.020 | 001 | Ignitability                   | EPA 1020A |
| 120.070 | 001 | Corrosivity - pH Determination | EPA 9040B |
| 120.080 | 001 | Corrosivity - pH Determination | EPA 9045C |

---

**Field of Testing: 126 - Microbiology of Recreational Water**


---

|         |     |                              |                                |
|---------|-----|------------------------------|--------------------------------|
| 126.010 | 001 | Total Coliform (Enumeration) | SM9221B,C-2006                 |
| 126.030 | 001 | Fecal Coliform (Enumeration) | SM9221B,E-2006                 |
| 126.050 | 001 | Total Coliform (Enumeration) | SM9223B (Colilert/Quanti-Tray) |
| 126.050 | 002 | E. coli (Enumeration)        | SM9223B (Colilert/Quanti-Tray) |
| 126.080 | 001 | Enterococci                  | Enterolert                     |

**SLUDGE MANAGEMENT PLAN  
FOR THE  
JULIAN WASTEWATER TREATMENT PLANT**

**COUNTY OF SAN DIEGO  
SAN DIEGO COUNTY SANITATION DISTRICT**

**SUBMITTED TO:**

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
SAN DIEGO REGION**



**PREPARED BY:  
COUNTY OF SAN DIEGO  
DEPARTMENT OF PUBLIC WORKS  
WASTEWATER MANAGEMENT  
5500 OVERLAND AVENUE, SUITE 315  
SAN DIEGO, CA 92123**

**DECEMBER 2019**



**Name of Business**

County of San Diego, Julian Wastewater Treatment Plant

**Facility Address:** 2840 Hwy 78, Julian CA 92036

**Facility Supervisor**

**Name:** Jim Dohrer

**Phone** (858) 204-1648; **E-mail:** [James.Dohrer@sdcounty.ca.gov](mailto:James.Dohrer@sdcounty.ca.gov)

**Facility Chief Operator**

**Name:** Christine Lavoie

**Phone** (619) 823-8478; **E-mail:** [Christine.Lavoie@sdcounty.ca.gov](mailto:Christine.Lavoie@sdcounty.ca.gov)

**Facility Unit Manager**

**Name:** Kyehee Kim

**Phone** (858) 694-3921; **E-mail:** [Kyehee.Kim@sdcounty.ca.gov](mailto:Kyehee.Kim@sdcounty.ca.gov)

**Sludge Pumping Contractors:**

**Atlas Pumping Service (Primary)**

**Project Manager:** Kelly Stonesifer

**Phone** (619) 443-7867; **E-mail:** [kstone@atlaspumpingservice.com](mailto:kstone@atlaspumpingservice.com)

**City of San Diego-Industrial Waste Program Permit # of Waste Hauler: 25-0015-25A**

**Sludgebusters Septic Service (Secondary)**

**Project Manager:** Tanno Gomolka


**Phone** (760) 744-7191

**City of San Diego-Industrial Waste Program Permit # of Waste Hauler: 25-0128-18A**

## I. JULIAN WWTP PROCESS

The Julian Wastewater Treatment Plant (JWWTP) generates sludge during aeration treatment within the aeration tanks. As indicated in Figure 1, the sludge generated during the aeration process is removed from the secondary clarifiers and is sent back to the aeration tanks as Return Activated Sludge; but excess sludge is regularly wasted to the aerobic digesters in the form of Waste Activated Sludge. From the aerobic digesters, the thickened sludge is sent to the sludge drying beds or hauled off site.

**Figure 1. Schematic Diagram of JWWTP Treatment Process**



## II. SLUDGE PRODUCTION AND DISPOSAL

Julian WWTP produces on average approximately 11,000 to 15,000 gallons of sludge every month for drying and disposal. During dry weather period, thickened wet sludge is wasted to sludge drying bed for dewatering. The dried sludge is normally hauled to the landfill only once per year by the County staff. However, during the winter months when Julian receives most of its precipitation and Julian town generates more wastewater, the sludge may be hauled off-site to the City of San Diego-Pump Station #1 at a more regular rate. Prior to disposal, samples for Chemical Oxygen Demands (COD) and Total Suspended Solids (TSS) are taken and sent to the designated laboratory for monitoring and analysis.

Qualified sludge hauling and disposal firms have been contracted to provide sludge hauling and disposal services for Julian WWTP on an as needed basis. During wet weather, the facility chief operator shall schedule for sludge pumping on an as-needed basis if the treatment plant is unable to handle the volume of sludge being produced.

Wastewater that is produced as a result of sludge dewatering is introduced back into the treatment process through a series of below grade pipes. The pipes collect the runoff from the sludge drying beds and transfer it to the splitter box where it begins the treatment process again. The liquid does not come into contact with groundwater or any unlined earth. The sludge drying bed pipes are perforated to allow liquid to seep inside, however, they have been built on top of a concrete foundation to prevent any spills or seepage that could contaminate the adjacent area or the underlying groundwater table.

Maintenance and cleaning are performed on the digesters and sludge drying beds on an as-needed basis. Whenever possible, only one sludge drying bed is used to dewater the sludge, while the other drying bed is cleaned. The additional drying bed is also used as a storage area for the dried sludge before it is transferred to the landfill. Various efforts to reduce objectionable odors and prevent vectors are also performed by the plant operator, although the facility is in a very rural setting with no immediate neighbors in the vicinity.

Industrial Waste Permit issued by the City of San Diego for the facility is included in Appendix A for two (2) sludge pumping contractors having service contracts with the San Diego County Sanitation District, the owner of the facility.

## **APPENDIX A – TRUCKED INDUSTRIAL WASTE GENERATOR PERMITS**

**TRUCKED INDUSTRIAL WASTE GENERATOR PERMIT APPLICATION**

Return to: City of San Diego - Industrial Wastewater Control Program  
9192 Topaz Way - San Diego, Ca 92123  
Ph: 858-654-4100 FAX: 858-654-4110

1) Business Name of Applicant: County of San Diego, Department of Public Works

Phone: 858-694-2647 Email: luis.gaspar@sdcounty.ca.gov

2) Contact Person: Luis Gaspar

Title: Assistant Engineer

3) Facility Address: 2840 HWY 78, Julian, CA 92036

4) Mailing Address: 5500 Overland Avenue Ste. 315 (MS-O384), San Diego, CA 92123

5) Requested duration of permit: From 10/02/2019 To: 10/01/2020  
(Start Date) (End Date)

6) Name of Waste Hauler: Atlas Pumping Service

Estimated number of Gallons to be discharged: 165,000 gal/year

Permit Number of Waste Hauler: 25- 0015-24A 25A (Primary)  
(Must have active Industrial Waste Hauler permit)

7) Name of facility and location  
where waste is generated: Julian Wastewater Treatment Plant

8) Description of Waste: Liquid Sludge

9) Is wastewater receiving any form of pretreatment before disposal?  
☒ NO ☐ YES. Describe: \_\_\_\_\_

10) Is wastewater generated by processes subject to federal categorical regulation?  
☒ NO ☐ YES. Describe: \_\_\_\_\_

11) Indicate constituents known or expected to be present in this wastewater based on generator knowledge:


- ☐ Caustics/Acids ☐ Pesticides/PCBs ☐ Saltwater ☐ Mud, Sand, Silt ☐ Other, List: \_\_\_\_\_  
☐ Flammable substances ☐ Radioactive Substances ☐ Oil or Grease ☐ Solvents, List: \_\_\_\_\_  
☐ Metals (circle those that apply) Cadmium, Copper, Chromium, Lead, Nickel, Mercury, Selenium, Silver, Zinc

12) Attach a copy of the lab analysis. Include all analyses performed using EPA approved methods. Lab Name: N/A Analysis Number: \_\_\_\_\_

Permittee's Certification: I hereby certify that the information found in this application is familiar to me and is complete and accurate to the best of my knowledge. I certify that the wastes that will be discharged under this permit are not hazardous wastes as defined in the Federal Resource Conservation and Recovery Act (RCRA) and by state or local regulations. I have received and read both the Trucked Waste Requirements & Procedures and the Department of Health Services' Hazardous Waste Requirements bulletin, and I agree to comply with the policies and requirements set forth therein. I certify that the wastes that will be discharged under this permit meet applicable Federal and local limits.

13) Print Name: Luis Gaspar

Title: Assistant Engineer

14) Signature: 

Date: 09/11/19

TO BE COMPLETED BY THE CITY

The following constituent limitations are applicable to this permit:

- |                                     |          |                                         |           |
|-------------------------------------|----------|-----------------------------------------|-----------|
| <input type="checkbox"/> pH         | 5-12.5   | <input type="checkbox"/> Cadmium        | 1 mg/L    |
| <input type="checkbox"/> Oil/Grease | 500 mg/L | <input type="checkbox"/> Chromium       | 5 mg/L    |
| <input type="checkbox"/> Copper     | 11 mg/L  | <input type="checkbox"/> Nickel         | 13 mg/L   |
| <input type="checkbox"/> Lead       | 5 mg/L   | <input checked="" type="checkbox"/> COD | <u>NA</u> |
| <input type="checkbox"/> Zinc       | 24 mg/L  | <input checked="" type="checkbox"/> TSS | <u>NA</u> |

Self-monitoring for the constituents listed above is required Monthly

The first self-monitoring report is due 15- NOV-2019

PIMS AR# 7492

Approved By SEC RRL

TWRP 7/18

Effective 01-OCT-2019

RCRA 7/12


Expires 01-OCT-2020

Permit Number 25- 0325-18A

☒ Renewal

☐ New



| <b>TRUCKED INDUSTRIAL WASTE GENERATOR PERMIT APPLICATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | Return to: City of San Diego - Industrial Wastewater Control Program<br>9192 Topaz Way - San Diego, Ca 92123<br>Ph: 858-654-4100 FAX: 858-654-4110                                                                                  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1) Business Name of Applicant: County of San Diego, Department of Public Works                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | Phone: 858-694-2647 Email: luis.gaspar@sdcounty.ca.gov                                                                                                                                                                              |  |
| 2) Contact Person: Luis Gaspar                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | Title: Assistant Engineer                                                                                                                                                                                                           |  |
| 3) Facility Address: 2840 HWY 78, Julian, CA 92036                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                     |  |
| 4) Mailing Address: 5500 Overland Avenue Ste. 315 (MS-O384), San Diego, CA 92123                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                                                                                                                                                                                                                     |  |
| 5) Requested duration of permit: From <u>10/02/2019</u> To: <u>10/01/2020</u><br>(Start Date) (End Date)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | 6) Name of Waste Hauler: <u>Sludgebusters</u>                                                                                                                                                                                       |  |
| Estimated number of Gallons to be discharged: <u>165,000 gal/year</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | Permit Number of Waste Hauler: <u>25- 0128-17A 18A (Secondary)</u><br>(Must have active Industrial Waste Hauler permit)                                                                                                             |  |
| 7) Name of facility and location where waste is generated: <u>Julian Wastewater Treatment Plant</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                                                                                                                                                                                                                                     |  |
| 8) Description of Waste: <u>Liquid Sludge</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                                                                                     |  |
| 9) Is wastewater receiving any form of pretreatment before disposal?<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES. Describe: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | 10) Is wastewater generated by processes subject to federal categorical regulation?<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES. Describe: _____                                                         |  |
| 11) Indicate constituents known or expected to be present in this wastewater based on generator knowledge:<br><input type="checkbox"/> Caustics/Acids <input type="checkbox"/> Pesticides/PCBs <input type="checkbox"/> Saltwater <input type="checkbox"/> Mud, Sand, Silt <input type="checkbox"/> Other, List: _____<br><input type="checkbox"/> Flammable substances <input type="checkbox"/> Radioactive Substances <input type="checkbox"/> Oil or Grease <input type="checkbox"/> Solvents, List: _____<br><input type="checkbox"/> Metals (circle those that apply) Cadmium, Copper, Chromium, Lead, Nickel, Mercury, Selenium, Silver, Zinc                                                                                     |  |                                                                                                                                                                                                                                     |  |
| 12) Attach a copy of the lab analysis. Include all analyses performed using EPA approved methods. Lab Name: <u>N/A</u> Analysis Number: _____                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |                                                                                                                                                                                                                                     |  |
| <b>Permittee's Certification:</b> I hereby certify that the information found in this application is familiar to me and is complete and accurate to the best of my knowledge. I certify that the wastes that will be discharged under this permit are not hazardous wastes as defined in the Federal Resource Conservation and Recovery Act (RCRA) and by state or local regulations. I have received and read both the Trucked Waste Requirements & Procedures and the Department of Health Services' Hazardous Waste Requirements bulletin, and I agree to comply with the policies and requirements set forth therein. I certify that the wastes that will be discharged under this permit meet applicable Federal and local limits. |  |                                                                                                                                                                                                                                     |  |
| 13) Print Name: <u>Luis Gaspar</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | Title: <u>Assistant Engineer</u>                                                                                                                                                                                                    |  |
| 14) Signature:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | Date: <u>09/11/19</u>                                                                                                                                                                                                               |  |
| <b>TO BE COMPLETED BY THE CITY</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                     |  |
| <b>The following constituent limitations are applicable to this permit:</b><br><input type="checkbox"/> pH 5-12.5 <input type="checkbox"/> Cadmium 1 mg/L<br><input type="checkbox"/> Oil/Grease 500 mg/L <input type="checkbox"/> Chromium 5 mg/L<br><input type="checkbox"/> Copper 11 mg/L <input type="checkbox"/> Nickel 13 mg/L<br><input type="checkbox"/> Lead 5 mg/L <input checked="" type="checkbox"/> COD <u>NA</u><br><input type="checkbox"/> Zinc 24 mg/L <input checked="" type="checkbox"/> TSS <u>NA</u>                                                                                                                                                                                                              |  | PIMS AR# <u>7492</u><br>TWRP <u>7/18</u><br>RCRA <u>7/12</u><br>Approved By SEC <br>Effective <u>01-OCT-2019</u><br>Expires <u>01-OCT-2020</u> |  |
| Self-monitoring for the constituents listed above is required <u>MONTHLY</u><br>The first self-monitoring report is due <u>SEE PERMIT 25-0325-18A</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | Permit Number <u>25- 0325-17A</u><br><input checked="" type="checkbox"/> Renewal<br><input type="checkbox"/> New                                                                                                                    |  |