

Grid Tables Examples

Examples taken from: <https://pandoc.org/demo/example33/8.9-tables.html> but with extra Quarto features.

Grid tables look like this:

Fruit	Price	Advantages
Bananas	€1.34	built-in wrapperbright color
Oranges	€2.10	cures scurvytasty

Table 1: Sample grid table.

: Table width bullet lists

The row of =s separates the header from the table body, and can be omitted for a headerless table. The cells of grid tables may contain arbitrary block elements (multiple paragraphs, code blocks, lists, etc.).

Cells can span multiple columns or rows:

Property	Earth	
Temperature 1961-1990	min	-89.2 °C
mean	14 °C	
max	56.7 °C	

Table 2: Table width cell spanning over multiple rows

A table header may contain more than one row:

Location	Temperature 1961- 1990 in degree Celsius		
min	mean	max	
Antarctica	-89.2	N/A	19.8
Earth	-89.2	14	56.7

Table 3: Table width header with multiple rows

Alignments can be specified as with pipe tables, by putting colons at the boundaries of the separator line after the header:

Right	Left	Centered
Bananas	€1.34	built-in wrapper

For headerless tables, the colons go on the top line instead:

Right	Left	Centered

A table foot can be defined by enclosing it with separator lines that use = instead of :-

```
+-----+-----+ | Fruit | Price | +=====+=====+ | Bananas |
€1.34 | +-----+-----+ | Oranges | €2.10 | +=====+=====+
Sum | €3.44 | +=====+=====+
```

The foot must always be placed at the very bottom of the table.