



Rspack Sources

Rspack

A fast Rust-based web bundler



Build a high-performance frontend toolchain

Introduction

Quick Start



Fast Startup

Combining TypeScript and Rust with a parallelized architecture to bring you the ultimate developer experience.



Lightning HMR

A built-in incremental compilation mechanism provides superior Hot Module Replacement performance for large-scale projects.

```
Elements
<div>
  <header class="top-0 left-0 md:fixed w-full" style="z-index: var(--modern-z-index-nav); background: var(--modern-c-bg);">
    <div class="navContainer_758fb modern-doc-nav px-6">
      <div class="container_758fb flex justify-between items-center h-full"> flex
        <div class="undefined"> ... </div>
        <div class="undefined flex flex-1 justify-end items-center"> flex
          <div class="rightNav_758fb"> flex
            <div class="flex sm:flex-1 items-center sm:pl-4 sm:pr-2"> ... </div> flex
            <div class="menu h-14"> flex
              <a class="link_675b2 cursor-pointer" target href="/guide/introduction.htm...> ... </a>
              <a class="link_675b2 cursor-pointer" target href="/config.html"> ... </a>
              <a class="link_675b2 cursor-pointer" target href="/api.html"> ... </a>
              <a class="link_675b2 cursor-pointer" target href="/blog/announcement.htm...> ... </a>
            <div class="mx-3 last:mr-0">
              <div class="relative flex-center h-14"> flex
                <button class="nav-menu-group-button flex-center items-center font-medi...um text-sm text-text-1 hover:text-text-2 transition-colors duration-200"> flex
                  <span class="text-sm font-medium" style="margin-right: 2px;"> Ecosystem</span>
                  <svg width="1em" height="1em" viewBox="0 0 32 32"> ... </svg>
                </button>
                <div class="nav-menu-group-content absolute mx-0.8 transition-opacity d...uration-300 " style="opacity: 1; visibility: visible; right: 0px; top: 52px;">
                  <div class="p-3 pr-2 w-full h-full max-h-100vh whitespace-nowrap bg-w...hite" style="box-shadow: var(--modern-shadow-3); z-index: 100; borde...r: 1px solid var(--modern-c-divider-light); border-radius: 2rem;"> == $0
                    <div>
                      <div class="font-medium my-1"> ... </div>
                    </div>
                    <div> ... </div>
                  </div>
                </div>
              <div class="mx-3 last:mr-0"> ... </div>
            </div>
            <div class="flex-center flex-row"> ... </div> flex
          </div>
          <div class="mobileNavMenu_758fb"> ... </div>
        </div>
      </div>
    </div>
  </div>
```

```
Styles
Computed Layout DOM Breakpoints
Filter :hov .cls +
element.style {
  box-shadow: var(--modern-shadow-3);
  z-index: 100;
  border: 1px solid var(--modern-c-divider-light);
  border-radius: 2rem;
}
.p-3 { index.css:
  padding: 0.75rem;
}
.bg-white { index.css:
  --tw-bg-opacity: 1;
  background-color: rgb(255 255 255/ var(--tw-bg-opacity));
}
.whitespace-nowrap { index.css:
  white-space: nowrap;
}
.w-full { index.css:
  width: 100%;
}
.h-full { index.css:
  height: 100%;
}
.pr-2 { bundle.css:78
  padding-right: 0.5rem;
}
.p-3 { bundle.css:73
  padding: 0.75rem;
}
.bg-white { bundle.css:71
  background-color: var(--modern-c-bg);
}
.whitespace-nowrap { bundle.css:65
  white-space: nowrap;
}
.w-full { bundle.css:57
  width: 100%;
}
.h-full { bundle.css:55
  height: 100%;
}
*, ::before, ::after { index.css:
  --tw-border-spacing-x: 0;
  --tw-border-spacing-y: 0;
  tw-translate: 0;
}
```