

Reveal-Skel

A template for Reveal.js-based presentations

build passing

dependencies up to date

devDependencies up to date

(open master view)

Ryan Hutton

Opening Question

###

Outline (ref)

1. Point **One** (Rom 1:1,5)
2. Point **Two** (v2)
3. Point **Three** (v3-4)

Point One

```
class BST:
    def __init__(self):
        self.root = None

    def search(self, key): # iterative search
        cur = self.root
        while (cur != None):
            if key < cur.key: cur = cur.left
            else if key > cur.key: cur = cur.right
            else: return cur
```

Review question for Point **One**

Outline 大綱

1. Point One (v1)
2. **Point Two** (v2)
3. Point Three (v3)

- A bit of math:

$$\hat{f}(\omega) = \int_{-\infty}^{\infty} f(x) e^{-2\pi x \omega} dx$$

Point Two

- **Multi-col** layout!
- 1/3 width for text
- `imgbox` div



Review question for Point **Two**

Outline

1. Point **One** (v1)
2. Point **Two** (v2)
3. **Point Three** (v3)

Point Three

ID	Date	Intensity	Diffusion
23	2017 Jan 3	17.3	0.238
83	2017 Feb 5	87.2	0.022
39	2017 Mar 1	219.0	0.912
12	2017 Apr 2	5.2	0.465
65	2017 May 2	1022.6	0.663

Review question for Point **Three**

Outline

1. Point **One** (v1)
2. Point **Two** (v2)
3. Point **Three** (v3)

