

Onchain answers for AI agents

Call an onchain tool, pay a cent, get a decision. No account, no API key, no subscription. No answer, no charge.

THE PROBLEM

An agent that needs onchain data today has to become a customer first

Sign up for each provider

API keys, dashboards, rate limits, a card on file. Per source. Before the first useful call.

Pay for access, not answers

Subscriptions charge whether the data was useful or not. An empty result costs the same as a good one.

Get rows, not verdicts

27 lending markets come back as 27 objects. Which one is stale, which one is a trap, which one can you actually withdraw from: the agent has to work it out itself.

Nobody can list a tool

Every provider is its own island. There is no place an agent can discover what exists and what it costs.

THE PRODUCT

A catalogue of paid onchain tools, one endpoint, pay per answer

Discover

One MCP URL, or plain HTTP. The agent lists every tool and its price for free.

Pay per call, from the agent's own wallet

Every call returns 402 with the price and the rails. The agent signs with x402; the router never holds a key or a balance.

Get a verdict


Every tool turns onchain state into a decision, and says when the data cannot be trusted.

No answer, no charge

A tool with nothing to say never settles the payment. You buy verdicts, not attempts. Enforced on HTTP and MCP alike.

0% commission

Every tool names its payout address. Each call settles from the agent's wallet straight to the author. An existing x402 endpoint can be listed as is; the router relays and takes nothing.



ARC AND CIRCLE

Autonomous USDC payments on Arc, signed by a Circle agent wallet

Circle developer-controlled wallet

The agent's wallet lives in Circle. The router's wallet MCP asks Circle to sign the EIP-712 payment; the private key never reaches the machine.

Circle Gateway as x402 facilitator

Verifies the signature and settles USDC in batches. Gasless for the payer, which is what makes a one-cent price possible.

Settles to the tool author

The 402 names the author's Arc address. Money goes agent → author. The router is never in the middle.

```
POST /api/tools/governance-pulse
{"protocol":"ens"}
```

```
← 402 Payment Required    24 ms
  offered: hedera:testnet, eip155:5042002
    ↳ signed, 10000 on eip155:5042002    1238 ms
    ↳ settled on eip155:5042002
      by 0x266b...bbde    2474 ms
```

```
← 200 OK in 2474 ms
ens governance is active: 6 proposals
in the last 90 days, the latest 10 days ago.
gateway transfer 20788513-8325-...
```

WHERE IT STANDS

Live on testnet, verified end to end

5

tools, every one a verdict

9

chains of lending data, 58 live
deployments

2

payment rails: Hedera via
Blocky402, Arc via Circle Gateway

0%

router commission

Verified

Real settlements on both rails from HTTP, from an SDK agent over MCP, and from Claude Code with a wallet MCP beside it, unprompted. Coverage measured by a probe, not claimed.

Built with

The Graph (Messari standardized subgraphs) · Hedera (x402 via Blocky402) · Arc (x402 via Circle Gateway, Circle developer-controlled wallets) · Next.js · MCP

Links

github.com/web3xDev/onchain-router