

```

openapi: 3.1.0
info:
  title: Benchmarking Service
  version: 0.1.0
paths:
  /hello:
    get:
      tags:
        - hello
      summary: Hello
      description: Echo the validated caller-JWT claims. No Rossoctl call; no aud/exp
        gating.
      operationId: hello_hello_get
      parameters:
        - name: authorization
          in: header
          required: false
          schema:
            anyOf:
              - type: string
              - type: 'null'
            title: Authorization
      responses:
        '200':
          description: Successful Response
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/HelloResponse'
        '422':
          description: Validation Error
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/HTTPValidationError'
  /namespaces:
    get:
      tags:
        - benchmark
      summary: Namespaces
      description: 'Two-token smoke: ROPC login as benchmarker, then GET Rossoctl
        namespaces.'
      operationId: namespaces_namespaces_get
      parameters:
        - name: authorization
          in: header
          required: false
          schema:
            anyOf:
              - type: string
              - type: 'null'
            title: Authorization
      responses:
        '200':
          description: Successful Response
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/NamespaceResponse'
        '422':
          description: Validation Error
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/HTTPValidationError'
  /agents:
    get:
      tags:
        - agents

```

```

summary: List Agents
operationId: list_agents_agents_get
parameters:
- name: namespace
  in: query
  required: false
  schema:
    anyOf:
    - type: string
    - type: 'null'
    title: Namespace
- name: authorization
  in: header
  required: false
  schema:
    anyOf:
    - type: string
    - type: 'null'
    title: Authorization
responses:
  '200':
    description: Successful Response
    content:
      application/json:
        schema:
          type: object
          additionalProperties: true
          title: Response List Agents Agents Get
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
post:
  tags:
  - agents
  summary: Create Agent
  operationId: create_agent_agents_post
  parameters:
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
      - type: string
      - type: 'null'
      title: Authorization
  requestBody:
    required: true
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/AgentCreateRequest'
  responses:
    '201':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object
            additionalProperties: true
            title: Response Create Agent Agents Post
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'

```

```

/agents/{namespace}/{name}:
get:
  tags:
  - agents
  summary: Get Agent
  operationId: get_agent_agents__namespace___name__get
  parameters:
  - name: namespace
    in: path
    required: true
    schema:
      type: string
      title: Namespace
  - name: name
    in: path
    required: true
    schema:
      type: string
      title: Name
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
      - type: string
      - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object
            additionalProperties: true
            title: Response Get Agent Agents  Namespace  Name  Get
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
delete:
  tags:
  - agents
  summary: Delete Agent
  operationId: delete_agent_agents__namespace___name__delete
  parameters:
  - name: namespace
    in: path
    required: true
    schema:
      type: string
      title: Namespace
  - name: name
    in: path
    required: true
    schema:
      type: string
      title: Name
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
      - type: string
      - type: 'null'
      title: Authorization
  responses:

```

```

    '204':
      description: Successful Response
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/tools:
  get:
    tags:
      - tools
    summary: List Tools
    operationId: list_tools_tools_get
    parameters:
      - name: namespace
        in: query
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Namespace
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response List Tools Tools Get
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  post:
    tags:
      - tools
    summary: Create Tool
    operationId: create_tool_tools_post
    parameters:
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/ToolCreateRequest'
    responses:
      '201':
        description: Successful Response

```

```

    content:
      application/json:
        schema:
          type: object
          additionalProperties: true
          title: Response Create Tool Tools Post
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/tools/{namespace}/{name}:
  get:
    tags:
      - tools
    summary: Get Tool
    operationId: get_tool_tools__namespace___name__get
    parameters:
      - name: namespace
        in: path
        required: true
        schema:
          type: string
          title: Namespace
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response Get Tool Tools  Namespace  Name  Get
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  delete:
    tags:
      - tools
    summary: Delete Tool
    operationId: delete_tool_tools__namespace___name__delete
    parameters:
      - name: namespace
        in: path
        required: true
        schema:
          type: string
          title: Namespace
      - name: name
        in: path
        required: true

```

```

    schema:
      type: string
      title: Name
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
  responses:
    '204':
      description: Successful Response
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks:
  get:
    tags:
      - benchmarks
    summary: List Benchmarks
    operationId: list_benchmarks_benchmarks_get
    parameters:
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response List Benchmarks Benchmarks Get
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}:
  get:
    tags:
      - benchmarks
    summary: Get Benchmark
    operationId: get_benchmark_benchmarks__name__get
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string

```

```

    - type: 'null'
    title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object
            additionalProperties: true
            title: Response Get Benchmark Benchmarks Name Get
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/deploy:
  post:
    tags:
      - benchmarks
    summary: Deploy Benchmark
    operationId: deploy_benchmark_benchmarks__name__deploy_post
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/DeployBenchmarkRequest'
    responses:
      '201':
        description: Successful Response
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/DeployBenchmarkResponse'
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  delete:
    tags:
      - benchmarks
    summary: Teardown Benchmark
    operationId: teardown_benchmark_benchmarks__name__deploy_delete
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name

```

- name: namespace
 - in: query
 - required: false
 - schema:
 - type: string
 - default: team1
 - title: Namespace
- name: agent
 - in: query
 - required: false
 - schema:
 - type: string
 - default: tool_calling
 - title: Agent
- name: experiment
 - in: query
 - required: false
 - schema:
 - type: string
 - default: default
 - title: Experiment
- name: authorization
 - in: header
 - required: false
 - schema:
 - anyOf:
 - type: string
 - type: 'null'
 - title: Authorization

responses:

- '204':
 - description: Successful Response
- '422':
 - description: Validation Error
 - content:
 - application/json:
 - schema:
 - \$ref: '#/components/schemas/HTTPValidationError'

/benchmarks/{name}/status:

get:

- tags:
 - benchmarks
- summary: Benchmark Status
- operationId: benchmark_status_benchmarks__name__status_get
- parameters:
 - name: name
 - in: path
 - required: true
 - schema:
 - type: string
 - title: Name
 - name: namespace
 - in: query
 - required: false
 - schema:
 - type: string
 - default: team1
 - title: Namespace
 - name: agent
 - in: query
 - required: false
 - schema:
 - type: string
 - default: tool_calling
 - title: Agent
 - name: experiment
 - in: query
 - required: false
 - schema:
 - type: string
 - default: default
 - title: Experiment


```

    type: string
    default: default
    title: Experiment
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
responses:
  '200':
    description: Successful Response
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/BenchmarkStatusResponse'
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/runs:
  post:
    tags:
      - runs
    summary: Start Run
    operationId: start_run_benchmarks__name__runs_post
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/RunRequest'
    responses:
      '202':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response Start Run Benchmarks  Name  Runs Post
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  get:
    tags:
      - runs

```

```

summary: List Runs
operationId: list_runs_benchmarks__name__runs_get
parameters:
- name: name
  in: path
  required: true
  schema:
    type: string
    title: Name
- name: authorization
  in: header
  required: false
  schema:
    anyOf:
    - type: string
    - type: 'null'
    title: Authorization
responses:
  '200':
    description: Successful Response
    content:
      application/json:
        schema:
          type: object
          additionalProperties: true
          title: Response List Runs Benchmarks  Name  Runs Get
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/runs/{run_id}:
get:
  tags:
  - runs
  summary: Get Run
  operationId: get_run_benchmarks__name__runs__run_id__get
  parameters:
  - name: name
    in: path
    required: true
    schema:
      type: string
      title: Name
  - name: run_id
    in: path
    required: true
    schema:
      type: string
      title: Run Id
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
      - type: string
      - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/RunState'
    '422':
      description: Validation Error
      content:

```

```

        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/runs/{run_id}/report:
  get:
    tags:
      - runs
    summary: Get Run Report
    description: Structured MLflow report scoped to a single run (filtered to its
      session ids).
    operationId: get_run_report_benchmarks__name__runs__run_id__report_get
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: run_id
        in: path
        required: true
        schema:
          type: string
          title: Run Id
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/RunReportResponse'
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/report:
  get:
    tags:
      - runs
    summary: Get Experiment Report
    description: Structured MLflow report aggregated across an experiment's runs
      (time-windowed).
    operationId: get_experiment_report_benchmarks__name__report_get
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: experiment
        in: query
        required: false
        schema:
          type: string
          default: default
          title: Experiment
      - name: window_h
        in: query

```

```

    required: false
    schema:
      type: number
      default: 3.0
      title: Window H
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/ExperimentReportResponse'
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/config:
  get:
    tags:
      - config
    summary: Get Config
    description: Effective Service-enacted config for the caller's instance, secrets
      redacted.
    operationId: get_config_config_get
    parameters:
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/ConfigResponse'
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  put:
    tags:
      - config
    summary: Update Config
    description: Set/update Service-enactable config (MLflow, S3). Workload creds
      are rejected (422).
    operationId: update_config_config_put
    parameters:
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:

```

```

    - type: string
    - type: 'null'
    title: Authorization
requestBody:
  required: true
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/ConfigUpdateRequest'
responses:
  '200':
    description: Successful Response
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/ConfigResponse'
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
components:
  schemas:
    AgentCreateRequest:
      properties:
        name:
          type: string
          title: Name
        namespace:
          type: string
          title: Namespace
        container_image:
          type: string
          title: Container Image
        image_tag:
          type: string
          title: Image Tag
          default: ''
        env_vars:
          items:
            $ref: '#/components/schemas/EnvVar'
          type: array
          title: Env Vars
        service_ports:
          items:
            $ref: '#/components/schemas/ServicePort'
          type: array
          title: Service Ports
        resources:
          anyOf:
            - $ref: '#/components/schemas/AgentResources'
            - type: 'null'
        image_pull_policy:
          anyOf:
            - type: string
            - type: 'null'
          title: Image Pull Policy
        protocol:
          type: string
          title: Protocol
          default: a2a
        framework:
          type: string
          title: Framework
          default: custom
        deployment_method:
          type: string
          title: Deployment Method

```

```

    default: image
workload_type:
  type: string
  title: Workload Type
  default: deployment
create_http_route:
  type: boolean
  title: Create Http Route
  default: true
authbridge_enabled:
  type: boolean
  title: Authbridge Enabled
  default: false
spire_enabled:
  type: boolean
  title: Spire Enabled
  default: false
type: object
required:
- name
- namespace
- container_image
title: AgentCreateRequest
AgentResources:
  properties:
    requests:
      anyOf:
      - $ref: '#/components/schemas/ResourceQuantities'
      - type: 'null'
    limits:
      anyOf:
      - $ref: '#/components/schemas/ResourceQuantities'
      - type: 'null'
  type: object
  title: AgentResources
BenchmarkStatusResponse:
  properties:
    benchmark:
      type: string
      title: Benchmark
    namespace:
      type: string
      title: Namespace
    tool_name:
      type: string
      title: Tool Name
    agent_name:
      type: string
      title: Agent Name
    tool_ready:
      type: boolean
      title: Tool Ready
    agent_ready:
      type: boolean
      title: Agent Ready
    tool_status:
      anyOf:
      - type: string
      - type: 'null'
      title: Tool Status
    agent_status:
      anyOf:
      - type: string
      - type: 'null'
      title: Agent Status
  type: object
  required:
- benchmark
- namespace

```

- tool_name
- agent_name
- tool_ready
- agent_ready

title: BenchmarkStatusResponse

ConfigResponse:

properties:

- iss:
 - type: string
 - title: Iss
- mlflow:
 - \$ref: '#/components/schemas/MLflowConfig'
- s3:
 - \$ref: '#/components/schemas/S3Config'

type: object

required:

- iss
- mlflow
- s3

title: ConfigResponse

description: Effective Service-enacted config for an instance, with secret fields redacted.

ConfigUpdateRequest:

properties:

- mlflow:
 - anyOf:
 - \$ref: '#/components/schemas/MLflowConfig'
 - type: 'null'
- s3:
 - anyOf:
 - \$ref: '#/components/schemas/S3Config'
 - type: 'null'

additionalProperties: false

type: object

title: ConfigUpdateRequest

description: 'Benchmarkmarker-only config update. Accepts ONLY parameters the Service can enact.

`extra="forbid"` is the guard: an attempt to set a workload-provided credential (e.g. `hf-secret`) – which the Service never sets – is rejected as 422. Workload credentials are provisioned out-of-band and verified by the workload precheck.'

DeployBenchmarkRequest:

properties:

- agent:
 - type: string
 - title: Agent
 - default: tool_calling
- model:
 - anyOf:
 - type: string
 - type: 'null'
 - title: Model
- namespace:
 - type: string
 - title: Namespace
 - default: team1
- experiment:
 - type: string
 - title: Experiment
 - default: default
- authbridge_enabled:
 - type: boolean
 - title: Authbridge Enabled
 - default: false
- plugin_preset:
 - anyOf:

```

    - type: string
    - type: 'null'
    title: Plugin Preset
  plugins:
    anyOf:
    - items:
        type: string
        type: array
    - type: 'null'
    title: Plugins
  plugin_config_file:
    anyOf:
    - type: string
    - type: 'null'
    title: Plugin Config File
type: object
title: DeployBenchmarkRequest
DeployBenchmarkResponse:
  properties:
    benchmark:
      type: string
      title: Benchmark
    namespace:
      type: string
      title: Namespace
    tool_name:
      type: string
      title: Tool Name
    agent_name:
      type: string
      title: Agent Name
    tool:
      additionalProperties: true
      type: object
      title: Tool
    agent:
      additionalProperties: true
      type: object
      title: Agent
type: object
required:
- benchmark
- namespace
- tool_name
- agent_name
- tool
- agent
title: DeployBenchmarkResponse
EnvVar:
  properties:
    name:
      type: string
      title: Name
    value:
      anyOf:
      - type: string
      - type: 'null'
      title: Value
    value_from:
      anyOf:
      - $ref: '#/components/schemas/EnvVarSource'
      - type: 'null'
type: object
required:
- name
title: EnvVar
EnvVarSource:
  properties:
    secret_key_ref:

```



```

    $ref: '#/components/schemas/SecretKeyRef'
  type: object
  required:
  - secret_key_ref
  title: EnvVarSource
ExperimentReportResponse:
  properties:
    benchmark:
      type: string
      title: Benchmark
    experiment:
      type: string
      title: Experiment
    window_h:
      type: number
      title: Window H
    trace_count:
      type: integer
      title: Trace Count
    aggregates:
      items:
        $ref: '#/components/schemas/ReportAggregate'
      type: array
      title: Aggregates
    records:
      items:
        $ref: '#/components/schemas/MLflowTraceRecord'
      type: array
      title: Records
  type: object
  required:
  - benchmark
  - experiment
  - window_h
  - trace_count
  title: ExperimentReportResponse
HTTPValidationError:
  properties:
    detail:
      items:
        $ref: '#/components/schemas/ValidationError'
      type: array
      title: Detail
  type: object
  title: HTTPValidationError
HelloResponse:
  properties:
    iss:
      type: string
      title: Iss
    preferred_username:
      anyOf:
      - type: string
      - type: 'null'
      title: Preferred Username
    rossoctl_base_url:
      type: string
      title: Rossoctl Base Url
    claims:
      additionalProperties: true
      type: object
      title: Claims
  type: object
  required:
  - iss
  - preferred_username
  - rossoctl_base_url
  - claims
  title: HelloResponse

```

```

MLflowConfig:
  properties:
    tracking_url:
      anyOf:
        - type: string
        - type: 'null'
      title: Tracking Url
    client_id:
      anyOf:
        - type: string
        - type: 'null'
      title: Client Id
    client_secret:
      anyOf:
        - type: string
        - type: 'null'
      title: Client Secret
    token_url:
      anyOf:
        - type: string
        - type: 'null'
      title: Token Url
    username:
      anyOf:
        - type: string
        - type: 'null'
      title: Username
    password:
      anyOf:
        - type: string
        - type: 'null'
      title: Password
    oauth_url:
      anyOf:
        - type: string
        - type: 'null'
      title: OAuth Url
    bearer_token:
      anyOf:
        - type: string
        - type: 'null'
      title: Bearer Token
    experiment_id:
      type: string
      title: Experiment Id
      default: '0'
    workspace:
      anyOf:
        - type: string
        - type: 'null'
      title: Workspace
    insecure_tls:
      type: boolean
      title: Insecure Tls
      default: false
  type: object
  title: MLflowConfig
MLflowTraceRecord:
  properties:
    session_id:
      type: string
      title: Session Id
    agent_name:
      type: string
      title: Agent Name
    benchmark_name:
      type: string
      title: Benchmark Name
  model:

```

```
  type: string
  title: Model
num_parallel:
  type: integer
  title: Num Parallel
status:
  type: string
  title: Status
total_latency_s:
  type: number
  title: Total Latency S
experiment_name:
  type: string
  title: Experiment Name
  default: default
start_time:
  type: string
  title: Start Time
  default: ''
evaluation_result:
  anyOf:
    - type: boolean
    - type: 'null'
  title: Evaluation Result
status_message:
  type: string
  title: Status Message
  default: ''
session_creation_s:
  type: number
  title: Session Creation S
  default: 0.0
agent_call_s:
  type: number
  title: Agent Call S
  default: 0.0
evaluation_s:
  type: number
  title: Evaluation S
  default: 0.0
llm_total_s:
  type: number
  title: Llm Total S
  default: 0.0
llm_after_obs_s:
  type: number
  title: Llm After Obs S
  default: 0.0
tool_total_s:
  type: number
  title: Tool Total S
  default: 0.0
time_to_first_obs_s:
  type: number
  title: Time To First Obs S
  default: 0.0
overhead_s:
  type: number
  title: Overhead S
  default: 0.0
llm_count:
  type: integer
  title: Llm Count
  default: 0
llm_count_after_obs:
  type: integer
  title: Llm Count After Obs
  default: 0
tool_count:
```

```
    type: integer
    title: Tool Count
    default: 0
  llm_input_tokens:
    type: integer
    title: Llm Input Tokens
    default: 0
  llm_output_tokens:
    type: integer
    title: Llm Output Tokens
    default: 0
  mcp_cpu_utilization_pct:
    type: number
    title: Mcp Cpu Utilization Pct
    default: 0.0
  mcp_throttle_pct:
    type: number
    title: Mcp Throttle Pct
    default: 0.0
  mcp_memory_max_mb:
    type: number
    title: Mcp Memory Max Mb
    default: 0.0
  mcp_memory_utilization_pct:
    type: number
    title: Mcp Memory Utilization Pct
    default: 0.0
  mcp_network_rx_mb:
    type: number
    title: Mcp Network Rx Mb
    default: 0.0
  mcp_network_tx_mb:
    type: number
    title: Mcp Network Tx Mb
    default: 0.0
  a2a_cpu_utilization_pct:
    type: number
    title: A2A Cpu Utilization Pct
    default: 0.0
  a2a_throttle_pct:
    type: number
    title: A2A Throttle Pct
    default: 0.0
  a2a_memory_max_mb:
    type: number
    title: A2A Memory Max Mb
    default: 0.0
  a2a_memory_utilization_pct:
    type: number
    title: A2A Memory Utilization Pct
    default: 0.0
  a2a_network_rx_mb:
    type: number
    title: A2A Network Rx Mb
    default: 0.0
  a2a_network_tx_mb:
    type: number
    title: A2A Network Tx Mb
    default: 0.0
  has_infra:
    type: boolean
    title: Has Infra
    default: false
type: object
required:
- session_id
- agent_name
- benchmark_name
- model
```

- num_parallel
- status
- total_latency_s

title: MLflowTraceRecord
description: 'One `Agent.Session` trace aggregated into a structured record.'

Mirrors the upstream harness `TraceRecord`: per-session timing breakdown, LLM/tool latencies + token counts, infra CPU/mem, and evaluation outcome – parsed out of the OTEL spans the workload pods export to MLflow.'

NamespacesResponse:
properties:
 namespaces:
 items: {}
 type: array
 title: Namespaces
type: object
required:
 - namespaces
title: NamespacesResponse
ReportAggregate:
properties:
 agent_name:
 type: string
 title: Agent Name
 benchmark_name:
 type: string
 title: Benchmark Name
 model:
 type: string
 title: Model
 num_parallel:
 type: integer
 title: Num Parallel
 trace_count:
 type: integer
 title: Trace Count
 eval_pass_rate:
 type: number
 title: Eval Pass Rate
 total_latency_avg_s:
 type: number
 title: Total Latency Avg S
 total_latency_p50_s:
 type: number
 title: Total Latency P50 S
 total_latency_p95_s:
 type: number
 title: Total Latency P95 S
type: object
required:
 - agent_name
 - benchmark_name
 - model
 - num_parallel
 - trace_count
 - eval_pass_rate
 - total_latency_avg_s
 - total_latency_p50_s
 - total_latency_p95_s
title: ReportAggregate
description: Per-group rollup for an experiment report.
ResourceQuantities:
properties:
 cpu:
 anyOf:
 - type: string

```

    - type: 'null'
    title: Cpu
  memory:
    anyOf:
    - type: string
    - type: 'null'
    title: Memory
  type: object
  title: ResourceQuantities
RunArtifact:
  properties:
    name:
      type: string
      title: Name
    format:
      type: string
      title: Format
    key:
      type: string
      title: Key
    url:
      type: string
      title: Url
    size_bytes:
      type: integer
      title: Size Bytes
  type: object
  required:
  - name
  - format
  - key
  - url
  - size_bytes
  title: RunArtifact
  description: 'A single S3 object exported for a completed run.

```

Surfaced in the run/report payload so a client can selectively fetch only the file(s) it

needs (e.g. Parquet for analytics, NDJSON for streaming) instead of the full inline records.'

```

RunReportResponse:
  properties:
    run_id:
      type: string
      title: Run Id
    benchmark:
      type: string
      title: Benchmark
    experiment:
      type: string
      title: Experiment
    trace_count:
      type: integer
      title: Trace Count
    records:
      items:
        $ref: '#/components/schemas/MLflowTraceRecord'
      type: array
      title: Records
    artifacts:
      items:
        $ref: '#/components/schemas/RunArtifact'
      type: array
      title: Artifacts
  type: object
  required:
  - run_id

```

- benchmark
- experiment
- trace_count

title: RunReportResponse

RunRequest:

properties:

agent:

- type: string
- title: Agent
- default: tool_calling

model:

- anyOf:
 - type: string
 - type: 'null'
- title: Model

namespace:

- type: string
- title: Namespace
- default: team1

experiment:

- type: string
- title: Experiment
- default: default

max_tasks:

- type: integer
- title: Max Tasks
- default: 1

max_parallel_sessions:

- type: integer
- title: Max Parallel Sessions
- default: 1

timeout_seconds:

- type: number
- title: Timeout Seconds
- default: 300.0

type: object

title: RunRequest

RunState:

properties:

run_id:

- type: string
- title: Run Id

benchmark:

- type: string
- title: Benchmark

agent:

- type: string
- title: Agent

namespace:

- type: string
- title: Namespace

experiment:

- type: string
- title: Experiment

status:

- \$ref: '#/components/schemas/RunStatus'
- default: pending

started_at:

- anyOf:
 - type: number
 - type: 'null'
- title: Started At

finished_at:

- anyOf:
 - type: number
 - type: 'null'
- title: Finished At

summary:

- anyOf:

```

    - $ref: '#/components/schemas/RunSummary'
    - type: 'null'
  results:
    items:
      $ref: '#/components/schemas/TaskResult'
    type: array
    title: Results
  error:
    anyOf:
      - type: string
      - type: 'null'
    title: Error
  artifacts_prefix:
    anyOf:
      - type: string
      - type: 'null'
    title: Artifacts Prefix
  artifacts:
    items:
      $ref: '#/components/schemas/RunArtifact'
    type: array
    title: Artifacts
type: object
required:
- run_id
- benchmark
- agent
- namespace
- experiment
title: RunState
RunStatus:
  type: string
  enum:
    - pending
    - running
    - succeeded
    - failed
  title: RunStatus
RunSummary:
  properties:
    total:
      type: integer
      title: Total
    succeeded:
      type: integer
      title: Succeeded
    evaluated_pass:
      type: integer
      title: Evaluated Pass
    pass_rate:
      type: number
      title: Pass Rate
    wall_seconds:
      type: number
      title: Wall Seconds
type: object
required:
- total
- succeeded
- evaluated_pass
- pass_rate
- wall_seconds
title: RunSummary
S3Config:
  properties:
    endpoint_url:
      anyOf:
        - type: string
        - type: 'null'

```



```

    title: Endpoint Url
  bucket:
    anyOf:
      - type: string
      - type: 'null'
    title: Bucket
  region:
    anyOf:
      - type: string
      - type: 'null'
    title: Region
  access_key_id:
    anyOf:
      - type: string
      - type: 'null'
    title: Access Key Id
  secret_access_key:
    anyOf:
      - type: string
      - type: 'null'
    title: Secret Access Key
  prefix:
    anyOf:
      - type: string
      - type: 'null'
    title: Prefix
  public_read:
    type: boolean
    title: Public Read
    default: true
type: object
title: S3Config
description: 'Service-enacted object store for hosting benchmark-result artifacts.

```

Consumed by the Service itself (not the workload pods), so it is set/updated via

the benchmarker-only config API rather than provisioned as a cluster Secret.'

```

SecretKeyRef:
  properties:
    name:
      type: string
      title: Name
    key:
      type: string
      title: Key
  type: object
  required:
    - name
    - key
  title: SecretKeyRef
ServicePort:
  properties:
    name:
      type: string
      title: Name
      default: http
    port:
      type: integer
      title: Port
      default: 8080
    target_port:
      type: integer
      title: Target Port
      default: 8000
    protocol:
      type: string
      title: Protocol

```

```

    default: TCP
    type: object
    title: ServicePort
TaskResult:
  properties:
    task_id:
      type: string
      title: Task Id
    session_id:
      anyOf:
        - type: string
        - type: 'null'
      title: Session Id
    passed:
      type: boolean
      title: Passed
      default: false
    latency_seconds:
      type: number
      title: Latency Seconds
      default: 0.0
    error:
      anyOf:
        - type: string
        - type: 'null'
      title: Error
  type: object
  required:
    - task_id
  title: TaskResult
ToolCreateRequest:
  properties:
    name:
      type: string
      title: Name
    namespace:
      type: string
      title: Namespace
    container_image:
      type: string
      title: Container Image
    image_tag:
      type: string
      title: Image Tag
      default: ''
    env_vars:
      items:
        $ref: '#/components/schemas/EnvVar'
      type: array
      title: Env Vars
    service_ports:
      items:
        $ref: '#/components/schemas/ServicePort'
      type: array
      title: Service Ports
    resources:
      anyOf:
        - $ref: '#/components/schemas/AgentResources'
        - type: 'null'
    image_pull_policy:
      anyOf:
        - type: string
        - type: 'null'
      title: Image Pull Policy
    protocol:
      type: string
      title: Protocol
      default: mcp
  framework:

```

```

    type: string
    title: Framework
    default: custom
  deployment_method:
    type: string
    title: Deployment Method
    default: image
  workload_type:
    type: string
    title: Workload Type
    default: deployment
  create_http_route:
    type: boolean
    title: Create Http Route
    default: true
type: object
required:
- name
- namespace
- container_image
title: ToolCreateRequest
description: An MCP tool/benchmark-server workload deployed via Rossoctl POST
/api/v1/tools.
ValidationError:
  properties:
    loc:
      items:
        anyOf:
          - type: string
          - type: integer
        type: array
        title: Location
    msg:
      type: string
      title: Message
    type:
      type: string
      title: Error Type
    input:
      title: Input
    ctx:
      type: object
      title: Context
type: object
required:
- loc
- msg
- type
title: ValidationError
securitySchemes:
  bearerAuth:
    type: http
    scheme: bearer
    bearerFormat: JWT
    description: Caller JWT. Used only for attribution (preferred_username) and
      issuer-based routing (iss); never forwarded upstream – the Service mints its
      own ROPC token for Rossoctl calls.
security:
- bearerAuth: []

```