



Laboratory Investigation Report

Patient Name	: Jyoti	Centre	: 1148 - Arctern Healthcare, Ggn
Age/Gender	: 32 Y 5 M 1 D /F	OP/IP No	: OP/100005
Max ID/Mobile	: 398832/8752005200	Collection Date/Time	: 01/Sep/2021 01:53PM
Lab ID	: 0877092100015	Receiving Date	: 01/Sep/2021
Ref Doctor	: Dr.Dr. Richika Sahay Shukla	Reporting Date	: 04/Sep/2021

Test Name	Outsourced Result	Unit	Bio Ref Interval
-----------	-------------------	------	------------------

MTHFR Gene Mutation PCR (L)*, EDTA

Real Time PCR

MTHFR (Methyl Tetrahydrofolate Reductase) GENE MUTATION

C677T	Heterozygous mutation detected
A1298C	Not Detected

Ref Range

Result	Comments
Homozygous mutation detected	Both copies of the gene carry mutation.
Heterozygous mutation detected	One copy of the gene carries mutation.
Not Detected	Mutation not detected.

Note

1. This assay detects the mutation C677T and A1298C in MTHFR.
2. This is an in-house developed assay
3. Test conducted on Whole blood
4. Genetic counseling available.

Comments

Homozygous mutation for MTHFR (Methyltetrahydrofolate reductase) is associated with hyperhomocysteinemia which is an independent risk factor for Stroke, Myocardial infarction, Peripheral arterial disease and venous thrombosis. Indian studies suggest that heterozygosity for MTHFR C 677T is also associated with elevated homocysteine levels. MTHFR C677T or A1298C carriers are not at increased risk for thrombosis in the absence of hyperhomocysteinemia. Homozygous MTHFR C 677T or A1298C carriers are at increased risk for hyperhomocysteinemia if they become deficient in vitamins B 6, B12 or folic acid. Hyperhomocysteinemia is a relatively weak risk factor for both venous thromboembolism and arterial thrombosis. According to ACMG guidelines there is growing evidence that MTHFR polymorphism testing has minimal clinical utility and, therefore should not be ordered as a part of a routine evaluation for thrombophilia.



SIN No:B2B909885, Test Performed at :585 - Max Hospital - Gurugram, Opposite HUDA City Centre Metro Station, B - Block
Booking Centre :1148 - Arctern Healthcare, GGN, Tower A Paras Twin Tower Suncity Sec 54, 9797795492

The authenticity of the report can be verified by scanning the Q R Code on top of the page

Max Lab Limited (A Wholly Owned Subsidiary of Max Healthcare Institute Ltd.)

Max Lab, Max Hospital, Gurgaon: Opposite HUDA City Centre Metro Station, B-Block, Sushant Lok-1, Gurgaon-122001,
Phone: +91-124-6623 000 | (CIN No.: U85100DL2021PLC381826)

Helpline No. 7982 100 200 | www.maxlab.co.in | feedback@maxlab.co.in

Conditions of Reporting: 1. The tests are carried out in the lab with the presumption that the specimen belongs to the patient name as identified in the bill/test request form. 2. The test results relate specifically to the sample received in the lab and are presumed to have been generated and transported per specific instructions given by the physicians/laboratory. 3. The reported results are for the information and interpretation by the referring doctor only. 4. Some tests are referred to other laboratories to provide a wider test menu to the customer. 5. Max Healthcare shall in no event be liable for accidental damages loss, or destruction of specimen which is not attributable to any direct and mala fide act or omission of Max Healthcare or its employees. Liability of Max Healthcare for deficiency of services, or other errors and omissions shall be limited to fee paid by the patient for the relevant laboratory services.