

One form.

Three operating modes.

Prepared for Ralph / RoofZeus | September 12, 2026

What is ready now: the shareable /demo route reuses the homeowner form and ends in a demo confirmation. Staging and live delivery are implemented but inactive until their external setup and approvals are complete.

MODE	WHEN TO USE IT	WHAT COMPLETION MEANS
Demo	Now: application review, design feedback and form demonstrations.	Browser validation only. No lead saved or delivered. No partner acceptance is simulated.
Staging	After account access and test instructions are agreed.	The gateway attempts a real test delivery. Test data and receipts are stored privately. Outcomes come from the partner test response.
Live	After testing, consent review and production enablement.	Real homeowner requests can be delivered. Acceptance, no match and uncertain delivery remain distinct outcomes.

The demo URL stays a demo

<https://roofzeus.com/demo> uses the same page layout and form components as the homepage. It ignores delivery configuration and does not load the gateway, Google address search, ZIP lookup, TrustedForm or Turnstile. ZIP and contact details are not written to browser storage or added to the URL by the demo.

Use sample details. Ordinary website hosting requests still occur, but completing the form creates no lead record. Refreshing or restarting the demo clears the journey. The route is marked noindex and excluded from the sitemap; it is public, not password protected.

The switch is configuration, not a redesign

RoofZeus uses a server environment setting: disabled, staging or production. The API integration uses mode=api throughout. The route /demo is a separate UI-only mode; it never changes server settings. A query parameter cannot activate delivery. The existing hosted-referral alternative is outside this direct-API guide.

Requirements and ownership

Confirmed in the published Modernize specification [1]: an active publisher account, authorization for the service and an environment-specific tagId are needed. Staging precedes production; Modernize reviews testing and enables production. Staging leads are not billable. TrustedForm is required; Jornaya is optional in that public specification. A successful Ping is not a completed sale. Post supplies contact details and the displayed consent.

ITEM / OWNER	STAGING	LIVE
Modernize account manager tagId and source identifier	Confirm test access. Published test tagId: 204670250. Agree sourceId and synthetic test cases.	Use your assigned production tagId. RoofZeus rejects the published staging tag in production.
Modernize account manager Services and consent	Obtain authorized services, exact consent text, and review instructions.	Use the approved text/version and authorized service list. Confirm coverage, traffic, payout and rejection terms.
TrustedForm Certify Account-issued SDK snippet [2]	Configure sandbox=true in RoofZeus. Sandbox certificates cannot be claimed; confirm the test procedure with the recipient.	Configure sandbox=false. Have the recipient review the real certificate and confirm retention/claim responsibilities.
Cloudflare Turnstile RoofZeus bot protection [3]	Separate widget allowing the local test hostname. Use its matching site/secret key pair.	Separate widget restricted to roofzeus.com and www.roofzeus.com.
Ralph / deployment operator Firebase + Vercel	Recommended: separate Firebase test project. No such project is created by this change.	Existing Firebase project: roofzeus-2f15c. Vercel serves the public frontend.

Not a certification: our code follows the published contract, but Modernize has not reviewed this account or flow. If dynamic advertiser selection or Jornaya is required for your account, additional implementation is needed. The current gate supports approved static consent only.

Turnstile and the private receipt secret are RoofZeus safeguards, not requirements attributed to Modernize. Obtain the TrustedForm snippet through your own account; no private TrustedForm API key belongs in the browser. [2,3]

Exactly where the settings go

SETTING	LOCATION AND PURPOSE
MODERNIZE_SETTINGS	Firebase Secret Manager, bound to modernizeGateway. JSON containing the environment, tagId, sourceId, consent and service configuration. Separate values per Firebase project.
TURNSTILE_SECRET_KEY	Firebase secret. Private key matching the widget used by this environment. Never a VITE variable.
MODERNIZE_RECEIPT_SECRET	Firebase secret. Generate at least 32 random characters per environment. Keep stable; rotating without a migration breaks existing receipt lookup and duplicate hashes.
PUBLIC_ALLOWED_ORIGINS	Firebase function parameter, not a secret. Comma-separated exact browser origins. Local staging example: http://127.0.0.1:5173. Production: https://roofzeus.com,https://www.roofzeus.com.
VITE_MODERNIZE_GATEWAY_URL	Local .env.local for staging; Vercel Production environment for live. Use the exact deployed function URL with no /config or /submit suffix.
VITE_TURNSTILE_SITE_KEY	Public widget key. Local staging key and live Vercel key must match their backend secret.
VITE_LEAD_DELIVERY	Set modernize for the direct integration. This selects the delivery implementation; it does not authorize live delivery.
VITE_GOOGLE_MAPS_API_KEY	Optional browser-restricted key for the real address lookup. Already configured by you. Add the exact local origin if testing locally. The /demo route skips Google.

What goes inside MODERNIZE_SETTINGS

Start from functions/modernize-settings.example.json. Keep your populated copy outside the deployed functions folder as modernize-settings.local.json; do not commit it. This is a configuration file, not a place to invent approval values.

Environment: environment, accountApproved, productionApproved.

Account: tagId, sourceId (mapped to partnerSourceId), approvedServices.

Consent: consentApproved, staticConsentApproved, jornadaRequired, consentText, consentVersion, trustedFormScriptUrl.

Commercial controls: allowedZips and minimumPrice. An empty ZIP list is no local restriction, not proof of national coverage. Zero minimumPrice allows zero-dollar offers.

VITE values are visible in browser code. Never store Modernize identifiers or backend secrets under that prefix. Firebase secret updates require redeployment of the function that uses them; Vercel environment changes require a new frontend build. [4]

Activate staging first

Current staging boundary: the backend accepts staging submissions only from localhost or 127.0.0.1, and the exact origin must also be allowlisted. Use / on that local frontend, not /demo. A public /staging URL is not implemented. For remote review today, share /demo or screen-share the local staging test.

1 / Obtain access and fill the private configuration

After the account manager authorizes testing, use `environment=staging`, `mode=api` and `accountApproved=true`. Leave `productionApproved=false`. Set the approved consent flags only when supported by their review; set `jornayaRequired=false` only after confirming the applicable requirement. Fill the remaining account fields from the agreed test setup.

The TrustedForm script must come from your account. Our validator expects HTTPS `api.trustedform.com/trustedform.js` with `field=xxTrustedFormCertUrl`, `use_tagged_consent=true` and `sandbox=true`. Preserve other account parameters. If the recipient needs a claimable certificate test, agree that procedure before changing these guardrails.

2 / Prepare the staging backend

Choose a separate Firebase project with billing and deployment access. Create its named Firestore database `roofzeus-leads`, deploy `firestore.leads.rules` (deny all browser access), and enable TTL on `expiresAt` for the Modernize collections described in `docs/MODERNIZE.md`. Keep the existing contractor database separate. Configure `PUBLIC_ALLOWED_ORIGINS` for the local frontend at deployment.

```
# PowerShell, from the repository root; Firebase CLI available
$targetProject = "REPLACE_WITH_STAGING_PROJECT_ID"
$settingsFile = "C:\secure\modernize-settings.local.json"
npm.cmd ci --prefix functions
npm.cmd run build --prefix functions
node operations/modernize.mjs check-config $settingsFile
firebase functions:secrets:set MODERNIZE_SETTINGS `
  --data-file $settingsFile --project $targetProject
firebase functions:secrets:set TURNSTILE_SECRET_KEY `
  --project $targetProject
firebase functions:secrets:set MODERNIZE_RECEIPT_SECRET `
  --project $targetProject
firebase deploy --only functions:modernizeGateway `
  --project $targetProject
```

3 / Connect your local frontend

In `.env.local`, set `VITE_LEAD_DELIVERY=modernize`, the deployed staging gateway URL and the staging Turnstile site key. Restart Vite with `npm.cmd run dev -- --host 127.0.0.1 --port 5173`. Use the real local-domain Turnstile widget for this end-to-end check; test keys alone do not establish production readiness.

The configuration checker must pass before deployment. It reports missing fields without printing secret values. Passing is not account approval. Placeholder project IDs and paths above must be replaced; do not execute these commands with guessed credentials.

Move from staging to live

Evidence to collect before the switch

Complete an agreed synthetic test through every step. Verify receipt creation, exact field mapping, certificate capture, consent text/version and the returned outcome. Test a rejection and a lost response so a retry checks the existing receipt instead of delivering the lead twice. Have Modernize confirm the test in its reporting and approve production activation.

CONTROL IN OUR SETTINGS	STAGING	PRODUCTION
environment	staging	production
accountApproved	true after account approval	true
productionApproved	false	true after explicit sign-off
tagId	Authorized test value	Assigned production value
trustedFormScriptUrl sandbox	true	false
Consent / services	Reviewed test configuration	Final approved text/version and services
Frontend + bot key	Local frontend + staging widget	Vercel Production + live widget

Deploy the live configuration

Repeat the page 4 validation, secret and function deployment steps against **roofzeus-2f15c** using the production settings file and production Turnstile secret. Provision the private named database and TTL policy there if missing. Keep each environment's receipt secret stable. Set the production origin parameter to the exact public domains.

In the Vercel project serving RoofZeus, set the page 3 VITE values in **Production**, point to the live gateway URL returned by deployment, and redeploy. Do not give arbitrary Preview deployments the production gateway configuration. Refresh the homepage: approved contact permission and verification now replace the closed preview behavior. /demo remains a demo.

Confirm operation, then acquire traffic

Verify the first legitimate request in the private receipt records and partner reporting. Keep pending or unknown outcomes separate from accepted leads; do not blindly resend. Agree how rejection credits, withdrawals, record retention and payout reconciliation will be handled. Ensure privacy@roofzeus.com is monitored before opening intake.

Pause without redesign: set environment=disabled in the live settings secret and redeploy modernizeGateway. New delivery closes; preserve the database and receipt secret so existing requests can be reconciled. The /demo review route continues to work. This switch does not recall leads already delivered.

Apply with a complete demo

A short review walkthrough

Send the reviewer roofzeus.com/demo. They can enter ZIP 78209, choose a replacement with asphalt and a timeline, then use the sample property 123 Example Lane, San Antonio, TX. Use Sample Homeowner, sample@example.com and (210) 555-0123. These are demo-only inputs; do not reuse them for live or staging delivery without an agreed test case.

The form validates required fields, completes with **Complete demo**, and shows **Demo completed successfully**. It does not fabricate partner acceptance, a contractor match, consent evidence or a lead reference. Address entry is manual in this demo; the real address-search integration remains on the ordinary flow.

Suggested application note:

RoofZeus is in prelaunch review. Our demo demonstrates the homeowner journey without submitting leads. We plan to complete your authorized staging tests, confirm consent and certificate requirements, and enable live delivery only after your production review.

Ask the account manager to confirm

Your test access and source identifier; eligible services and geography; exact consent and any advertiser selection requirements; certificate review and retention procedure; approved acquisition channels; test outcomes they need to see; payout, duplicate and rejection rules; production activation contact. A private, hosted staging review site can be added later with environment isolation and access controls if they require one.

Sources and implementation boundaries

Reviewed September 12, 2026. Modernize's public document labels itself a draft; account-specific instructions and the signed agreement take precedence. This guide is a technical launch runbook, not Modernize approval or legal certification. No account registration, backend activation or real lead delivery was performed for this guide.

[1] [Modernize / Ping Post v3: onboarding, environments and payload contract](#)

[2] [ActiveProspect / TrustedForm Certify: SDK, SPA capture and sandbox](#)

[3] [Cloudflare / Turnstile setup and separate test environments](#)

[4] [Firebase / Environment configuration and secret deployment](#)

Implementation reference: [docs/MODERNIZE.md](#) and [functions/modernize-settings.example.json](#) in the RoofZeus GitHub repository. Configuration names, route isolation, origin restrictions and deployment steps in this guide describe RoofZeus's implementation, not extra requirements claimed on behalf of Modernize.