


Update Carrier Dial Plan in Admin

5 Steps [View most recent version on Tango.ai](#) 

Created by	Creation Date	Last Updated
Kaden Friesen	Jun 16, 2025	Jun 16, 2025


STEP 1

Click on Admin




STEP 2

Click on Carriers



STEP 3

Click on dubai



STEP 4

where is writet callerid(num)= change that number

The screenshot shows the Asterisk SIP configuration interface for a carrier named 'sipdubai'. The 'Account Entry' section contains the following fields: type=irastu, host=193.111.198.184, canreinvite=no, dtmfmode=rfc2833, qualify=no, trustpid=yes, and sendrpid=yes. The 'Protocol' is set to 'SIP'. The 'Globals String' is 'sipdubai=SIP/dubai'. The 'Dialplan Entry' section contains the following code:

```
exten => _XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _XXX.,2,Set(CALLERID(num)=39027668244)
exten => _XXX.,3,Dial(${sipdubai}/${EXTEN:0},,To)
exten => _XXX.,4,Hangup

exten => _11XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _11XXX.,2,Set(CALLERID(num)=39345{RAND(40000001,49999999)})
exten => _11XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _11XXX.,4,Hangup

exten => _22XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _22XXX.,2,Set(CALLERID(num)=39025{RAND(40000001,49999999)})
exten => _22XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _22XXX.,4,Hangup

exten => _01XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _01XXX.,2,Set(CALLERID(num)=4797126584)
exten => _01XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _01XXX.,4,Hangup

exten => _02XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _02XXX.,2,Set(CALLERID(num)=46765604029)
exten => _02XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _02XXX.,4,Hangup
```

The 'Server IP' is set to '88.80.145.13' and the 'Active' checkbox is checked. A 'SUBMIT' button is visible at the bottom right of the configuration area.

STEP 5

Click on highlight

Click submit, DONE. Number have been changed

The screenshot shows the Asterisk SIP configuration interface for a carrier named 'sipdubai' after changes. The 'Protocol' is set to 'SIP'. The 'Globals String' is 'sipdubai=SIP/dubai'. The 'Dialplan Entry' section contains the following code:

```
exten => _05XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _05XXX.,2,Set(CALLERID(num)=306931842511)
exten => _05XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _05XXX.,4,Hangup

exten => _06XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _06XXX.,2,Set(CALLERID(num)=12896893036)
exten => _06XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _06XXX.,4,Hangup

exten => _07XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _07XXX.,2,Set(CALLERID(num)=390294754184)
exten => _07XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _07XXX.,4,Hangup

exten => _08XXX.,1,AGI(agi://127.0.0.1:4577/call_log)
exten => _08XXX.,2,Set(CALLERID(num)=447947650162)
exten => _08XXX.,3,Dial(${sipdubai}/${EXTEN:2},,To)
exten => _08XXX.,4,Hangup

exten => _77[1]XXX.,1,Answer
exten => _77[1]XXX.,2,chanspy(SIP/${EXTEN:2},q)
exten => _77[1]XXX.,3,Authenticate(1234)
exten => _77[1]XXX.,4,Hangup
```

The 'Server IP' is set to '88.80.145.13' and the 'Active' checkbox is checked. A 'SUBMIT' button is visible at the bottom right of the configuration area. Below the 'SUBMIT' button, there is a link: 'Click here to see Admin changes to this carrier'.

Tango

Never miss a step again. Visit [Tango.ai](https://tango.ai)