


Add and Configure SIP User or change caller id

16 Steps [View most recent version on Tango.ai](#) 

Created by	Creation Date	Last Updated
Kaden Friesen	Jun 16, 2025	Jun 16, 2025


STEP 1

Click on SIP Users




STEP 2

Click on New




STEP 3

Click on 99416




STEP 4

Click on OK




STEP 5

Click on General



STEP 6

Copy input titled "99416"




The screenshot shows a web interface with a blue header bar. Below the header, there are tabs labeled 'NAT', 'Additional', 'Forward', and 'VoiceMail'. The 'Additional' tab is selected. The form contains the following fields:

- Username: 99416 (highlighted with a red box)
- SIP user: 99416
- password: (empty)
- CallerID: (empty)
- Alias: (empty)
- Display name: (empty)

STEP 7


Type "9941602"



The screenshot shows the same web interface as Step 6. The 'SIP user' field is now highlighted with a red box and contains the value '9941602'. The 'Username' field still contains '99416'. The other fields remain empty.


STEP 8

Click on General



STEP 9

Type "9941602a"



STEP 10

Type "39026445846" there you can type any number you want


There is the right place where to change caller ID if you have it spam, and want to change. Just change that number where is writed Caller ID

The screenshot shows a configuration interface with a blue header bar containing tabs: "Additional", "Forward", and "VoiceMail". Below the header, there are several input fields and a search button. The "Caller ID" field is highlighted with a red box and contains the number "39026445846".

Field	Value
Name	99416
User	9941602
Word	9941602a
Caller ID	39026445846
Alias	
Allow	all
Codec	<input checked="" type="checkbox"/> g729 <input type="checkbox"/> g723 <input type="checkbox"/> gsm <input type="checkbox"/> g726 <input type="checkbox"/> opus <input checked="" type="checkbox"/> alaw <input checked="" type="checkbox"/> ulaw <input type="checkbox"/> g722 <input type="checkbox"/> ilbc

STEP 11

Click on NAT




The screenshot shows a web interface with a blue header bar containing the text "NG NEWS" and a dropdown arrow. Below the header is a navigation bar with tabs: "General", "NAT", "Additional", and "Forward". The "NAT" tab is selected and highlighted with a red rectangle. The main content area contains several form fields with labels and help icons (question marks):

- Username: 99416
- SIP user: 9941602
- SIP password: 9941602a
- CallerID: 39026445846
- Alias: (empty)
- Disallow: all

STEP 12

Click on Qualify




The screenshot shows a web interface with a blue header bar. Below the header is a navigation bar with tabs: "Additional", "Forward", and "VoiceMail". The "Additional" tab is selected. The main content area contains several form fields with labels and help icons (question marks):

- NAT: force_rport,comedia
- edia: no
- qualify: No

The "qualify" dropdown menu is open, showing the options "No" and "Yes". The "No" option is highlighted with a red rectangle.

STEP 13

Click on Yes



Additional Forward VoiceMail

NAT ? force_rport,comedia

edia ? no


alify ? No

No

Yes

STEP 14

Click on dropdown trigger



Dubai Voip Tech MAGNUSBILLING NEWS

Menu Home SIP Users

99416 Q New

General NAT Additional Forward VoiceMail

NAT ? force_rport,comedia


Directmedia ? no

Qualify ? Yes

Save Cancel

STEP 15

Click on General



The screenshot shows a web interface for configuring SIP users. At the top, there is a blue header bar with the text "GNUSBILLING NEWS" and a dropdown arrow. Below this is a tabbed interface with three tabs: "General", "NAT", and "Additional". The "General" tab is selected and highlighted with a red box. To the left of the tabs is a sidebar with a search icon, a "New" button, and a list of users. The main area displays the configuration for a selected user, with fields for Username, SIP user, SIP password, CallerID, Alias, Disallow, and Codec. The "General" tab is highlighted with a red box.

...	H..	C...
...	d...	g...

Username ? 99416

SIP user ? 9941602

SIP password ? 9941602

CallerID ? 3902644


Alias ?

Disallow ? all

Codec ? ☒ g729

STEP 16

Click on Save



The screenshot shows the bottom of the configuration interface. At the bottom center, there is a "Save" button with a floppy disk icon, which is highlighted with a red box. To the right of the "Save" button is a "Cancel" button with a circular arrow icon.

Save Cancel

Tango

Never miss a step again. Visit [Tango.ai](https://tango.ai)