
3.	L-1	Page No.
>	h-Inception	Care
	1) What is Emmeta	
	Emmet is a set of plug-	ins for text editors
-	that allow for high-spec	ed Coding and
	editing	
	top ex - Lavorsons 11	A A A A A A A A A A A A A A A A A A A
	RESULT (NOW)	
		i > 11)</th
	2/01>	
	2/nou>	
3		
5	(9) Difference between a Libr	ory and Framework?
5		
	l'psosa!	framework
	- it is not a software	- it is software
\	- we call librory code & decide flow of program	- Examework Call our code
	Occion flow of program	
5	- it boovide developes with	- it is the foundation whon
	bredefind function 8	which developes build
2	classess to make their work	Opplications for Specific
	essier & bosst the development	blotosong.
THE P	brocess.	
- Albania	_ less code is required to	- Developing a framount
	build libraries, which	required lot of coding
		which increases times
	times 8 better performance	of decreases performances
	Ex - React Is, Javesy, &	ex-AngulorTS
		1.0 2090V, 20160M
* !		

	Pege No. Onta
(3)	what is CDM? why do we use it
	Code Developmen
	A Content delivery network refers to a geographically distributed group of Scaues which work together to provide food delivery of Internal content.
Para and the same of the same	- A CROM allows for the quick transfer of assets needed for loading internet Content including HTML hages, Is files, Stylisheets, images & videos:
T.A.	· Reduce bandwidth (ost
	why is React know as React
	React was developed for applications that have Constantly Changing the data. Since React is
5	What is Coossovigin in Scoipt tag
	The Crossorigin attaibute site the mode of the requisit to an HITP CORS Requisite.
	Lesossosian is seconst top d



CROS - CROSS - Obigin Resource shoring is toachonism that allow resource on a suchbage to be requested from antice domain outside their and domain

what is difference b/w React and Reaction

In order to work with React in the browsers
we need a libraries, React and Reactorn
React library is responsible for creating views
and Reactorn library is responsible to actually
render ul in the browser.

ReadDom. findDomHodel) which you can use to gain disect access to Dom element.

React and ReactDom spilt in two libraries

was due to orrival of React native.

React contains functionality utilized in

web 2 mobile apps. ReactDom functionality

is utilised only in web apps.

(Rext Mative is at backed an entirely different package - having the React backage Common to both Luch & mobile abbreas to be mose of an aspiration than scality dightness.

	Class
2	what is difference between react.
	seart development is and seach production is
	files via con
\ \ \cdots	The development build is used - 28
	He nome Suggest. for development
Name of the American Section (1997)	sesson. , Aur porc zonsce word?
	debugging and often times not
	the name Suggest for development sexon: you have Source make, debugging and often times hot selooding ability in those builds.
	The production build, on the other
	hand, runs in production made which
Constituent and supplier commission of the Constituent	moons this is the code sunning on
•	your client mother. To production
	builds son uglify and build your source file into one or multiple minimized
	files:
2	what is async and defer?
	Script Ozhuc 13 gocz vet dozoutce troagezot godecopia
	- non the part to text is with independent of a script
73	HIMT bossing tetthing code Himt bossing
	30 · (X(CO+(4))
	Eckipt actis = it ansorte agas it execution of with
	- mostis as
204	Fetchas execto
10:1st	
90.7	