

PRELIMINARY ONLINE ESTIMATE

Kitchen remodel estimate

Synthetic QA

PREPARED FOR

[QA] Public photo window replacement

PROJECT LOCATION

Boise, Idaho

Estimate P5-B04DFE12 | Prepared September 30, 2026

FINISH LEVEL & MATERIALS

Mid-range

Quality mid-grade materials, fixtures and finishes, with selected upgrades.
Basis: estimating assumption. Please confirm or tell us what you have in mind.

Scope & pricing

01 Windows & Doors

\$4,196 to \$4,538

- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.
 - Vinyl window, standard size
 - Window / door perimeter caulk
 - Window trim package (casing + stool), per window. Alternative to LF casing + stool lines; do not use both
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.
 - Vinyl window, standard size
 - Window / door perimeter caulk
 - Window trim package (casing + stool), per window. Alternative to LF casing + stool lines; do not use both

02 Roofing

\$156 to \$169

- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.
 - Window / door flashing, per opening
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.
 - Window / door flashing, per opening

03 Cleanup & Disposal

\$511 to \$553

- Protect adjacent finishes (wood floor, brick wall, remaining interiors) and perform final cleanup after window replacements. (included to complete the work)
- Dispose of demolition debris from removal of two windows from the ground floor kitchen, Boise, Idaho. (included to complete the work)

Window removal. Includes haul-off

2 EA

Allowance included: \$118 to \$128 for Final clean. SF of finished area, 150 SF; selection and final quantity to confirm.

04 Other Project Work

\$37 to \$40

Allowance included: \$37 to \$40 for Floor protection (Ram Board or equal)., 40 SF; selection and final quantity to confirm.

Estimated project range

\$4,900 to \$5,300

Includes the allowances listed above. Final selections may change allowance amounts.

Category ranges are parts of the overall range, not additional charges.

All prices are in U.S. dollars. Exclusions and items to confirm follow.

PROJECT DETAILS

Details & next steps

Exclusions

Not included in this estimate

No cabinet work, appliances, electrical, or structural changes

Keep the wood floor, brick walls, and all other items unchanged

No cabinet work; appliances; electrical; or structural changes. Keep wood floor; brick walls; and all other items unchanged.

Assumptions & items to confirm

Pricing basis Your online submission and the document you uploaded: public-kitchen-existing.jpg.

Assumptions • No cabinet work, appliances, electrical, or structural changes are included.

- Keep wood floor, brick walls, and all other items unchanged.
- Ground-floor access is normal.
- Dimensions provided (3'x4') are subject to field verification by the contractor.
- No measurement scale was provided in the photo; window sizes per customer statement.
- Owner is not supplying any materials.
- No cabinet work, appliance work, or other trades included in this estimate.
- All trim repair is local to the affected window openings per direction.
- Every task is covered by positive-match catalog line(s). Separation of interior trim repair and weatherproofing from overall window install ensures explicit coverage of included individual requested operations.
- Remove, and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window, keep opening, include weatherproofing, and interior trim repair.: is for standard-size vinyl windows, typical retrofit with catalog-included labor/material, covers removal, and installation in original opening.
- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.: ensures window opening is flashed/weathertight, matching scope.
- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.: provides for perimeter caulk/sealant; scope includes weatherproofing.
- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.: covers interior trim repair around the new unit per opening.
- Remove, and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window, keep opening, include weatherproofing, and interior trim repair.: is for standard-size vinyl windows, typical retrofit with catalog-included labor/material, covers removal, and installation in original opening.
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.: ensures window opening is flashed/weathertight, matching scope.
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.: provides for perimeter caulk/sealant; scope includes weatherproofing.

- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.: covers interior trim repair around the new unit per opening.
- Dispose of demolition debris from removal of two windows from the ground floor kitchen, Boise, Idaho.: covers window removal and debris haul-off per window; no separate dumpster or landfill line needed for these units.
- Protect adjacent finishes (wood floor, brick wall, remaining interiors) and perform final cleanup after window replacements.: Protection: is a per-SF installed rate for targeted floor/wall/adjacent finish protection, covers material and labor for only the disturbed area (not a whole house).
- Protect adjacent finishes (wood floor, brick wall, remaining interiors) and perform final cleanup after window replacements.: Cleanup: is a per-SF project cleanup for the disturbed area after interior finish work. Quantity modeled, pending room measurement verification.
- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.. 1 EA. Owner-stated site count and dimensions; 1 window, 3'x4', ground-floor kitchen. This line covers installed labor and material for a typical retrofit white vinyl window, matching the scope's request for contractor-supplied, installed product in keeping openings. No size/type conflicts identified. Quantity 1, ground floor.
- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.., 1 EA. Caulking/sealant for perimeter of 1 replaced window per project scope. 1 per window. Scope explicitly requires perimeter caulking after replacement.
- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.. Alternative to LF casing + stool lines; do not use both, 1 EA. Interior trim repair/replacement for 1 replaced window opening. Scope requires interior trim match/repair after window replacement in kitchen. Catalog line covers both casing and sill, per window, installed. 1 kit per window replaced. Interior finish is unchanged except local repairs to window opening.
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.. 1 EA. Owner-stated site count and dimensions; 1 window, 3'x4', ground-floor kitchen. This line covers installed labor and material for a typical retrofit white vinyl window, matching the scope's request for contractor-supplied, installed product in keeping openings. No size/type conflicts identified. Quantity 1, ground floor.

- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.., 1 EA. Caulking/sealant for perimeter of 1 replaced window per project scope. 1 per window. Scope explicitly requires perimeter caulking after replacement.
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair.. Alternative to LF casing + stool lines; do not use both, 1 EA. Interior trim repair/replacement for 1 replaced window opening. Scope requires interior trim match/repair after window replacement in kitchen. Catalog line covers both casing and sill, per window, installed. 1 kit per window replaced. Interior finish is unchanged except local repairs to window opening.
- Dispose of demolition debris from removal of two windows from the ground floor kitchen, Boise, Idaho.. Includes haul-off, 2 EA. Window removal, includes haul-off and dump fees, per catalog; applies to each window removed. Catalog line is per window (EA); 2 windows demo/disposal needed in this scope.
- Window counts and dimensions are owner-stated, not field-verified; quantities labeled as subject to field verification.
- and job costing basis.
- No appliance, cabinet, electrical, structural, floor, or wall work included per explicit exclusions.
- Window supply, labor, weatherproofing, disposal, trim, and interior finish repair are all directly covered in the priced catalog lines-no duplicate charging across lines.
- No general contingency or assembly charge is present; all work is itemized per the owner's catalog and extracted takeoffs.
- Standard scheduling; priority or emergency work is not included.

Included to complete the work

- Dispose of demolition debris from removal of two windows from the ground floor kitchen, Boise, Idaho.: Disposal of debris is needed to complete the two window replacements, per customer instructions to remove and dispose.
- Protect adjacent finishes (wood floor, brick wall, remaining interiors) and perform final cleanup after window replacements.: Protection and cleanup are needed to prevent and remove installation-related mess or impact from window replacement.

To confirm

- Existing window count and size are owner-stated, subject to field verification, and are modeled as accurate for this preliminary estimate. Protection/cleanup square footages are allowances; verify actual kitchen and working zone dimensions before invoice.

- Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair..., 1 EA. Weatherproofing (flashings) for 1 window opening; the scope requests weatherproofing beyond integrated window/fenestration supply. Applied as 1 set per window installed. Separate line confirms scope inclusion; fits retrofit window install context.
- Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair..., 1 EA. Weatherproofing (flashings) for 1 window opening; applies once per window installed. Scope requests weatherproofing beyond integrated window/fenestration supply. Separate line confirms scope inclusion; fits retrofit window install context.
- Protect adjacent finishes (wood floor, brick wall, remaining interiors) and perform final cleanup after window replacements..., 40 SF. ALLOWANCE: Estimated area to protect is modeled at 40 SF for immediate adjacent floor and wall at 2 windows. Modeled as 10 SF floor + 10 SF wall area per window, based on photo review and typical window footprints. Exact area requires field measurement but this covers working zones for 2 ground-floor windows. QuantityRange: low 30, high 60 SF. Building: main/only, floor: ground.
- Protect adjacent finishes (wood floor, brick wall, remaining interiors) and perform final cleanup after window replacements.. SF of finished area, 150 SF. ALLOWANCE: Estimated final clean-up modeled as 150 SF of finished kitchen area, sufficient for total working space and debris sweep. Real quantity requires field measurement; 150 SF allowance covers full kitchen impact for window replacement. QuantityRange: low 120, high 300 SF. Building: main/only, floor: ground.
- Protection and cleanup square footage is a defensible modeled allowance using typical window footprints and visible kitchen area in photo; exact coverage to be field-verified.
- Allowance lines have clearly disclosed basis, modeled quantity ranges, and pending field/owner verification of scope and fit.
- Two requested items are both priced as "Vinyl window, and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window, keep opening, include weatherproofing, and interior trim repair", and "Remove, and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window, keep opening, include weatherproofing, and interior trim repair". Confirm these are separate work and not the same item counted twice.

- Two requested items are both priced as "Window / door flashing, per opening" in the same place (ground): "Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair" and "Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair". Confirm these are separate work and not the same item counted twice.
- Two requested items are both priced as "Window / door perimeter caulk" in the same place (ground): "Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair" and "Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair". Confirm these are separate work and not the same item counted twice.
- Two requested items are both priced as "Window trim package (casing + stool), per window. alternative to If casing + stool lines; do not use both" in the same place (ground): "Remove and replace first existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair" and "Remove and replace second existing kitchen window (3'x4') with contractor-supplied white vinyl double-pane window; keep opening; include weatherproofing and interior trim repair". Confirm these are separate work and not the same item counted twice.

Timing

Start and completion dates are confirmed with your final proposal.

Next steps

- 01 Request a project review**
Reply to your estimate email or contact us with your estimate number.
- 02 Confirm the details**
We'll verify measurements, selections, existing conditions and the scope of work.
- 03 Receive your final proposal**
You'll receive a written proposal with confirmed scope, pricing and scheduling requirements.

Request a project review

hello@p5homeco.com | (208) 477-1169

Preliminary estimate, not a contract. Based on your online submission and subject to confirmed scope, measurements, selections and site conditions. No payment or signature is required now.

P5 Home Co is operated by P5 Home Co, LLC.