Understanding Comparative Questions and Retrieving Argumentative Answers

The oral exam of **Alexander Bondarenko**

Friedrich-Schiller-Universität Jena

June 29, 2023



Should I put on a blue or a white shirt for my defense?



Should I put on a blue or a white shirt for my defense?

Maybe a "small" decision ...



Is buying a house better than renting?

Big, life-changing decision ...




Is buying a house better than renting?

Big, life-changing decision ...

Decision making involves:

Collecting information about the alternatives.

Weighing pro and con arguments.




□ Decision making involves:

Collecting information about the alternatives.

Weighing pro and con arguments.

□ 80% prefer online research over asking friends [Turner and Rainie; Pew Research Center 2020].



□ Decision making involves:

Collecting information about the alternatives.


Weighing pro and con arguments.

- 30% prefer online research over asking friends [Turner and Rainie; Pew Research Center 2020].
- Additional support for users:

Identify comparative questions and components.

Identify arguments and their pro/con stance.

Inform about the number pro/con arguments.



Decision making involves:

Collecting information about the alternatives. Weighing pro and con arguments.

- 80% prefer online research over asking friends [Turner and Rainie; Pew Research Center 2020].
- Additional support for users:

Identify comparative questions and components.

Identify arguments and their pro/con stance.

Inform about the number pro/con arguments.

Contributions

1. Understanding Comparative Questions.

"Towards Understanding and Answering Comparative Questions" (full paper at WSDM 2022). "Comparative Web Search Questions" (full paper at WSDM 2020).

2. Stance Detection for Answers.

"Towards Understanding and Answering Comparative Questions" (full paper at WSDM 2022).

3. Retrieving Argumentative Answers.

"Overview of Touché 2020–2022: Argument Retrieval" (overview papers at CLEF 2020–2022).

4. Clarifying Comparative Questions.

"A User Study on Clarifying Comparative Questions" (short paper at CHIIR 2022).

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Annotated data:

50 000 questions from Yandex (Russian; 3% comparative).

31 000 from Bing, Google, Stack Exchange (English; 10% comparative).

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Annotated data:

50 000 questions from Yandex (Russian; 3% comparative). 31 000 from Bing, Google, Stack Exchange (English; 10% comparative).

High-precision classifier (precision is 1.0).

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Annotated data:

```
50 000 questions from Yandex (Russian; 3% comparative).
31 000 from Bing, Google, Stack Exchange (English; 10% comparative).
```

High-precision classifier (precision is 1.0) that combines:

Rules (patterns)

 $\lceil is \rceil \land RBR \land \lceil than \rceil \rightarrow ls buying a house better/RBR than renting? \rightarrow Recall: 0.44.$

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Annotated data:

```
50 000 questions from Yandex (Russian; 3% comparative).
31 000 from Bing, Google, Stack Exchange (English; 10% comparative).
```

High-precision classifier (precision is 1.0) that combines:

```
Rules (patterns) Feature-based classifiers
```

```
 [is] \land RBR \land [than] \rightarrow Is buying a house better/RBR than renting? \rightarrow Recall: 0.44.
```

+ Logistic regression \rightarrow probability of being comparative \rightarrow combined Recall: 0.54.

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Annotated data:

```
50 000 questions from Yandex (Russian; 3% comparative).
```

31 000 from Bing, Google, Stack Exchange (English; 10% comparative).

High-precision classifier (precision is 1.0) that combines:

Rules (patterns) Feature-based classifiers Neural classifiers.

- + Logistic regression \rightarrow probability of being comparative \rightarrow combined Recall: 0.54.
- + BERT \rightarrow probability of being comparative \rightarrow combined Recall: 0.60.

Identifying Comparative Questions

Is buying a house better than renting? vs. How to rent a house?

Annotated data:

```
50 000 questions from Yandex (Russian; 3% comparative).
```

31 000 from Bing, Google, Stack Exchange (English; 10% comparative).

High-precision classifier (precision is 1.0) that combines:

```
Rules (patterns) Feature-based classifiers Neural classifiers.
```

```
 \begin{tabular}{lll} [is] $\land$ RBR \land [than] $\to$ & Is buying a house better/RBR than renting? $\to$ & Recall: 0.44. \\ \end{tabular}
```

- + Logistic regression \rightarrow probability of being comparative \rightarrow combined Recall: 0.54.
- + BERT \rightarrow probability of being comparative \rightarrow combined Recall: 0.60.


Recall: 0.60 (Russian), 0.71 (English); precision is 1.0 (of being comparative).

Taxonomy of Comparative Questions (Yandex)

Factual 35% Who is richer Jeff Bezos or Elon Musk?


Taxonomy of Comparative Questions (Yandex)

Subjective 65% Is buying a house better than renting?



Taxonomy of Comparative Questions (Yandex)

Direct 43% Is buying a house better than renting?



Taxonomy of Comparative Questions (Yandex)

Indirect 57% What is the best housing option?

Taxonomy of Comparative Questions (Yandex)

Indirect

57% What is the best housing option?

Housing option (clarify)



■ Which options do you want to compare?

Buy a house vs. rent a house

Buy a flat vs. rent a flat

A house vs. a flat

I don't care

Taxonomy of Comparative Questions (Yandex)

With aspect 22% Is buying a house more risky than renting?

Taxonomy of Comparative Questions (Yandex)

Without aspect 78% Is buying a house <u>better</u> than renting?

Taxonomy of Comparative Questions (Yandex)

Without aspect 78% Is buying a house <u>better</u> than renting?

<u>Better</u> (clarify)



• Over which aspect do you want to compare?

Risks

Flexibility

Monthly payments

I don't care

Question Parsing for Answering Comparative Questions

Is buying a house more risky than renting?

Question Parsing for Answering Comparative Questions

What should be compared?

Buying a house involves more substantial financial risks than renting a house.

Question Parsing for Answering Comparative Questions

Is buying{a house} more risky than renting?
object 1 aspect object 2

- What should be compared?
- Should a particular shared property be emphasized?

Buying a house involves more substantial financial risks than renting a house.

Question Parsing for Answering Comparative Questions

Is buying{a house} more risky than renting?
object 1 predicate aspect object 2

- What should be compared?
- Should a particular shared property be emphasized?
- Guide the direction of the answer composition (e.g., a "more" or a "less" option).

Buying a house involves more substantial financial risks than renting a house.

Question Parsing for Answering Comparative Questions

- □ 3500 comparative questions labeled with objects, aspects, and predicates.
- □ Baseline: BiLSTM with 300-dimensional GloVe embeddings [Arora et al.; CIKM 2017].
- □ Our: Fine-tuned RoBERTa [Liu et al.; arXiv 2019].

Classifier	F1 scores			
	Predicate	None	Object	Aspect
BiLSTM	0.85	0.98	0.80	0.52
RoBERTa	0.98	0.94	0.93	0.80

Question Parsing for Answering Comparative Questions

- □ 3500 comparative questions labeled with objects, aspects, and predicates.
- □ Baseline: BiLSTM with 300-dimensional GloVe embeddings [Arora et al.; CIKM 2017].
- □ Our: Fine-tuned RoBERTa [Liu et al.; arXiv 2019].

Classifier	F1 scores			
	Predicate	None	Object	Aspect
BiLSTM	0.85	0.98	0.80	0.52
RoBERTa	0.98	0.94	0.93	0.80

Question Parsing for Answering Comparative Questions

- □ 3500 comparative questions labeled with objects, aspects, and predicates.
- □ Baseline: BiLSTM with 300-dimensional GloVe embeddings [Arora et al.; CIKM 2017].
- □ Our: Fine-tuned RoBERTa [Liu et al.; arXiv 2019].
- "Pre-classifying" questions with an aspect.

Classifier	F1 scores			
	Predicate	None	Object	Aspect
BiLSTM	0.85	0.98	0.80	0.52
RoBERTa	0.98	0.94	0.93	0.80

Question Parsing for Answering Comparative Questions

- □ 3500 comparative questions labeled with objects, aspects, and predicates.
- □ Baseline: BiLSTM with 300-dimensional GloVe embeddings [Arora et al.; CIKM 2017].
- □ Our: Fine-tuned RoBERTa [Liu et al.; arXiv 2019].
- \square "Pre-classifying" questions with an aspect (F1: 0.80 \rightarrow 0.90).

Classifier	F1 scores			
	Predicate	None	Object	Aspect
BiLSTM	0.85	0.98	0.80	0.52
RoBERTa	0.98	0.94	0.93	0.90

Stance Detection for Answers

Stance Detection for Answers

Is buying a house better than renting?
object 1 object 2

Stance Detection for Answers

Is buying a house better than renting?
object 1 object 2

Pro object 1: Owning your own house is better than renting, because ...

Pro object 2: Although not ideal, renting does have its advantages like ...

Neutral: Both options have their advantages and disadvantages ...

No stance: Rent (definition): an agreement where a payment is made for ...

Is buying a house better than renting?

object 1 object 2

□ 950 answers from Stack Exchange labeled with 4 stance classes.

Is buying a house better than renting?

object 1 object 2

- □ 950 answers from Stack Exchange labeled with 4 stance classes.
- Most effective stance detector: RoBERTa with a sentiment prompting and masked objects.

© Alexander Bondarenko 2023


- 950 answers from Stack Exchange labeled with 4 stance classes.
- Most effective stance detector: RoBERTa with a sentiment prompting and masked objects.
 - 1. Comparison objects masked in questions and answers.
 - 2. Add a sentiment prompt: [OBJECT_1] is better.
 - 3. Input for RoBERTa: [OBJECT_1] is better [SEP] <answer>.

39

- 950 answers from Stack Exchange labeled with 4 stance classes.
- Most effective stance detector: RoBERTa with a sentiment prompting and masked objects.
 - 1. Comparison objects masked in questions and answers.
 - 2. Add a sentiment prompt: [OBJECT_1] is better.
 - 3. Input for RoBERTa: [OBJECT_1] is better [SEP] <answer>.
- RoBERTa with a sentiment prompting: 0.63 (accuracy).

- 950 answers from Stack Exchange labeled with 4 stance classes.
- Most effective stance detector: RoBERTa with a sentiment prompting and masked objects.
 - 1. Comparison objects masked in questions and answers.
 - 2. Add a sentiment prompt: [OBJECT_1] is better.
 - 3. Input for RoBERTa: [OBJECT_1] is better [SEP] <answer>.
- □ RoBERTa with a sentiment prompting: 0.63 (accuracy).
- □ GPT-3 with a few-shot prompting: 0.65 (accuracy).

Touché: Argument Retrieval



- Platform for argument retrieval and argument analysis research.
- □ Argument relevance / quality / stance corpora and rankings.
- □ Organizing workshops at CLEF since 2020.

43 © Alexander Bondarenko 2023

Touché: Argument Retrieval




- Platform for argument retrieval and argument analysis research.
- ☐ Argument relevance / quality / stance corpora and rankings.
- Organizing workshops at CLEF since 2020.

Argument Retrieval for Comparative Questions:

□ Task: Given a comparative question, retrieve and rank documents of high arg. quality, detect the stance.

Touché: Argument Retrieval




- Platform for argument retrieval and argument analysis research.
- ☐ Argument relevance / quality / stance corpora and rankings.
- Organizing workshops at CLEF since 2020.

Argument Retrieval for Comparative Questions:

- □ Task: Given a comparative question, retrieve and rank documents of high arg. quality, detect the stance.
- □ 16 teams, 55 runs, 6 000 manual judgments.

Touché: Argument Retrieval



- Platform for argument retrieval and argument analysis research.
- ☐ Argument relevance / quality / stance corpora and rankings.
- Organizing workshops at CLEF since 2020.


Argument Retrieval for Comparative Questions:

- □ Task: Given a comparative question, retrieve and rank documents of high arg. quality, detect the stance.
- □ 16 teams, 55 runs, 6 000 manual judgments.

Findings:

- From sparse to dense retrieval.
- Stance detection is hard.
- Best so far: retrieval pipelines that include argument mining and arg. quality estimation.

46



Contributions

- High-precision classifiers for identifying comparative questions.
- A taxonomy of comparative information needs.
- Classifiers for detecting components in comparative questions.
- Stance detectors for potential answers.
- Shared tasks on argument retrieval and analysis.
- User study on clarifying comparative questions.

Contributions

- High-precision classifiers for identifying comparative questions.
- A taxonomy of comparative information needs.
- Classifiers for detecting components in comparative questions.
- Stance detectors for potential answers.
- Shared tasks on argument retrieval and analysis.
- User study on clarifying comparative questions.

thank you!