




Martin Kleppe

Ubilabs

hello.world.min.js



Martin Kleppe | @aemkei




.html



```
    _vo~^'':&b::d,#b\_  
    . ``:v +9P]MMMMMMH  
    ?M#MMMMMMH  
    ,ooM*&&HMMMMMMH  
    99Soo?|`*?##HMMMMMMH  
    .HMMMM#od#boodMMMHMMMMB  
    :MMMMMMMM67HMMH&$R**HMMMB  
    .MMMMMMMMMMMMMMMM/HMMMM|`9MM'HL  
    {MMMMMMMMMMMMMMMM\MM*`H[`9]  
    `HMMMMMMMMMMMMMMMMB##|`F.:?  
    H`"**`#MMMMMMMMMMMM?`k  
    M.      MMMMMMMMMMMH  
    MMH.     `HMMMMMMMM:  
    &MM|     `MMMMMMMM,  
    `MM|     dMMMMMMMM|.oH  
    9ML     `HMMMMMM?dH  
    Hi      |MMMMMP  ""  
    T.      `MM#'  
    .  
    .  
    .  
    .  
    .- //#####M#b~""
```

.min.js

Ubilabs



Who we work with




mare




mitfahrglegenheit.de

OLYMPUS®


**HH
JS**



Google Maps API




ON RAILS



Kanban / Scrum



github
SOCIAL CODING



GitFlow



aemkei started a discussion in the diff a month ago

app/assets/javascripts/csv_import.js

```
... ... @@ -0,0 +1,143 @@
61+      }
62+    }
63+  });
64+
65+
66+  function next() {
67+    index++;
68+    var now = new Date();
69+    var wait = geocodeTimeout - (now - lastGeocode);
70+    lastGeocode = now;
71+
72+    if(wait < 0) {
73+      setTimeout(work, 0);
74+    } else {
75+      setTimeout(work, wait);
76+    }

```

2



aemkei repo collab

a month ago

You might combine this into one statement:

```
setTimeout(work, Math.max(0, wait));
```



mirceapricop repo collab

a month ago


Nice nice nice.

Add a line note

Example Projects



Erleben, was verbindet.



Suchen

Konzern

Konzernprofil

Weltweit

Vorstand

Aufsichtsrat

Mitarbeiter

Sponsoring

Marke

Einkauf

Innovation

Verantwortung

Investor Relations

Medien


Karriere

USA

T-Mobile, Inc.

T-Systems North America, Inc.

> Profil



Standorte und Beteiligungen im Überblick

Zentrale des Konzerns: Bonn, Deutschland




Ort oder Region



1 Filter gesetzt ▾

→ Diesen Kartenausschnitt speichern





mitfahrglegenheit.de


KLICKEN. FAHREN. SPAREN.

17:20 FREITAG

23.946.591 km
117.596 Fahrten
12.331 aktiv



02/02/12 08:33:37



180 m



Turn **left** onto
Grindelberg

Destination will be on the
right


600 m

DISTANCE

12:03

ARRIVAL

Cancel



Map data ©2012 GeoBasis-DE/BKG (©2009), Google - Terms of Use

TAXI

F
RATE

FOR HIRE

5.70 € FARE



HALE
electronic

HTML Setup

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
    <title>Title</title>
    <link rel="stylesheet" href="styles.css" type="text/css" media="screen" />
    <script type="text/javascript" src="http://maps.googleapis.com/maps/..."></script>
    <script type="text/javascript" src="jquery.js"></script>
    <script type="text/javascript" src="underscore.js"></script>
    <script type="text/javascript">
      function initialize(){
        // your code
      }
    </script>
  </head>
  <body onload="initialize()">
    <h1>Title</h1>
    <div id="map_canvas" style="width:100%; height:100%"></div>
  </body>
</html>
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
    <title>Title</title>
    <link rel="stylesheet" href="styles.css" type="text/css" media="screen" />
    <script type="text/javascript" src="http://maps.googleapis.com/maps/..."></script>
    <script type="text/javascript" src="jquery.js"></script>
    <script type="text/javascript" src="underscore.js"></script>
    <script type="text/javascript">
      function initialize(){
        // your code
      }
    </script>
  </head>
  <body onload="initialize()">
    <h1>Title</h1>
    <div id="map_canvas" style="width:100%; height:100%"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="jquery.js"></script>
    <script src="underscore.js"></script>
    <script>
      function initialize(){
        // your code
      }
    </script>
  </head>
  <body onload="initialize()">
    <h1>Title</h1>
    <div id="map_canvas" style="width:100%; height:100%"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="jquery.js"></script>
    <script src="underscore.js"></script>
    <script>
      function initialize(){
        // your code
      }
    </script>
  </head>
  <body onload="initialize()">
    <h1>Title</h1>
    <div id="map_canvas" style="width:100%; height:100%"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="jquery.js"></script>
    <script src="underscore.js"></script>
    <script src="app.js"></script>

  </head>
  <body onload="initialize()">
    <h1>Title</h1>
    <div id="map_canvas"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="jquery.js"></script>
    <script src="underscore.js"></script>
    <script src="app.js"></script>

  </head>
  <body onload="initialize()">
    <h1>Title</h1>
    <div id="map_canvas"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="jquery.js"></script>
    <script src="underscore.js"></script>
    <script src="app.js"></script>

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="jquery.js"></script>
    <script src="underscore.js"></script>
    <script src="app.js"></script>

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="concat_1341775781134.min.js?"></script>

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="concat_1341775781134.min.js?"></script>

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>
    <script src="http://maps.googleapis.com/maps/..."></script>
    <script src="concat_1341775781134.min.js"></script>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>

    <script src="concat_1341775781134.min.js"></script>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>

    <meta name="description" content="My awesome map app." />

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>

    <script src="concat_1341775781134.min.js"></script>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>

    <meta name="description" content="My awesome map app." />
    <meta property="og:type" content="website" />
    <meta property="og:image" content="http://mysite.com/images/my_image.jpg" />

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>

    <script src="concat_1341775781134.min.js"></script>
  </body>
</html>
```

```
<!DOCTYPE html>
<html>
  <head>
    <meta content="charset=utf-8">
    <title>Title</title>
    <link href="styles.css"/>
    <meta content='width=device-width' name='viewport'>
    <meta name="description" content="My awesome map app." />
    <meta property="og:type" content="website" />
    <meta property="og:image" content="http://mysite.com/images/my_image.jpg" />

  </head>
  <body>
    <h1>Title</h1>
    <div id="map_canvas"></div>

    <script src="concat_1341775781134.min.js"></script>
  </body>
</html>
```

More Cleanup



Haml.

{markup haiku}



Sass.

{style with attitude}



Sass.

{style with attitude}

```
h1 {
    font-weight: bold;
    font-size: 1.2em;
}

p.summary {
    margin: 2em 0;
}

p.summary a {
    color: #0F0;
}

blockquote {
    color: #0F0;
    padding: 1em;
}
```

```
h1  
  font-weight: bold  
  font-size: 1.2em
```

```
p.summary  
  margin: 2em 0
```

```
p.summary a  
  color: #0F0
```

```
blockquote  
  color: #0F0  
  padding: 1em
```

```
h1
  font-weight: bold
  font-size: 1.2em
```

```
p.summary
  margin: 2em 0
```

```
a
  color: #0F0
```

```
blockquote
  color: #0F0
  padding: 1em
```

```
h1  
  font:  
    weight bold  
    size: 1.2em
```

```
p.summary  
  margin: 2em 0
```

```
a  
  color: #0F0
```

```
blockquote  
  color: #0F0  
  padding: 1em
```

\$color: #0F0

h1
font:
weight bold
size: 1.2em

p.summary
margin: 2em 0

a
color: \$color

blockquote
color: \$color
padding: 1em

```
$color: #0F0  
$spacing: 2em
```

```
h1  
  font:  
    weight bold  
    size: 1.2em
```

```
p.summary  
  margin: $spacing 0
```

```
a  
  color: $color
```

```
blockquote  
  color: $color  
  padding: $spacing/2
```



Haml.

{markup haiku}

```
<div id='content'>
  <div class='left column'>
    <h2>Welcome to our site!</h2>
    <p><%= print_information %></p>
  </div>
  <div class="right column">
    <%= render :partial => "sidebar" %>
  </div>
</div>
```

```
<div id='content'>
  <div class='left column'>
    <h2>Welcome to our site!</h2>
    <p><%= print_information %></p>
  </div>
  <div class="right column">
    <%= render :partial => "sidebar" %>
  </div>
</div>
```

```
<div id='content'>
  <div class='left column'>
    <h2>Welcome to our site!</h2>
    <p><%= print_information %></p>
  </div>
  <div class="right column">
    <%= render :partial => "sidebar" %>
  </div>
</div>
```

```
%div#content
  %div.left.column
    %h2 Welcome to our site!
    %p= print_information

  %div.right.column
    = render :partial => "sidebar"
```

```
#content
  .left.column
    %h2 Welcome to our site!
    %p= print_information

  .right.column
    = render :partial => "sidebar"
```

Don't Repeat Yourself!

Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!
Don't Repeat Yourself! Don't Repeat Yourself!



Don't Repeat Yourself!

D.R.Y.!

DRY



Do Ready You Are?




.html



```
    _vo~^'':&b::d,#b\_  
    . ``:v +9P]MMMMMMH  
    ?M#MMMMMMMMMMMMMMH  
    ,ooM*&&HMMMMMMMMMMMMMMH  
    99Soo?|`*?##HMMMMMMMMMMMH  
    .HMMMMMM#od#boodMMMHMMMMMMMB  
    :MMMMMMMMMMMMMM67HMMH&$R**HMMMB  
    .MMMMMMMMMMMMMMMM/MMM|`9MM'HL  
    {MMMMMMMMMMMMMMMM\MM*`H[`9]  
    `HMMMMMMMMMMMMMMMMMB##|`F.:?  
    H`"**`#MMMMMMMMMMMMMM?`k  
    M.      MMMMMMMMMMM" H  
    MMH.     `HMMMMMMMM : |  
    &MM|     `MMMMMMMM, -  
    `MM|     dMMMMMMMM|.oH :  
    9ML      `HMMMMMM? dh -  
    Hi       |MMMMMP   "" .  
    T.       `MM#` -  
    .  
    .  
    .  
    .- //#####M#b~""
```

.min.js



Welcome to the
Dark Side

Q&A

```
888888 .d8888b. 888  
"88b d88P Y88b .d8888b. .d88888b. 888 Y8888888888  
888 Y88b. d88P Y88b d88P" "Y88b 888 "888 ""  
888 "Y888b. 888 888 888 888 888  
888 "Y88b. 888 88888 888 888 888 8888888  
888 "888 888 888 888 888 888 888  
888 Y88b d88P Y88b. d88P Y88b 888 888  
88P "Y8888P" "Y8888P88 "Y88888P" "Y888888 888 888  
888 888 8888888888 .d8888b. .d8888b. .d88888b. 888b 888 .d8888b.  
.d88P" 888 888 d88P Y88b d88P Y88b d88P" "Y88b 8888b 888 d88P Y88b  
888P" 888 888 Y88b. Y88b. 888 888 888888b 888 Y88b.  
888 8888888 "Y888b. "Y888b. 888 888 888888b 888 "Y888b.  
888 888 "Y88b. "Y88b. 888 888 888 888 Y88b888 "Y88b.  
888 888 "888 "888 888 888 888 Y88888 "888  
888 888 Y88b d88P Y88b d88P Y88b. d88P 888 Y8888 Y88b d88P  
88888888 8888888888 "Y8888P" "Y8888P" "Y88888P" 888 Y888 "Y8888P"
```

Martin Kleppe | @aemkei

>>>

██████████ ██████████ ██████████ ██████████ ██████████ ██████████

#####

+++++ +++++ +++++ +++++

...