

25A-JMHZ2 Series

RoHS


Compact Type Parallel Style Air Gripper/With Positioning Pins on the Lateral Mounting Surface

25A-JMHZ2-X6900(A, B) (Made to Order)

Compact Type Parallel Style Air Gripper/Lateral Auto Switch Mounting

25A-JMHZ2-X7460 (Made to Order)

ø8, ø12, ø16, ø20



How to Order

Bore Size

ø8 to ø20

25A-JMHZ2-16D-M9BW

Series compatible with secondary batteries

1 Number of fingers

2	2
---	---

2 Bore size

8	8 mm
12	12 mm
16	16 mm
20	20 mm

3 Action

D	Double acting
---	---------------

4 Finger option

Nil	Standard
1	Side tapped mounting
2	Through-holes in opening/closing direction

5 Auto switch

Nil	Without auto switch (Built-in magnet)
-----	---------------------------------------

* Refer to the **Web Catalog** for details on applicable auto switch models.

6 Number of auto switches

Nil	2
S	1
n	n

Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details.



Bore Size

ø8 to ø20
Made to Order**25A-JMHZ2-16D-M9BW-X6900A**

Series compatible with secondary batteries

With positioning pins on the lateral mounting surface

1 Number of fingers

2	2
---	---

2 Bore size

8	8 mm
12	12 mm
16	16 mm
20	20 mm

3 Action

D	Double acting
---	---------------

4 Finger option

Nil	Standard
1	Side tapped mounting
2	Through-holes in opening/closing direction


5 Auto switch

Nil	Without auto switch (Built-in magnet)
-----	---------------------------------------

* Refer to the **Web Catalog** for details on applicable auto switch models.

6 Number of auto switches

Nil	2
S	1
n	n

7 Direction of pin projectionRefer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the JMHZ2-X6900(A, B) (made-to-order individual specifications)

Click here for details. >>>



Bore Size

ø8 to ø20
Made to Order**25A-JMHZ2-16D-M9BW-X7460**

Series compatible with secondary batteries

Lateral auto switch mounting

1 Number of fingers

2	2
---	---

2 Bore size

8	8 mm
12	12 mm
16	16 mm
20	20 mm

3 Action

D	Double acting
---	---------------

4 Finger option

Nil	Standard
1	Side tapped mounting
2	Through-holes in opening/closing direction

5 Auto switch

Nil	Without auto switch (Built-in magnet)
-----	---------------------------------------

* Refer to the **Web Catalog** for details on applicable auto switch models.

6 Number of auto switches

Nil	2
S	1

Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the JMHZ2-X7460 (made-to-order individual specifications)

Click here for details.




Parallel Type Air Gripper Standard Type

25A-MHZ2 Series

ø10, ø16, ø20, ø25, ø32, ø40

RoHS

How to Order



Bore size

ø16 to ø25

25A-MHZ2-16 D - M9BW

Series compatible with secondary batteries

Number of fingers

2 2 fingers

Bore size

10	10 mm
16	16 mm
20	20 mm
25	25 mm

Action

D Double acting

Number of auto switches

Nil	2
S	1
n	n

Auto switch

Nil Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Finger position/option

Standard
(MHQG2 compatible type)

Nil: Basic type

1: Side tapped mounting

2: Through-holes in opening/closing direction

3: Flat type fingers

The flat type fingers do not have standard and narrow options.

Narrow type
(MHQ2 compatible type)

N: Basic type

N1: Side tapped mounting

N2: Through-holes in opening/closing direction

Bore size

ø32, ø40

25A-MHZ2-32 D - M9BW

Series compatible with secondary batteries

Number of fingers

2 2 fingers

Bore size

32	32 mm
40	40 mm

Action

D Double acting

Number of auto switches

Nil	2
S	1
n	n

Auto switch

Nil Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Finger option

[Standard]

Nil: Basic type

1: Side tapped mounting

2: Through-holes in opening/closing direction

3: Flat type fingers



Refer to the **Web Catalog**.

• Specifications/Dimensions
* Same as the standard product


Click here for details.



Parallel Type Air Gripper Long Stroke Type **25A-MHZL2 Series** ø10, ø16, ø20, ø25

RoHS

How to Order



25A - MHZL2 - 16 D - M9BW

Series compatible with
secondary batteries

Number of fingers

2 2 fingers

Bore size

Symbol	Bore size [mm]
10	10 mm
16	16 mm
20	20 mm
25	25 mm

Action

D Double acting

Number of auto switches

Nil	2
S	1
n	n

Auto switch

Nil Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Finger option

Nil: Basic type

1: Side tapped mounting

2: Through-holes in opening/closing direction

3: Flat type fingers



Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>



25A-MHZJ2 Series

RoHS

25A-MHZJ2-X6100 (Made to Order)

Parallel Type Air Gripper with Dust Cover: Long Stroke Type

25A-MHZL2-X5955 (Made to Order)**How to Order****With Dust Cover**

With Dust Cover

Series compatible with secondary batteries

Number of fingers

Bore size

10	10 mm
16	16 mm
20	20 mm
25	25 mm

Bore size

32	32 mm
40	40 mm

Action

Dust cover type

Nil	Chloroprene rubber (CR)
F	Fluororubber (FKM)
S	Silicone rubber (Si)

Auto switch

Nil	2
S	1
n	n

Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Refer to the Web Catalog.

- Specifications/Dimensions
- * Same as the standard product

Click here for details.

For ø10 to ø25

ø32, ø40

Refer to the Web Catalog.

- Specifications/Dimensions
- * Same as the MHZJ2-X6100 (made-to-order individual specifications)

Click here for details.

Long Stroke Type/ With Dust Cover (Made to Order)

Series compatible with secondary batteries

Number of fingers

Bore size/Stroke

Symbol	Bore size [mm]
10	10 mm
16	16 mm
20	20 mm

Action

Dust cover type

Nil	Chloroprene rubber (CR)
F	Fluororubber (FKM)
S	Silicone rubber (Si)

Auto switch

Nil	2
S	1
n	n

Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Refer to the Web Catalog.

- Specifications/Dimensions
- * Same as the MHZL2-X6110 (made to order individual specifications)

Click here for details.

Low Profile Air Gripper

25A-MHF2 Series

ø8, ø12, ø16, ø20, ø25, ø32

RoHS

How to Order



25A—MHF 2 — 12 □ D □ □ — M9BW □

Number of fingers

2 2 fingers

Series compatible with secondary batteries

Bore size [mm]

8	8
12	12
16	16
20	20
25	25
32	32

Port thread type

Symbol	Type	Bore size
Nil	M thread	ø8 to ø25
	Rc	
TN	NPT	ø32
TF	G	

Action

D Double acting

Stroke

Nil	Short stroke
1	Medium stroke
2	Long stroke

Number of auto switches

Nil	2
S	1
n	n

Auto switch



Nil Without auto switch (Built-in magnet)

* Refer to the Web Catalog for details on applicable auto switch models.

Body option

Nil: Axial piping type

R: Side piping type



Refer to the Web Catalog.

Specifications/Dimensions
* Same as the standard product

Click here for details. >>>



Parallel Type Air Gripper: Wide Type

25A-MHL2 Series

ø10, ø16, ø20, ø25, ø32, ø40

RoHS

How to Order



25A-MHL2-20D□Z-M9BW□

Series compatible with secondary batteries

Wide opening

Number of fingers
2 2 fingers

Bore size

10	10 mm
16	16 mm
20	20 mm
25	25 mm
32	32 mm
40	40 mm

Action

D Double acting

Number of auto switches

Nil	2
S	1
n	n

Auto switch

Nil Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Opening/Closing stroke [mm]

Symbol	ø10	ø16	ø20	ø25	ø32	ø40
Nil	20	30	40	50	70	100
1	40	60	80	100	120	160
2	60	80	100	120	160	200


Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>



How to Order



25A-MHL2-20D□-M9BW□

Series compatible with secondary batteries

Wide opening

Number of fingers
2 2 fingers

Bore size

10	10 mm
16	16 mm
20	20 mm
25	25 mm
32	32 mm
40	40 mm

Action

D Double acting

Number of auto switches

Nil	2
S	1
n	n

Auto switch

Nil Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Opening/Closing stroke [mm]

Symbol	ø10	ø16	ø20	ø25	ø32	ø40
Nil	20	30	40	50	70	100
1	40	60	80	100	120	160
2	60	80	100	120	160	200

Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>



Parallel Type Air Gripper

25A-MHS□ Series

ø16, ø20, ø25, ø32

RoHS



How to Order

25A - MHS 3 - 20 D - M9BW □

Series compatible with secondary batteries

Number of fingers

3	3 fingers
4	4 fingers

Bore size

16	16 mm
20	20 mm
25	25 mm
32	32 mm

Action

D	Double acting
---	---------------

Number of auto switches

Nil	2
S	1

Auto switch

Nil	Without auto switch (Built-in magnet)
-----	---------------------------------------

* Refer to the **Web Catalog** for details on applicable auto switch models.

Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>



Parallel Type Air Gripper 3-Finger Type with Dust Cover

25A-MHSJ3 Series

ø16, ø20, ø25, ø32

RoHS



How to Order

25A - MHSJ 3 - 20 D - M9BW

- Series compatible with secondary batteries**
- With dust cover**
- Number of fingers**

3	3 fingers
---	-----------
- Bore size**

16	16 mm
20	20 mm
25	25 mm
32	32 mm
- Action**

D	Double acting
---	---------------
- Dust cover type**

Nil	Chloroprene rubber (CR)
F	Fluororubber (FKM)
S	Silicon rubber (Si)
- Auto switch**

Nil	Without auto switch (Built-in magnet)
-----	---------------------------------------

* Refer to the **Web Catalog** for details on applicable auto switch models.
- Number of auto switches**

Nil	2
S	1

Refer to the Web Catalog.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>



180° Angular Type Air Gripper Cam Type

25A-MHY2 Series

ø10, ø16, ø20, ø25

RoHS

How to Order



25A - MHY 2 - 16 D 2 - M9BW

Series compatible
with secondary
batteries

Number of fingers

2	2 fingers
---	-----------

Bore size

10	10 mm
16	16 mm
20	20 mm
25	25 mm

Action

D	Double acting
---	---------------

Number of auto switches

Nil	2
S	1
n	n


Auto switch

Nil	Without auto switch (Built-in magnet)
-----	---------------------------------------


* Refer to the **Web Catalog** for details on applicable auto switch models.

Finger option

Nil: Standard tapped mounting



2: Through-holes in opening/closing direction



Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>



180° Angular Type Air Gripper Rack & Pinion Type

RoHS

25A-MHW2 Series

ø20, ø25, ø32, ø40, ø50

How to Order



25A-MHW2-20-□-D1-M9BW-□

Series compatible with
secondary batteries

Number of fingers
2 2 fingers

Bore size

20	20 mm
25	25 mm
32	32 mm
40	40 mm
50	50 mm

Port thread type

Symbol	Type	Size
Nil	M thread	ø20, ø25
	Rc	ø32
TN	NPT	ø40
TF	G	ø50

Action

D Double acting

Number of auto switches

Nil	2
S	1
N	n

Auto switch



Nil Without auto switch (Built-in magnet)

* Refer to the **Web Catalog** for details on applicable auto switch models.

Finger option

Nil: Flat type fingers
(Standard)

1: Right angle type fingers
tapped mounting



- * Change of material and surface treatment are not available for the bearing or the parallel key.
- * As metal-to-metal collision occurs when the fingers are fully closed, dust particles may be generated.

Refer to the **Web Catalog**.

- Specifications/Dimensions
- * Same as the standard product

Click here for details. >>>

