

1 . Generate the Calendar using Javascript code by getting the year from the user

```
<html>

<head>

<script>

function genCalendar()

{

    var year=prompt('Please enter your year');

    if (year==null)

        year=2021;

    var month=prompt('Please enter your month');

    if (month==null)

        month=0;

    var days=(new Date(year,month,0)).getDate();

    var wdays=(new Date(year,month-1,1)).getDay();

    document.body.innerHTML=' ';

    document.write("<center>");

    document.write("<h1>CALENDER (" +year+" - "+month+")</h1>");

    document.write("<table width ='400px' border='1' align='center'>");

    document.write("<thead>");

    document.write("<tr bgcolor=' red' align='center'>");

    document.write("<td width='50px'>Sun</td>");

    document.write("<td width='50px'>Mon</td>");

    document.write("<td width='50px'>Tue</td>");

    document.write("<td width='50px'>Wed</td>");

    document.write("<td width='50px'>Thu</td>");

    document.write("<td width='50px'>Fri</td>");

    document.write("<td width='50px'>Sat</td>");

    document.write("</tr>");
```

```
document.write("</thead>");

var i;

document.write("<tr align='center'>");

for(i=0;i<wdays;i++)

{

    document.write("<td width='50px'></td>");

}

var d;

for(d=1;d<=days;d++)

{

    document.write("<td width='50px'>" + d + "</td>");

    if(i==6)

    {

        document.write("</tr>");

        document.write("<tr align='center'>");

        i=0;

    }

    else

    {

        i=i+1;

    }

}

for(i=0;i<7;i++)

{

    document.write("<td width='50px'></td>");

}

document.write("</tr></table><br>");

document.write("<button onclick='genCalendar()'> Read year and month </button>");
```

```
document.write("</center>");
}
</script>
</head>
<body>
  <CENTER>
    <button onclick="genCalendar()"> Read year and month </button>
  </CENTER>
</body>
</html>
```

OUTPUT

Read year and month

This page says

Please enter your year

OK Cancel

This page says

Please enter your month

OK Cancel

CALENDER (2021 -6)

| Sun | Mon | Tue | Wed | Thu | Fri | Sat |
|-----|-----|-----|-----|-----|-----|-----|
| | | 1 | 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| 27 | 28 | 29 | 30 | | | |

Read year and month

2 . Create a registration form using HTML

```
<!DOCTYPEhtml>
```

```
<html>
```

```
  <head>
```

```
    <title>Registration Form</title>
```

```
    <h3 align="center">Registration Form</h3>
```

```
    <table align="center" border="1" cellpadding="5" width="100">
```

```
      <tr>
```

```
        <td>Full Name</td>
```

```
        <td><input type="text" name="txtname" id="txtname"></td>
```

```
      </tr>
```

```
      <tr>
```

```
        <td>Gender</td>
```

```
        <td><input type="radio" name="gender" value="male"> Male
```

```
          <input type="radio" name="gender" value="female"> Female</td>
```

```
      </tr>
```

```
      <tr>
```

```
        <td>Date of Birth</td>
```

```
        <td><input type="date" name="txtdate" id="txtdate"></td>
```

```
      </tr>
```

```

<tr>

    <td>Address</td>

    <td><textarea id="txtaddress" name="txtaddress" rows="5"
cols="20"></textarea></td>

</tr>

<tr>

    <td>Email</td>

    <td><input type="text" name="txtemail" id="txtemail"></td>

</tr>

<tr>

    <td>Password</td>

    <td><input type="password" name="txtpwd" id="txtpwd"></td>

</tr>

<tr>

    <td>Confirm Password</td>

    <td><input type="password" name="txtcpwd" id="txtcpwd"></td>

</tr>

<tr>

    <td align="right" colspan="2"><input type="button" name="btnsave" id="btnsave"
value="Save">&nbsp;<input type="button" name="btncancel" id="btncancel"
value="Cancel"></td>

</tr>

</table>


</head>

</html>

```

OUTPUT

Registration Form

| | |
|---|---|
| Full Name | <input type="text" value="Afla Nazar"/> |
| Gender | <input type="radio"/> Male <input checked="" type="radio"/> Female |
| Date of Birth | <input type="text" value="05/16/1999"/>  |
| Address | <input type="text" value="Nareekkamattom(H), Asamannoor(P.O), Odakkali, 683549"/> |
| Email | <input type="text" value="aflanazar121@gmail.com"/> |
| Password | <input type="password" value="...."/> |
| Confirm Password | <input type="password" value="...."/> |
| <input type="button" value="Save"/> <input type="button" value="Cancel"/> | |

3 . Prepare an electricity bill from user input using php

Currentbill.html

```
<html>
<body>
<form name='form' method='post' action="currentbill.php">
<center>
<h2>Electricity Bill</h2>
Enter the monthly reading:<input type="text" name="num_units"><br><br>
<input type="submit" name="submit" value="submit">
</center>
</form>
</body>
</html>
```

Currentbill.php


```
<?php
$numUnites=$_POST['num_units'];
if($numUnites>500)
$bill=$numUnites*7.50;
elseif($numUnites>400)
$bill=$numUnites*6.70;
elseif($numUnites>350)
$bill=$numUnites*6.50;
```

```
elseif($numUnites>300)
$bill=$numUnites*6.20;
elseif($numUnites>250)
$bill=$numUnites*5.5;
else
$bill=$numUnites*4;
echo "<center>";
echo "Your current bill:",$bill;
echo "</center>";
?>
```

OUTPUT



A screenshot of a web browser window. The address bar shows 'localhost//currentbill.html'. The page title is 'Electricity Bill'. The main content area displays the text 'Enter the monthly reading:' followed by a text input field containing the number '100'. Below the input field is a 'submit' button.



A screenshot of a web browser window. The address bar shows 'localhost//prebill.php'. The page displays the text 'Your current bill:400'.