1, Create a registration form using html

2, Generate a calender using javascript code by getting the year from the user.

3, prepare a php program to store the names of cricket players.

~~1, <!DOCT~~

1, `<html>`
`<head>`
`<body bgcolor = "pink">`
`<center><h2> REGISTRATION FORM </h2></head>`
`<form method = "get">`
FIRST NAME: nbsp&;
`<input type = "text"><br><br>`
MIDDLE NAME:
`<input type = "text"><br><br>`
LAST NAME:
`<input type="text"><br><br>`
PASSWORD:
`<inputype = "password"><br><br>`
CITY:
`<input type="text"><br><br>`

QUALIFICATION:

```
<SELECT NAME = "dropdown">
<option value="MCA" select>MCA </option>
<option value="MBA" select> MBA </option>
<option value="M.COM" select>M.COM </option>
</select><br><br>
```

HOBBIES:

```
<input type = "checkbox" value="reading">READING
<input type = "checkbox" value="dancing">DANCING
<input type = "checkbox" value = "playing">PLAYING
<br><br>
```

SEX:

```
<input type = "radio" name = "female">FEMALE 
                                       
<input type= "radio" name = "male">MALE<br><br>
    
<input type = "reset" value="clear">
<input type = "submit" value="send></center>
</form>
</body>
</html>
```

REGISTRATION FORM

FIRST NAME: [   ]

MIDDLE NAME: [   ]

LAST NAME: [   ]

PASSWORD: [   ]

CITY: [   ]

QUALIFICATON: [MCA ˅]

HOBBIES: ☐READING ☐DANCING ☐PLAYING

SEX: ○FEMALE ○MALE

[Clear] [Send]

2, calender using Javascript

```
<html>
<head>
<script>
function genCaledar()
{
var year = prompt ('please enter your year');
if (year == null)
year = 2021;
var month = prompt('please enter your month');
if (month == null)
month = 0;
var days = (new Date(year, month, 0)).getDate();
// alert("Number of Days -"+days);
var wdays = new Date(year, month-1, 1).getDay();
// alert ("Number of Days - "wdays);
document.body.innerHTML = '';

document.write("<center>");
document.write("<h1>CALENDER("+year+"-"+month+")</h1>");
document.write("<table width = 400px border = '1'
                                           align='center'>");

document.write("<thead>");
document.write("<tr bgcolor = 'red' align=center>");
document.write("<td width = 'sopx'> Sun</td>");
document.write("<td width='sopx'>Mon</td>");
document.write("<td width='sopx'>Tue</td>");
document.write("<td width='sopx'>Wed</td>");
```

```javascript
document.write("<td width='50px'>Thu</td>");
document.write("<td width='50px'>Fri</td>");
docum.write("<td width='50px'>Sat</td>");
document.write("</tr>");
document.write("</thead>");
var i;
document.write("<tr align='center'>");
for(i=0;i<wdays;i++)
{
   documer.write("<td width='50px'></td>");
}
var d;
for(d=1;d<=days;d++)
{
   document.write("<td width='50px'>"+d+"</td>");
   if(i==6)
   {
      document.write("</tr>");
      documer.write("<tr align='center'>");
      i=0;
   }
   else
   {
      i=i+1;
   }
}
for(i=i;i<7;i++)
{
```

```
{
document.write("<td width="50px'></td>");
}
document.write("</tr></table><br>");
document.write("<button onclick='genCalendar()>
Read year and month&</button>");
document.write("</center>");
}

</script>
</head>
<body>
<center>
<button onclick = "genCalendar()"> Read year and
month </button>
</center>
</body>
</html>
```

Output

CALENDER (-)

Sun	Mon	Tue	Wed	Thu	Fri	Sat
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

Read year and month

3.

```php
<?php
$players = array("Kohli", "Ganguly", "Dravid", "Kumble",
        "Sachin", "Jadeja", "Dhavan", "Dhoni", "Sreeshad");
echo "<tr><th> <h1> Players><h1></th></tr>";
for ($i=0; $i < count ($players); $i++)
{
echo "<tr> <td>".$ Players [$i]."</dd></tr>";
}
echo"</table>";
?>
```

Output
___

Players
Kohli
Ganguly
Dravid
Kumble
Sachin
Jadeja
Dhavan
Dhoni
Sreeshad