ELECTRA

... Pipe for Compressed Air, Vacuum & Inert Gas





Ten-year Quality Guarantee

Certification:

* ISO 9001
* ISO 14001
* CE

Product Advantage :

* Glossy inner surface
* Special shape diversion design
* Full size design of pipe fittings
* Safety connection of convex ring clamp type
* Three-dimensional active sealing technology
* Goose-neck type fast connection design

Technical Specifications:

* Pipe size DN20 -DN200
* Max working pressure : Bar
* Working temperature : -40 °C ~ +80 °C
* Suitable fluids : compressed air, vacuum, inert gases (helium, nitrogen, argon, carbon dioxide).
* Applicable : outdoor, ultra-violet, micro-corrosion, mechanical vibration, hot changing environment

Aluminum Pipe



Color	Part Number	Nominal Diameter (mm)	Inside Diameter (mm)	Outside Diameter (mm)
Blue	11 0001 00	DN20	Φ 17.5	Φ 20.2
	22 0001 00	DN25	Φ 22.5	Φ 25.2
	44 0001 00	DN40	Φ 36.6	Φ 40.2
	55 0001 00	DN50	Φ 46	Φ 50.2
	66 0001 00	DN65	Φ 63	Φ 67.6
	77 0001 00	DN80	Φ 80	Φ 84.8
	88 0001 00	DN100	Φ 96.8	Φ 102
	99 0001 00	DN125	Φ 119.4	Φ 125.2
	CC 0001 00	DN148	Φ 142.2	Φ 148.2
	BB 0001 00	DN200	Φ 198.2	Φ 205.2

Equal Pipe to Pipe Connector



Part Number	Nominal Diameter (mm)
11 0200 00	DN20
22 0200 00	DN25
44 0200 00	DN40
55 0200 00	DN50
66 0200 00	DN65
77 0200 00	DN80
88 0200 30	DN100
99 0200 30	DN125
CC 0200 30	DN148
BB 0200 30	DN200

Equal Tee



Part Number	Nominal Diameter (mm)
11 0500 01	DN20 (Assembly)
22 0500 01	DN25 (Assembly)
11 0500 00	DN20
22 0500 00	DN25
44 0500 00	DN40
55 0500 00	DN50
66 0500 00	DN65
77 0500 00	DN80
88 0500 00	DN100
99 0500 00	DN125
CC 0500 00	DN148
BB 0500 00	DN200

End Cap



Part Number	Nominal Diameter (mm)
11 0400 01	DN20 (Assembly)
22 0400 01	DN25 (Assembly)
11 0400 00	DN20
22 0400 00	DN25
44 0400 00	DN40
55 0400 00	DN50
66 0400 00	DN65
77 0400 00	DN80
88 0400 00	DN100
99 0400 00	DN125
CC 0400 00	DN148
BB 0400 00	DN200

Equal Flange



Part Number	Nominal Diameter (mm)
11 0800 00	DN20
22 0800 00	DN25
44 0800 00	DN40
55 0800 00	DN50
66 0800 00	DN65
77 0800 00	DN80
88 0800 00	DN100
99 0800 00	DN125
CC 0800 00	DN148
BB 0800 00	DN200 (12 hole)
BB 0802 00	DN200 (8 hole)

Single Side Plug Female Ball Valve



Part Number	Nominal Diameter (mm)
1V 1001 41	DN20-1/2" (Assembly)
2V 1001 41	DN25-1/2" (Assembly)
22 1001 41	DN25-1" (Assembly)
1V 1001 40	DN20-1/2"
2V 1001 40	DN25-1/2"
22 1001 40	DN25-1"
44 1001 40	DN40-1.1/2"
55 1001 40	DN50-2"
66 1001 40	DN65-2.1/2"
77 1001 40	DN80-3"

Double Side Plug Type Valve



Part Number	Nominal Diameter (mm)
11 1000 41	DN20 (Assembly)
22 1000 41	DN25 (Assembly)
11 1000 40	DN20
22 1000 40	DN25
44 1000 40	DN40
55 1000 40	DN50
66 1000 40	DN65
77 1000 40	DN80

Double Female Ball Valve



Part Number	Nominal Diameter (mm)
VV 1003 10	1/2"
11 1003 10	3/4"
22 1003 10	1"
44 1003 10	1.1/2"
55 1003 10	2"

Male Female Ball Valve



Part Number	Nominal Diameter (mm)
VV 1002 10	1/2"
11 1002 10	3/4"
22 1002 10	1"
44 1002 10	1.1/2"

Fixed Clamp Plastic



Part Number	Nominal Diameter (mm)
11 1500 20	DN20
22 1500 20	DN25
44 1500 20	DN40
55 1500 20	DN50
66 1500 20	DN65
77 1500 20	DN80
88 1500 20	DN100
99 1500 20	DN125

Reducing Pipe to Pipe Connector



Part Number	Nominal Diameter (mm)
21 0201 01	DN20-DN25 (Assembly)
21 0201 00	DN25-DN20
42 0201 00	DN40-DN25
54 0201 00	DN50-DN40
64 0201 00	DN65-DN40
65 0201 00	DN65-DN50
75 0201 00	DN80-DN50
76 0201 00	DN80-DN65
86 0201 00	DN100-DN65
87 0201 00	DN100-DN80
97 0201 00	DN125-DN80
98 0201 00	DN125-DN100
C8 0201 00	DN148-DN100
C9 0201 00	DN148-DN125
B9 0201 00	DN200-DN125
BC 0201 00	DN200-DN148

Female Flange



Part Number	Nominal Diameter (mm)
42 0802 00	DN40-1"
44 0802 00	DN40-1.1/2"
52 0802 00	DN50-1"
54 0802 00	DN50-1.1/2"
62 0802 00	DN65-1"
64 0802 00	DN65-1.1/2"
72 0802 00	DN80-1"
74 0802 00	DN80-1.1/2"
75 0802 00	DN80-2"
82 0802 00	DN100-1"
84 0802 00	DN100-1.1/2"
85 0802 00	DN100-2"
92 0802 00	DN125-1"
94 0802 00	DN125-1.1/2"
95 0802 00	DN125-2"
96 0802 00	DN125-2.1/2"

90° Quick Drop Assembled



Part Number	Nominal Diameter (mm)
41 0900 01	DN40-DN20
42 0900 01	DN40-DN25
51 0900 01	DN50-DN20
52 0900 01	DN50-DN25
61 0900 01	DN65-DN20
62 0900 01	DN65-DN25
71 0900 01	DN80-DN20
72 0900 01	DN80-DN25
81 0900 01	DN100-DN20
82 0900 01	DN100-DN25
91 0900 01	DN125-DN20
92 0900 01	DN125-DN25
C1 0900 01	DN148-DN20
C2 0900 01	DN148-DN25
B1 0900 01	DN200-DN20
B2 0900 01	DN200-DN25

90° Quick Drop



Part Number	Nominal Diameter (mm)
41 0900 00	DN40-DN20
42 0900 00	DN40-DN25
51 0900 00	DN50-DN20
52 0900 00	DN50-DN25
61 0900 00	DN65-DN20
62 0900 00	DN65-DN25
71 0900 00	DN80-DN20
72 0900 00	DN80-DN25
81 0900 00	DN100-DN20
82 0900 00	DN100-DN25
91 0900 00	DN125-DN20
92 0900 00	DN125-DN25
C1 0900 00	DN148-DN20
C2 0900 00	DN148-DN25
B1 0900 00	DN200-DN20
B2 0900 00	DN200-DN25

Reducing Tee



Part Number	Nominal Diameter (mm)
21 0501 01	DN25-DN20 (Assembly)
21 0501 00	DN25-DN20
42 0501 00	DN40-DN25
54 0501 00	DN50-DN40
64 0501 00	DN65-DN40
65 0501 00	DN65-DN50
74 0501 00	DN80-DN40
75 0501 00	DN80-DN50
76 0501 00	DN80-DN65
84 0501 00	DN100-DN40
85 0501 00	DN100-DN50
86 0501 00	DN100-DN65
87 0501 00	DN100-DN80
96 0501 00	DN125-DN65
97 0501 00	DN125-DN80
98 0501 00	DN125-DN100
C6 0501 00	DN148-DN65
C7 0501 00	DN148-DN80
C8 0501 00	DN148-DN100
C9 0501 00	DN148-DN125
B4 0501 00	DN200-DN40
B5 0501 00	DN200-DN50
B6 0501 00	DN200-DN65
B7 0501 00	DN200-DN80
B8 0501 00	DN200-DN100
B9 0501 00	DN200-DN125
BA 0501 00	DN200-DN148

Reducing Flange



Part Number	Nominal Diameter (mm)
56 0801 00	DN50-DN65
65 0801 00	DN65-DN50
67 0801 00	DN65-DN80
76 0801 00	DN80-DN65
78 0801 00	DN80-DN100
86 0801 00	DN100-DN65
87 0801 00	DN100-DN80
89 0801 00	DN100-DN125
97 0801 00	DN125-DN80
98 0801 00	DN125-DN100
9C 0801 00	DN125-DN148
C8 0801 00	DN148-DN100
C9 0801 00	DN148-DN125
CB 0801 00	DN148-DN200
BC 0801 00	DN200-DN148 (12 hole)
B9 0801 00	DN200-DN125 (12 hole)
B8 0801 00	DN200-DN100 (12 hole)

Male Connector



Part Number	Nominal Diameter (mm)
1V 0700 01	DN20-1/2" (Assembly)
11 0700 01	DN20-3/4" (Assembly)
2V 0700 01	DN25-1/2" (Assembly)
21 0700 01	DN25-3/4" (Assembly)
22 0700 01	DN25-1" (Assembly)
1V 0700 00	DN20-1/2"
11 0700 00	DN20-3/4"
2V 0700 00	DN25-1/2"
21 0700 00	DN25-3/4"
22 0700 00	DN25-1"
42 0700 00	DN40-1"
44 0700 00	DN40-1.1/2"
54 0700 00	DN50-1.1/2"
55 0700 00	DN50-2"
65 0700 00	DN65-2"
66 0700 00	DN65-2.1/2"
76 0700 00	DN80-2.1/2"
77 0700 00	DN80-3"

Female Connector



Part Number	Nominal Diameter (mm)
1V 0600 01	DN20-1/2" (Assembly)
11 0600 01	DN20-3/4" (Assembly)
2V 0600 01	DN25-1/2" (Assembly)
22 0600 01	DN25-1" (Assembly)
23 0600 01	DN25-1.1/4" (Assembly)
1V 0600 00	DN20-1/2"
11 0600 00	DN20-3/4"
2V 0600 00	DN25-1/2"
22 0600 00	DN25-1"
23 0600 00	DN25-1.1/4"
42 0600 00	DN40-1"
43 0600 00	DN40-1.1/4"
44 0600 00	DN40-1.1/2"
54 0600 00	DN50-1.1/2"
55 0600 00	DN50-2"
65 0600 00	DN65-2"
66 0600 00	DN65-2.1/2"
76 0600 00	DN80-2.1/2"
77 0600 00	DN80-3"

90° Elbow



Part Number	Nominal Diameter (mm)
11 0300 01	DN20 (Assembly)
22 0300 01	DN25 (Assembly)
11 0300 00	DN20
22 0300 00	DN25
44 0300 00	DN40
55 0300 00	DN50
66 0300 00	DN65
77 0300 00	DN80
88 0300 00	DN100
99 0300 00	DN125
CC 0300 00	DN148
BB 0300 00	DN200

180° Quick Drop



Part Number	Nominal Diameter (mm)
74 0901 00	DN80-DN40
75 0901 00	DN80-DN50
84 0901 00	DN100-DN40
85 0901 00	DN100-DN50
94 0901 00	DN125-DN40
95 0901 00	DN125-DN50
C4 0901 00	DN148-DN40
C5 0901 00	DN148-DN50
C6 0901 00	DN148-DN65
B4 0901 00	DN200-DN40
B5 0901 00	DN200-DN50
B6 0901 00	DN200-DN65
B7 0901 00	DN200-DN80

Manual Butterfly Valve



Part Number	Nominal Diameter (mm)
66 1100 10	DN65
77 1100 10	DN80
88 1100 10	DN100

Quick Drop Female Thread



Part Number	Nominal Diameter (mm)
2V 0900 00	DN25-1/2"
4V 0900 00	DN40-1/2"
5V 0900 00	DN50-1/2"
6V 0900 00	DN65-1/2"
7V 0900 00	DN80-1/2"
8V 0900 00	DN100-1/2"
9V 0900 00	DN125-1/2"
CV 0900 00	DN148-1"
BV 0900 00	DN200-1"

Turbine Butterfly Valve



Part Number	Nominal Diameter (mm)
66 1101 10	DN65
77 1101 10	DN80
88 1101 10	DN100
99 1101 10	DN125
CC 1101 10	DN148
BB 1101 10	DN200

Flexible Hose 500mm



Part Number	Nominal Diameter (mm)
11 1400 10	DN20
22 1400 10	DN25
44 1400 10	DN40
55 1400 10	DN50
66 1400 10	DN65
77 1400 10	DN80
88 1400 10	DN100
99 1400 10	DN125
CC 1400 10	DN150
BB 1400 10	DN200

Pneumatic Fittings



Part Number	Nominal Diameter (mm)
VV 1801 00	Single Quick Coupler 1/2"
VV 1802 00	Double Quick Coupler 1/2"
VV 1803 00	Triple Quick Coupler 1/2"

COMPARISION CHART

Feature	Aluminum Pipe & Fittings	Carbon Steel Fittings	PPR Pipe & Fittings
Weight	Lightweight, easy to handle and install	Heavier than aluminum, can be difficult to handle and install	Lightweight, easy to handle and install
Corrosion Resistance	Highly resistant to corrosion, ideal for use in moist environments	Prone to rust and corrosion over time, requires regular maintenance	Resistant to corrosion and chemicals
Mainterance Requirements	Low maintenance requirements due to high resistance to corrosion	Requires regular maintenance to prevent rust and corrosion	Low maintenance requirements
Flow Rates	Smooth interior surface allows for high flow rates with minimal pressure drop	Moderate flow rates with moderate pressure drop due to rough interior surface	High flow rates with minimal pressure drop due to smooth interior surface
Durability	Durable material that can last for many years without needing replacement	Durable material that can last for many years without needing replacement, but may require more maintenance than aluminum pipes and fittings	Much lower Resistance ages quickly then other Materials
Environmental Impact	Highly recyclable material, environmentally friendly choice for piping systems	Not as environmentally friendly as aluminum due to higher carbon footprint during production and disposal	Recyclable material, but not as environmentally friendly as aluminum
Price	Moderate Price	Low Price	Low Price

INDUSTRIES SERVED


Automobile Industry


Car Spare Parts Industry


Chemical Industry



Electric Appliance Industry


Heavy Machine Industry


Manufacturing Industry


New Energy (Lithium Battery) Industry


New Energy Industry


Scientific And Technological Industry

OTHER PRODUCTS MANUFACTURED BY US



Manual Valves




Automation Valves



Instrumentation Fittings And Valves



Hydraulic Fittings



Quick Release Coupling



Stainless Steel Press Fittings

ELECTRA

Authorized Channel Partner:-

Nimbus Equipments
1694 - Block - T, Street Robin Cinema ,
Near Subzi Mandi, North Delhi,
Delhi - 110007
Contact No. : 9289425601
E-mail : sales@nimbusquipments.in
www.nimbusequipments.in

Electra Flow Control Private Limited

Factory Address:
Survey No. 689, H.No.
8-84/15/2, Krishna Reddy
Warehouse, Sai Geetha Ashram
Road, Dever Yamjal, Shamirpet
Mandal, Medchal-Malkajgiri District,
Hyderabad, Telangana -500078.