



## Error

# Error

❗ Expected component `Highlighter` to be defined: you likely forgot to import, pass, or provide it.

💡 This issue often occurs when your MDX component encounters runtime errors.

postgresql-connection-pooling-saturation-sizing/pdf.mdx:825:14

[Open in editor](#)

```
825     wrapper: "sm:ml-6 sm:mr-12",
826   }}
827 >
828   <ListItem lead="Connections are expensive.">
829     Each connection costs 5-10MB of memory, consumes CPU through context switching
830     shared resources. The counterintuitive truth: fewer connections often means be
831     Keep `max_connections` low and use pooling.
832   </ListItem>
833   <ListItem lead="Pooling decouples application scaling from database limits.">
834     PgBouncer (or similar external poolers) lets you scale application instances w
```

## Stack Trace



Error: Expected component `Highlighter` to be defined: you likely forgot to import, p  
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui  
at \_createMdxContent (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.w  
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui  
at Object.wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webs  
at renderJSXNode (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webs  
at renderJSX (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackb  
at renderJSXNode (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackb  
at renderJSX (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackb



## Error

## Error

❗ Expected component `Highlighter` to be defined: you likely forgot to import, pass, or provide it.

💡 This issue often occurs when your MDX component encounters runtime errors.

### postgresql-connection-pooling-saturation-sizing/pdf.mdx:825:14

```
825     wrapper: "sm:ml-6 sm:mr-12",
826   }}
827 >
828   <ListItem lead="Connections are expensive.">
829     Each connection costs 5-10MB of memory, consumes CPU through context switching
830     shared resources. The counterintuitive truth: fewer connections often means be
831     Keep `max_connections` low and use pooling.
832   </ListItem>
833   <ListItem lead="Pooling decouples application scaling from database limits.">
834     PgBouncer (or similar external poolers) lets you scale application instances w
```

## Stack Trace



Error: Expected component `Highlighter` to be defined: you likely forgot to import, p  
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui  
at \_createMdxContent (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.w  
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui





## Error

## Error

❗ Expected component **Highlighter** to be defined: you likely forgot to import, pass, or provide it.

💡 This issue often occurs when your MDX component encounters runtime errors.

## postgresql-connection-pooling-saturation-sizing/pdf.mdx:825:14

```
825     wrapper: "sm:ml-6 sm:mr-12",
826   }}
827 >
828   <ListItem lead="Connections are expensive.">
829     Each connection costs 5-10MB of memory, consumes CPU through context switching
830     shared resources. The counterintuitive truth: fewer connections often means be
831     Keep `max_connections` low and use pooling.
832   </ListItem>
833   <ListItem lead="Pooling decouples application scaling from database limits.">
834     PgBouncer (or similar external poolers) lets you scale application instances w
```

## Stack Trace



Error: Expected component `Highlighter` to be defined: you likely forgot to import, p  
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui  
at \_createMdxContent (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.w  
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui

