



Error

Error

❗ Expected component `Highlighter` to be defined: you likely forgot to import, pass, or provide it.

💡 This issue often occurs when your MDX component encounters runtime errors.

postgresql-connection-pooling-saturation-sizing/index.mdx:825:14

[Open in editor](#)

```
825     wrapper: "sm:ml-6 sm:mr-12",
826   }}
827 >
828   <ListItem lead="Connections are expensive.">
829     Each connection costs 5-10MB of memory, consumes CPU through context switching
830     shared resources. The counterintuitive truth: fewer connections often means be
831     Keep `max_connections` low and use pooling.
832   </ListItem>
833   <ListItem lead="Pooling decouples application scaling from database limits.">
834     PgBouncer (or similar external poolers) lets you scale application instances w
```

Stack Trace



Error: Expected component `Highlighter` to be defined: you likely forgot to import, p
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui
at _createMdxContent (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.w
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui
at Object.wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webs
at renderJSXNode (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webs
at renderJSX (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackb
at renderJSXNode (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webs
at renderJSX (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackb



Error

Error

❗ Expected component **Highlighter** to be defined: you likely forgot to import, pass, or provide it.

💡 This issue often occurs when your MDX component encounters runtime errors.

postgresql-connection-pooling-saturation-sizing/index.mdx:825:14

```
825     wrapper: "sm:ml-6 sm:mr-12",
826   }}
827 >
828   <ListItem lead="Connections are expensive.">
829     Each connection costs 5-10MB of memory, consumes CPU through context switching
830     shared resources. The counterintuitive truth: fewer connections often means be
831     Keep `max_connections` low and use pooling.
832   </ListItem>
833   <ListItem lead="Pooling decouples application scaling from database limits.">
834     PgBouncer (or similar external poolers) lets you scale application instances w
```

Stack Trace



Error: Expected component `Highlighter` to be defined: you likely forgot to import, p
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui
at _createMdxContent (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.w
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui





Error

Error

❗ Expected component **Highlighter** to be defined: you likely forgot to import, pass, or provide it.

💡 This issue often occurs when your MDX component encounters runtime errors.

postgresql-connection-pooling-saturation-sizing/index.mdx:825:14

```
825     wrapper: "sm:ml-6 sm:mr-12",
826   }}
827 >
828   <ListItem lead="Connections are expensive.">
829     Each connection costs 5-10MB of memory, consumes CPU through context switching
830     shared resources. The counterintuitive truth: fewer connections often means be
831     Keep `max_connections` low and use pooling.
832   </ListItem>
833   <ListItem lead="Pooling decouples application scaling from database limits.">
834     PgBouncer (or similar external poolers) lets you scale application instances w
```

Stack Trace



Error: Expected component `Highlighter` to be defined: you likely forgot to import, p
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui
at _createMdxContent (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.w
at wrapper (/home/kevin/Repos/WebstackBuilders/CorporateWebsite/astro.webstackbui

