

Food Preparation and Storage Risk Assessment

Risk Name	Hazards	Risk	Likelihood	Consequences	Risk Rating	Controls	Procedure
Poor personal health and hygiene practices	- Food handlers not washing hands correctly. - Food and preparation equipment/surfaces become contaminated from food borne illness/germs/other contaminants. - Cooking staff & food handlers carrying a food borne illness - Open cuts/wounds on cook's body - Food contact surfaces are not kept clean and adequately protected from contamination. - Fingernails, hair falling into food.	- Food poisoning - Vomiting - Diarrhoea	Rare	Major	Moderate	- Hand washing sink to be used for the sole purpose of washing hands. - Warm running water, soap to wash hands and single use paper towel or personal cloth towel supplied to dry hands. - Cooking staff have appropriate food safety/hygiene skills and knowledge. - Cook to leave the kitchen area immediately if ill. Director or Certified supervisor notified immediately of illness. - Clearance from a doctor necessary on instruction from the service Nominated Supervisor before returning to work as directed by Nominated Supervisor - Cook to ensure all wounds and open cuts are clean, covered in water proof covering, gloves are worn to cover it. Or blue Band-Aid. - Surfaces to be cleaned with warm hot soapy water as appropriate throughout the day.	Safe Food Australia Australian Government Department of Health Food Standards Australia and New Zealand Service policies NSW Food Act 2003 Food regulations 2015 Education and Care Services National Regulations

Cross contamination	Contamination of food caused from coming into contact with raw, ready to eat, precooked foods.	Food poisoning • Vomiting • Diarrhoea	Rare	Major	Moderate	Ready to eat, raw and precooked foods kept separate from each other at all times including storage in refrigerator. • Store foods in designated positions in the fridge (according to storage life recommendations) • e.g. Raw meats stored on lower shelves or draws to avoid dripping blood/juices onto other foods. • Foods stored in sealed containers where necessary. • High risk food, such as a raw meat thawing in a refrigerator, is not placed in contact with cooked meat. • Store fruit and vegetables separate to other foods. Wash fruit, vegetables and salad ingredients thoroughly in clean, drinking-quality water just before preparing and serving peel, trim or remove the skin or outer leaves (as appropriate) Remove any bruised or damaged parts. • Use colour coded chopping boards and knives to prepare raw meat, cooked meat, vegetables, breads. • All utensils will be cleaned and sanitised in a high	Safe Food Australia Australian Government Department of Health Food Standards Australia and New Zealand Service policies Food regulations 2015 Food standards code Education and Care Services National Regulations
---------------------	--	---	------	-------	----------	---	---

	Sneezing, coughing, spitting, blowing nose over unprotected food.					- temperature dishwasher and stored in the kitchen until use. - Procedure for hand washing displayed. - Training in food handling best practice. - No jewellery is to be worn on the hands, ears or wrist unless adequately covered and securely fitted. - Hair must be neatly groomed and long hair securely fastened at the back of the head - No loose fitting clothing to be worn in the kitchen area. - Minimize the entry of staff into the kitchen area during food preparation times. - All shelf stored ingredients/food stored in appropriate sealed containers. - Kitchen areas is in new condition and is designed to exclude pests. - Use tongs or other service implements to avoid direct contact with ready to serve foods. - Food handlers must notify Nominated Supervisor if they know or suspect that they may have made food unsafe or unsuitable to eat	
--	---	--	--	--	--	---	--

Refrigerator not kept at appropriate temperature below 5 degrees Celsius. Refrigerator overloaded	- Growth of bacteria causing diarrhoea, vomiting, nausea if ingested. - Spoiling of refrigeration dependent foods such as dairy products, meats, poultry, seafood, eggs, precooked foods and small goods. - Food poisoning. - Cold air can't circulate around the fridge evenly. - Food takes longer to cool food allowing harmful bacteria to grow.	- Food poisoning - Vomiting - Diarrhoea	Rare	Major	Moderate	- Refrigerator temperatures to be monitored using a fridge thermometer and recorded in a log. - Limit the length of time and the frequency of the fridge door being opened. - Ensure the power cord and power point are in safe working order. - Adequate fridge capacity.	Local council Service Policy Safe Food Australia
Spoiling of fruit or vegetables	Bacteria growing on the fruit causing illness	- Food poisoning - Vomiting - Diarrhoea	Rare	Major	Moderate	- Cut fruit stored in airtight covering in the fridge (according to storage life recommendations). - Fruit and vegetables showing signs of wilting, spoiling or age will not be used in meals and will be given to compost. - Products purchased in small quantities to maintain freshness.	Safe Food Australia Service policies NSW Food Act 2003
Spoiling of meat products	Bacteria growing on the meat causing illness: Vomiting, gut cramps, diarrhoea, nausea.					- Purchase and use by dates monitored weekly. - Products purchased in small quantities to maintain freshness. - Meat showing signs of spoiling or age will not be used in meals.	Australian Government Department of Health Food Standards Australia and New Zealand

									Education and Care Services National Regulations Service Policy
Serving of out-of-date products to children.	• Vomiting, gut cramps, diarrhoea, nausea • Food Poisoning	• Food poisoning • Vomiting • Diarrhoea	Rare	Major	Moderate	• Food handler to complete once a month checks of use by dates for shelf products and rotate older stock to the front of cupboards for first use. • Fresh foods to be purchased weekly as needed to ensure freshness.	Safe Food Australia Australian Government Department of Health Service Policy		
Children suffering from food-based allergies/anaphylaxis given trigger foods or come into contact with trigger foods.	• Death • Allergic reaction causing swelling of the throat, tongue, lips, hives on the skin, reddening of the skin. • Difficulty breathing or stop breathing.	Possible	Possible	Catastrophic	Extreme	• Allergy alerts displayed in the kitchen. • No nuts allowed on the premises. • High allergen foods limited. • Menus planned or adapted to consider food allergies. • All staff have first aid and anaphylaxis training. • Children's Epipen adrenaline (epinephrine) auto injectors are in classrooms for quick access.	Australian Government Department of Health Food Standards Australia and New Zealand Education and Care Services National Regulations Service Policy		
Children are relying on most of their daily food intake coming from the service prepared meals. The meals	• Foods supplied are not meeting individual children's nutritional needs leading to inadequate nutrients and energy intake.	• Food poisoning • Vomiting • Diarrhoea	Rare	Major	Moderate	• Menu plans are designed on the healthy eating practice guidelines for long day care regulations. • Solids are given as a supplement to breast milk or			

served are inadequate for the babies/infants/toddlers' dietary needs.	- Hunger and malnutrition. - Stunted growth rate - Meals provided are inappropriate for the age/ stage of development/ religious beliefs/ medical or health needs of individual children. - Infants are being introduced to solids. - Families want inappropriate foods fed to their babies for their age and development. - Infants under 4 months have underdeveloped immune systems, digestive system, kidneys and limited ability to chew and swallow. - Delaying the introduction of solids past 6 months may result in them not getting enough nutrients and may increase the possibility of allergies. - Families are nervous about introducing solids.					formula when first introduced. - Formula tin recommendations and family information sheets will be followed to ensure the correct mls of milk are being fed to children. - Infants, babies and toddlers will be constantly directly supervised or supported by educators at all times when eating or drinking. - Highchairs are provided for infants and child height tables and chairs are provided for toddlers when eating. - Discuss with families what they want their baby fed and provide current information on introducing solids and dietary when required. - Families right to choose foods for their children will be respected and followed as appropriate. - Fussy eaters will be encouraged to try new foods an alternative meal will also be available. - All children's cues will be monitored to ensure they are receiving adequate amounts of food for their needs without over filling them. - Educators and food handlers are trained in practices for	
---	---	--	--	--	--	---	--

	- Children are fussy eaters refusing to eat some/all menu food. - Service supplied meals need storing for Infants/babies/toddlers who sleep at mealtimes.						feeding infants, babies and toddlers. - Typically, 6 months of age will be when infants will be introduced to solids. Solids will not be given to infants under 4 months of age. - Babies will not be offered solids before they are able to sit upright with limited support, and control their head and neck. - Eating habits and amount of foods being fed to infants and babies are sort from families upon enrolment and on arrival each day. As well as being recorded by educators and given to families via the Xplor app at the end of each care day as part of daily communication. - Menu plans displayed in a 2 week cycle for families to view and ask questions. - Literature will be given to families about nutrition.	
--	--	--	--	--	--	--	---	--

Review

The Management, employees, families and interested parties will monitor and review the effectiveness of this policy annually or more regularly if required.

- Reviewed by: Elizabeth Price

Position: Nominated Supervisor

Date: 22/02/2023

Signature: 

- Accepted by Committee Member:

Name: Clare MacGregor

Date: 23/2/23

Signature: 

- Previously reviewed: 28/11/2019

Date for next review: 22/02/2024

- Signed by staff:

Name:

Karen Higgins

Signature:



Date:

24.2.23

Name: Tyler Cook

Signature: 

Date: 28/2/23

Name:

Olivia Marsh

Signature:



Date:

24.2.23

Name: Sharon Smyth

Signature: 

Date: 28.02.23

Name:

Kayla Joy

Signature:



Date:

24.2.23

Name: Anthony Sterling

Signature: 

Date: 3/3/23

Name: Lucy Byron

Signature:



Date:

28/2/23

Name: Kasey Wilson

Signature: 

Date: 3/3/23

Name: J Robinson

Signature:



Date:

Name:

Ruby Eggs

Signature: 

Date: 3/3/23

Food preparation and storage risk assessment


Reviewed February 2023

Risk assessment Matrix		What would be the consequence of this emergency				
What is the likelihood that this emergency will occur?	Almost certain	Insignificant	Minor	Moderate	Major	Catastrophic
	Likely	Moderate	High	High	Extreme	Extreme
	Possible	Moderate	Moderate	High	Extreme	Extreme
	Unlikely	Low	Moderate	High	High	Extreme
	Rare	Low	Low	Moderate	Moderate	High

Name: Anne Jacobs
Signature: 

Date: 20.3.23
Name: Louise Thurgood

Signature: 
Date: 28.3.23

Name: Taleah Higgins
Signature: 

Date: 20-3-23
Name:

Signature:
Date:

Name: Hailey Cousins
Signature: 

Date: 21/3/23
Name:

Signature:
Date:

Name: Roshelle Franks
Signature: 

Date: 21.3.23
Name:

Signature:
Date:

Name: Leanne Hunt
Signature: 


Date: 23-3-23
Name:

Signature:
Date:

Name: Joanne Van der
Signature: 

Date: 23.3.23
Name:

Signature:
Date:

Name: Candis Holstein
Signature: 

Date: 27.3.23
Name:

Signature:
Date:

Name:
Signature:

Date:
Name:

Signature:
Date:

Name:
Signature:

Date:
Name:

Signature:
Date:

Name:
Signature:

Date:
Name:

Signature:
Date:

Food preparation and storage risk assessment

Reviewed February 2023