

Gloucester Pre-School & Early Years Learning Centre

Sleep & Rest Risk Assessment

Activity	Sleeping & resting children in the service
Summary of activity	
Babies sleeping in the cot rooms, Toddlers sleeping in the Yapii Room, Pre Schoolers sleeping or resting	

Risk Name	Hazards	Likelihood	Consequences	Risk Rating	Controls	Procedure
SIDS	Smoke on staff clothes	Possible	Moderate	High	Ensure staff's clothing has no cigarette or smoke odour on them	Staff Handbook Sleep, Rest & relaxation Policy SIDS website Tobacco, Drugs and Alcohol Policy.
	Higher risk of babies choking when they are sleeping on side or stomach	Possible	Major	High	Sleep babies on their back.	Place the baby on their back to sleep from the very beginning, for both day and night sleeps. 10 min checks of sleeping babies
	Tangled in bedding	Possible	Major	High	Keep head and face uncovered Beds are made with fitted bottom sheets. Blankets are used as per procedure. No additional toys or bedding will be in cots.	The baby's blanket should be tucked in no higher than their shoulders. Put the baby's feet at the bottom of the cot so they can't slip down under the bedding. You may use a safe baby sleeping bag with fitted neck and arm holes and no hood rather than a blanket.

	Minor illness	Possible	Major		Monitor baby's health to ensure they are in good health	10 min checks of sleeping babies
	Over heating	Possible	Major	High	Keep baby's head uncovered when indoors.	Temperature check on arrival Infectious Diseases Policy
	SIDS	Possible	Catastrophic	Extreme	Ensure sleep room viewing windows are free from obstruction Observe children at 10 minute intervals while they sleep in cot rooms. Educators must go into the rooms and physically see babies breathing & check the babies skin colour. The educator will then officially record this on a Sleep Check Form.	Remove head coverings like bonnets, beanies, hats or hooded clothing when indoor or child is sleeping. Moderate cotroom heating & coller system and set at a maximum of 18 degrees for heating and a maximum of cooling to 25 degrees Sleep, Rest, Relaxation and Clothing Policy
	Insects & Spiders	Rare	Moderate	Low	Unmake the beds & cots so spiders or insects cannot hide in the linen. Visual check before lying a child down.	Health & Hygiene Policy

Choking	Babies' airways are partially or completely blocked	Possible	Catastrophic	Extreme	Electrical cords are out of reach of baby's cots or sleeping area. Blind cords are secured to wall or out of reach of babies and sleeping children. Width of cot rails meet Australian Standard for Cots (AS/NZS 2172) Clothing has no loose cords or ribbons. Dummies are not attached by a cord or clip to the child or cot. Toys & comforters are not left unattended in cots. Do not place anything (e.g. amber teething necklaces) around the neck of a sleeping child.	Sleep, Rest, Relaxation and Clothing Policy Cot Room & Sleep Safety Audit Health & Hygiene for sleep & rest Supporting sleep & rest Guidelines
Cross contamination	Spread of viruses & infectious diseases	Possible	Moderate	High	Distance between stretcher beds limits children touching each other. Limit of one child per bed or cot. Linen is clean Sick children with be kept home according to Infectious disease policy	Infectious Disease Policy
Injuries from child climbing out of the cot	Sprains bruising, or broken bones	Possible	Moderate	High	Babies or young children should not be moved out of a cot into a bed too early; they should also not be kept in a cot for too long. When a young child is observed attempting to climb out of a cot, and looking like they might succeed, it is time to move them out of a cot. This usually occurs between 18 months & 2 ½ years of age. Securely lock cot sides into top place when cot is being used.	Sleep, Rest, Relaxation and Clothing Policy
Noise & visual distraction	Lack of quality sleep or rest	Possible	Minor	Moderate	Provide places within the indoor and outdoor environment, where children are	Sleep, Rest, Relaxation and Clothing Policy


					able to retreat from the business of the day. A relaxing environment for sleeping children by playing relaxation music, reading stories, cultural reflection; turning off lights and ensuring children are comfortably clothed. The environment is tranquil and calm for both educators and children.	Relationships with Children Policy
Access to emergency cots	Evacuation of babies in a timely manner in an emergency	Possible	Major	High	Position emergency cot with unobstructed access to staff room and classroom door to outdoor area for evacuations or lockdowns Ensure evacuation pathways clear of large furniture.	Emergency Management and Evacuation Policy
Dental health	Tooth Decay	Possible	Moderate	High	Give bottle-fed children their bottles before going to bed. Ensure children are not put in cots or in beds with bottles.	Health, Hygiene & Food Safe Policy.

Acknowledgements and references

Red Nose website <http://rednose.org.au/section/safe-sleeping> [Accessed March 2022].
 ACECQA [Safe sleep and rest practices](#) | ACECQA [Accessed March 2022].
 South Australian Government Safe Sleeping for Infants and Young Children Procedure Oct 2020
 C & K Procedure Safe sleeping rest and relaxation
 National Quality Standards

Review

The Management, employees, families and interested parties will monitor and review the effectiveness of this policy annually or more regularly if required.

- Reviewed by: Elizabeth Price Position: Director
Date: 07/06/2023 Signature: 
- Accepted by Committee Member: Position: Committee
Name: STE R47 Signature: 
- Previously reviewed: 09/03/2022 Date for next review: 07/06/2024

Risk assessment Matrix		What would be the consequence of this emergency					
What is the likelihood that this emergency will occur?	Almost certain	Insignificant	Minor	Moderate	Major	Catastrophic	
	Likely	Moderate	Moderate	High	Extreme	Extreme	
	Possible	Low	Moderate	High	High	Extreme	
	Unlikely	Low	Low	Moderate	High	High	
	Rare	Low	Low	Low	Moderate	High	

