





VIEW 3D MODEL



3 sand pebble dr,

Areas	Siding	Other
Facades	2045 ft ²	193 ft²
Openings	361 ft ²	O ft²
Trims*	53 ft ²	46 ft ²
Unknown (no photos)*	119 ft²	O ft ²
Total	2578 ft²	239 ft ²

*Any trim or unknown material that touches siding is included in the 'Siding' column. If it does not touch siding, then it's included in the 'Other' column.

Openings	Siding	Other
Quantity	21	1
Tops Length	73′	-
Sills Length	56′ 8″	-
Sides Length	180′ 2″	14′ 1″
Total Perimeter	309′ 11″	14′ 1″

Siding Waste Factor*	Area	Squares
Zero Waste	2217 ft ²	221/4
+10%	2440 ft ²	24½
+18%	2617 ft ²	261⁄4
With Openings	2466 ft ²	24¾
Openings +10%	2714 ft²	271⁄4
Openings +18%	2910 ft ²	291⁄4

*The first three rows of the Siding Waste Factor table are calculated using the total ft² of siding facades, ft² of trim touching siding, and ft² of unknowns touching siding.

Trim	Siding	Other
Level Starter	199′ 9″	61′ 5″
Sloped Trim	43′ 11″	33′ 11″
Vertical Trim	29′ 5″	117′ 10″

Roofline	Length	Avg. Depth	Soffit Area
Eaves Fascia	154′ 7″	-	-
Level Frieze Board	161′ 1″	1′ 2″	341 ft ²
Rakes Fascia	109′ 9″	-	-
Sloped Frieze Board	101′ 2″	9"	75 ft²

Corners	Siding	Other
Inside Qty	7	-
Inside Length	47′ 7″	-
Outside Qty	12	-
Outside Length	111′ 2″	-

Accessories	Siding	Other
Shutter Qty	12	0
Shutter Area	56 ft²	O ft²
Vents Qty	0	О
Vents Area	O ft²	O ft ²

otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.



3 sand pebble dr, ROOF SUMMARY

Roof	Area	Total	Length
Roof facets	2040	8	-
Ridges / Hips	-	4	62′ 7″
Valleys	-	1	1′ 1″
Rakes	-	9	109′ 9″
Eaves	-	8	154′ 7″
Flashing	-	11	37′ 5″
Step Flashing	-	10	45′
Drip Edge/Perimeter	-	_	264′ 4″

Roof Pitch	Area	Percentage		
5/12	2040 ft ²	100.0%		

Waste Factor Calculation


	Zero Waste	+5% +10%		+15%	+20%
Area	2040 ft²	2142 ft ²	2244 ft² 2346 ft²		2448 ft²
Squares	20¾	21⅔	222/3	232/3	24¾

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Ridge, hip, valley, and starter lengths are not included and may require additional material.












PROPERTY ID: 1550861









Number of Stories: >1

Footprint Perimeter: 181' Footprint Area: 1647 ft²












3 sand pebble dr, SIDING PER ELEVATION



FRONT			RIGH	Т		LEFT	•		BACK	(
SI-1	-	19 ft ²	SI-2	-	87 ft ²	SI-13	-	14 ft ²	SI-8	-	366 ft ²
SI-3	-	28 ft ²	SI-4	-	26 ft ²	SI-14	_	150 ft ²	SI-10	-	6 ft ²
SI-5	-	160 ft ²	SI-7	-	483 ft ²	SI-15	_	35 ft ²	SI-11	-	128 ft ²
SI-6	-	118 ft ²	SI-9	-	14 ft ²	SI-16	-	81 ft ²	SI-12	-	28 ft ²
						SI-17	_	302 ft ²			
325 ft ²			610 ft	2		582 ft	t ²		528 ft	2	

Number of Stories: >1






otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.











PROPERTY ID: 1550861












Use of this document is subject to HOVER's Terms of Use and is provided "as is." HOVER makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.






































Use of this document is subject to HOVER's Terms of Use and is provided "as is." HOVER makes no guarantees, representations or warranties of any kind, express or implied, arising by law or

otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.

PROPERTY ID: 1550861





































3 sand pebble dr,

Siding

Facade	Area	Inside Corners	Outside Corners	Openings	Shutters	Vents
SI-1	19 ft²	0	0	1	О	О
SI-2	87 ft²	3	0	0	0	0
SI-3	28 ft²	1	2	0	0	0
SI-4	26 ft ²	0	2	0	0	0
SI-5	160 ft ²	2	1	3	4	0
SI-6	118 ft²	1	2	4	8	0
SI-7	483 ft ²	0	3	0	0	0
SI-8	366 ft ²	1	2	7	0	0
SI-9	14 ft ²	1	1	1	0	0
SI-10	6 ft²	0	2	1	0	0
SI-11	128 ft ²	1	1	2	0	0
SI-12	28 ft ²	1	2	0	0	0
SI-13	14 ft ²	1	1	1	0	0
SI-14	150 ft ²	0	2	0	0	0
SI-15	35 ft ²	1	1	0	0	0
SI-16	81 ft ²	0	2	0	0	0

otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.





3 sand pebble dr,

Siding

Facade	Area	Inside Corners	Outside Corners	Openings	Shutters	Vents
SI-17	302 ft ²	1	О	1	0	0
Total	2045 ft ²	14	24	21	12	0

Brick

Facade	Area	Openings	Shutters	Vents
BR-1	17 ft²	0	0	0
BR-2	17 ft²	0	0	0
BR-3	2 ft²	0	0	0
BR-4	60 ft²	0	0	0
BR-5	42 ft ²	0	0	0
BR-6	39 ft²	0	0	0
BR-7	2 ft²	0	0	0
BR-8	9 ft²	0	0	0
BR-9	3 ft²	0	0	0
BR-10	2 ft²	0	0	0
Total	193 ft²	0	0	0

otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.







Facade	Area	Openings	Shutters	Vents
UN-1	46 ft²	0	0	0
UN-2	13 ft²	0	0	0
UN-3	15 ft²	0	0	0
UN-4	32 ft ²	0	0	0
UN-5	13 ft ²	0	0	0
Total	119 ft²	0	0	0

3 sand pebble dr,

Facades

			Trim		Cor	ners	Roo	fline		Openings	
Facade	Area	Level Starter	Sloped	Vertical	Inside	Outside	Level Frieze Board	Sloped Frieze Board	Tops	Sills	Sides
SI-1	19 ft²	-	-	2′ 4″	-	-	16′ 4″	-	16′ 4″	-	-
SI-2	87 ft²	9′ 11″	6′ 9″	10′ 6″	8′ 10″	-	6′ 2″	10′ 9″	-	-	-
SI-3	28 ft²	2' 4"	-	7"	12′ 6″	22' 7"	6"	-	-	-	-
SI-4	26 ft ²	-	4′ 11″	-	-	11′ 6″	-	-	-	-	-
SI-5	160 ft ²	31′ 10″	-	-	7′ 6″	7′	31′ 10″	-	11′	11′	37′ 11″
SI-6	118 ft²	32' 6"	-	7"	1′ 4″	9′	32′ 6″	-	11′ 10″	11′ 10″	37′ 10″
SI-7	483 ft ²	31′ 1″	-	2' 5"	-	29′ 3″	5′ 2″	33′ 1″	-	-	-
SI-8	366 ft ²	26′ 5″	6′ 7″	1′ 2″	8′ 1″	24′ 1″	32′ 8″	-	18′	18′	44′ 9″
SI-9	14 ft ²	3′	-	1"	8′ 1″	8′ 1″	3'	-	2′ 1″	2′ 1″	9′ 6″
SI-10	6 ft²	3' 4"	-	-	-	16′ 1″	3' 4"	-	3′	3′	14′ 5″
SI-11	128 ft ²	20′	-	9"	7′ 9″	8′ 6″	20′	-	5′ 9″	5′ 9″	12′ 4″
SI-12	28 ft²	2' 4"	-	7"	10′ 6″	23′ 11″	6"	-	-	-	-
SI-13	14 ft ²	3′	-	4"	7′ 9″	8′ 1″	3'	-	2′ 1″	2′ 1″	9′ 6″
SI-14	150 ft²	6"	25′ 9″	10"	-	10′ 10″	-	26′ 4″	-	-	-
SI-15	35 ft²	3' 7"	-	9"	10′ 6″	8′ 6″	4"	3' 7"	-	-	-

^{*}Totals de-duplicate any line segments that are shared between multiple facades, and as a result may not represent a total summation of the corresponding column.





3 sand pebble dr,

Facades

			Trim		Cor	ners	Roo	fline		Openings	
Facade	Area	Level Starter	Sloped	Vertical	Inside	Outside	Level Frieze Board	Sloped Frieze Board	Tops	Sills	Sides
SI-16	81 ft ²	4′ 6″	-	-	-	35′	-	-	-	-	-
SI-17	302 ft ²	25′ 4″	-	8′ 7″	12′ 6″	-	-	27′ 5″	3′	3′	14′
Total*	2044 ft ²	199′ 9″	43′ 11″	29′ 5″	47′ 7″	111′ 2″	155′ 5″	101′ 2″	73'	56′ 8″	180′ 2″

^{*}Totals de-duplicate any line segments that are shared between multiple facades, and as a result may not represent a total summation of the corresponding column.

otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.







Waste Factor Calculation

Facade	Zero Waste	+10%	+18%	With Openings	Openings +10%	Openings +18%
SI-1	19 ft²	21 ft²	22 ft²	19 ft²	21 ft ²	22 ft²
SI-2	87 ft²	96 ft²	103 ft ²	87 ft²	96 ft²	103 ft²
SI-3	28 ft²	31 ft ²	33 ft²	28 ft²	31 ft ²	33 ft ²
SI-4	26 ft²	29 ft²	31 ft ²	26 ft²	29 ft²	31 ft ²
SI-5	160 ft²	176 ft²	189 ft²	208 ft ²	229 ft ²	245 ft ²
SI-6	118 ft²	130 ft²	139 ft²	166 ft²	183 ft²	196 ft²
SI-7	483 ft ²	531 ft ²	570 ft ²	483 ft ²	531 ft ²	570 ft ²
SI-8	366 ft ²	403 ft ²	432 ft ²	437 ft ²	481 ft ²	516 ft ²
SI-9	14 ft²	15 ft²	17 ft²	22 ft²	24 ft ²	26 ft²
SI-10	6 ft ²	7 ft²	7 ft ²	24 ft ²	26 ft ²	28 ft²
SI-11	128 ft²	141 ft²	151 ft²	158 ft²	174 ft²	186 ft ²
SI-12	28 ft²	31 ft ²	33 ft ²	28 ft²	31 ft ²	33 ft ²
SI-13	14 ft²	15 ft²	17 ft²	22 ft²	24 ft ²	26 ft²
SI-14	150 ft²	165 ft²	177 ft ²	150 ft²	165 ft²	177 ft ²
SI-15	35 ft ²	39 ft²	41 ft²	35 ft²	39 ft ²	41 ft²

^{*}The first three rows of the Siding Waste Factor table are calculated using the total ft² of siding facades, ft² of trim touching siding, and ft² of unknowns touching siding.



3 sand pebble dr,

Waste Factor Calculation

Facade	Zero Waste	+10%	+18%	With Openings	Openings +10%	Openings +18%
SI-16	81 ft²	89 ft²	96 ft²	81 ft²	89 ft²	96 ft²
SI-17	302 ft²	332 ft ²	356 ft²	320 ft ²	352 ft²	378 ft²
UN-1	46 ft²	51 ft²	54 ft²	46 ft²	51 ft ²	54 ft²
UN-2	13 ft²	14 ft²	15 ft²	13 ft ²	14 ft²	15 ft²
UN-3	15 ft²	17 ft²	18 ft²	15 ft²	17 ft²	18 ft²
UN-4	32 ft ²	35 ft²	38 ft²	32 ft²	35 ft²	38 ft²
UN-5	13 ft²	14 ft²	15 ft²	13 ft ²	14 ft²	15 ft²
Trims	53 ft²	58 ft²	63 ft²	53 ft²	58 ft²	63 ft²
Total	2217 ft ²	2440 ft ²	2617 ft²	2466 ft ²	2714 ft²	2910 ft ²

^{*}The first three rows of the Siding Waste Factor table are calculated using the total ft2 of siding facades, ft2 of trim touching siding, and ft2 of unknowns touching siding.

The table above provides the area of siding on a given property, segmented by individual and in sum total form. Values include openings (doors & windows) and waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific siding techniques, and your own level of expertise. Accessories are not included in these values and may require additional material.



otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.



3 sand pebble dr,

Windows

Opening	Width x Height	United Inches	Area
W-1	33" x 54"	87"	12 ft²
W-2	33" x 54"	87"	12 ft²
W-3	32" x 69"	100"	15 ft²
W-4	33" x 54"	87"	12 ft²
W-5	32" x 69"	100"	15 ft²
W-6	33" x 54"	87"	12 ft²
W-7	32" x 69"	100"	15 ft²
W-8	32" x 69"	100"	15 ft²
W-9	33" x 54"	87"	12 ft²
W-10	20" x 36"	56"	5 ft ²
W-11	20" x 36"	56"	5 ft ²
W-12	25" x 39"	63"	7 ft²
W-13	22" x 54"	76"	8 ft ²
W-14	33" x 54"	87"	12 ft²
W-15	32" x 69"	100"	15 ft²
W-16	32" x 69"	100"	15 ft²
W-17	22" x 54"	76"	8 ft ²

Doors

Opening	Width x Height	Area
D-1	192" x 84"	112 ft²
D-2	32" x 80"	18 ft²
D-2 Entire	55" x 80"	30 ft ²
D-3	32" x 82"	18 ft²
D-4	32" x 80"	18 ft²
Total	-	178 ft²

^{*}Total door square footage includes entire door package (e.g. with transoms, sidelites, etc.)

otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.



3 sand pebble dr, OPENINGS

Windows (cont.)


Opening	Width x Height	United Inches	Area
Total	-	1452"	195 ft²





Roof	Length
Ridges (RI)	54′ 10″
Hips (H)	7′ 8″
Valleys (V)	1′ 1″
Rakes (RA)	109′ 9″
Eaves (E)	154′ 7″
Flashing (F)*	37′ 5″
Step Flashing (SF)*	45′

^{*}Flashing and Step Flashing information are better accessible on the 3D reconstruction for this job












Facet	Area	Pitch
RF-1	413 ft ²	5/12
RF-2	216 ft ²	5/12
RF-3	493 ft ²	5/12
RF-4	402 ft ²	5/12
RF-5	493 ft ²	5/12
RF-6	7 ft²	5/12
RF-7	11 ft ²	5/12
RF-8	6 ft ²	5/12






otherwise relating to this document or its contents or use, including but not limited to, quality, accuracy, completeness, reliability, or fitness for a particular purpose.




























































PROPERTY ID: 1550861