

Installation Guide: Magento 2

WebwinkelKeur

This document will provide you with all the installation guide to install this extension through FTP

1. Installation

- 1 - Upload the extension files
- 2 - Merge extension files
- 2 - Connect to your Magento® webserver using SSH
- 3 - Installation and Deployment running
- 4 - Flush Caches



1. Installation

You can start the installation by downloading the extension package (.zip) file from your dashboard-account under my downloads and follow the installation instructions below.


Note: Creating a backup is recommend and will allow you to revert back to a previous version of your Magento files if something unexpected happens during the extension installation. If this is your first backup, take additional care to verify that the backup is both complete and functional by performing a trial run of your recovery process.

The installation is done in the following 5 easy steps:

1 - Upload the extension files


Disable the cache under System >> Cache Management. Extract the extension package ZIP-file (using Winzip, WinRar, etc) and upload the app folder to the root directory of the Magento installation.

All folders should match the existing folder structure. If one of our extensions is already installed and you're updating it, make sure to overwrite the existing files of the extension.



2 - Merge extension files

For Mac OS users using Transmit. If you are installing the extension in a local environment or you are using Transmit, make sure to merge and not to replace the existing folder's contents. Otherwise, your app and skin folder will be gone.



2 - Connect to your Magento® webserver using SSH

A. Connect

Run the following command in the terminal and enter user password (please skip this step if you're installing expansion on the local machine):

```
ssh username@domain.com
```

B. Locate The Root

Change your current directory to Magento® 2 web root directory running this command:


```
cd /full_path_to_magento2
```

C. Start Setup

Start the setup of the WebwinkelKeur extension by running this command:

```
php bin/magento module:enable WebwinkelKeur_Magento2
```

```
php bin/magento setup:upgrade
```

A screenshot of a terminal window with a light gray title bar. The terminal displays a list of installed Magento modules, each on a new line, enclosed in single quotes. The list includes: 'Magento_GroupedProductSampleData', 'Magento_TaxImportExport', 'Magento_TaxSampleData', 'Magento_GoogleAdwords', 'Magento_CmsSampleData', 'Magento_Translation', 'Magento_GoogleOptimizer', 'Magento_Ups', 'Magento_UrlRewrite', 'Magento_SalesRuleSampleData', 'Magento_Usps', 'Magento_Variable', 'Magento_Braintree', 'Magento_Version', 'Magento_Webapi', 'Magento_WebapiSecurity', 'Magento_SalesSampleData', 'Magento_CatalogWidget', 'Magento_WidgetSampleData', 'Magento_Wishlist', 'Magento_WishlistSampleData', and 'Magmodules_AlternateHreflang'. Below the list, a message reads 'Please re-run Magento compile command'. The prompt '[public_html]\$' is followed by the command 'php bin/magento setup:static-content:deploy'.

```
Module 'Magento_GroupedProductSampleData':
Module 'Magento_TaxImportExport':
Module 'Magento_TaxSampleData':
Module 'Magento_GoogleAdwords':
Module 'Magento_CmsSampleData':
Module 'Magento_Translation':
Module 'Magento_GoogleOptimizer':
Module 'Magento_Ups':
Module 'Magento_UrlRewrite':
Module 'Magento_SalesRuleSampleData':
Module 'Magento_Usps':
Module 'Magento_Variable':
Module 'Magento_Braintree':
Module 'Magento_Version':
Module 'Magento_Webapi':
Module 'Magento_WebapiSecurity':
Module 'Magento_SalesSampleData':
Module 'Magento_CatalogWidget':
Module 'Magento_WidgetSampleData':
Module 'Magento_Wishlist':
Module 'Magento_WishlistSampleData':
Module 'Magmodules_AlternateHreflang':
Please re-run Magento compile command
[public_html]$ php bin/magento setup:static-content:deploy
```



3 - Installation and Deployment running

Now you've entered the right commands into the SSH client the extension will be installed and deployed. It can take a few minutes until all the files are successfully transferred and deployed in your Magento® 2 Store.

[illegible]

4 - Flush Caches

Go to System > Configuration > Cache Management and click both the 'Flush Magento Cache' as well as the 'Flush Cache Storage' button.

Congratulations, the extension is now successfully installed in your Magento® 2 Store and ready to use.

Cache Management

Refresh 13 records found (13 selected)

Cache Type	Description	Tags	Status
<input checked="" type="checkbox"/> Configuration	Various PHP configurations that were collected across modules and merged	CONFIG	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Layouts	Layout building instructions	LAYOUT_GENERAL_CACHE_TAG	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Block HTML output	Page blocks HTML	BLOCK_HTML	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Collections Data	Collection data files	COLLECTION_DATA	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Reflection Data	API interfaces reflection data	REFLECTION	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Database DDL operations	Results of DDL queries, such as describing tables or indexes	DB_DDL	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> EAV types and attributes	Entity types declaration cache	EAV	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Customer Notification	Customer notification	CUSTOMER_NOTIFICATION	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Page Cache	Full page caching	FPC	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Integrations Configuration	Integration configuration file	INTEGRATION	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Integrations API Configuration	Integration API configuration file	INTEGRATION_API_CONFIG	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Translations	Translation files	TRANSLATE	<input type="button" value="DISABLED"/>
<input checked="" type="checkbox"/> Web Service Configuration	REST and SOAP configurations, generated WSDL file	WEBSERVICE	<input type="button" value="DISABLED"/>

Additional Cache Management

Pre-generated product images files

Themes JavaScript and CSS files combined to one file

Preprocessed view files and static files

