

Relational Programming in miniKanren

Relational Programming in miniKanren

William E. Byrd

© 2013 William E. Byrd

Typeset by the author in X_YLaTeX. June 7, 2013 version.



This work is licensed under a Creative Commons Attribution 3.0 Unported License. (CC BY 3.0)

<http://creativecommons.org/licenses/by/3.0/>

For my H211 students: Indiana University, Fall 2010 & 2011.

Learning with always trumps learning from.

—Woodie Flowers

Contents

<i>Bibliography</i>	13
---------------------	----

Preface

William E. Byrd
Salt Lake City, Utah
June 2013

Introduction

Logic programming has failed.

More specifically, logic programming, as currently practices, has failed to live up to its promise as the ultimate in declarative programming.

This book describes the miniKanren programming language, and how to use miniKanren to write programs in a *relational* style. Just as functional programming is based on the notion of mathematical functions, relational programming is based on the notion of mathematical relations. For this reason, relational programs are in some ways similar to relational databases. Relational programming goes beyond relational databases, however, and can be seen as an especially pure variant of logic programming. Although both views of relational programming are valid and useful, we shall concentrate on an alternate, complementary view of relational programming, based on the transformation of functions in a functional programming language to relations in miniKanren.

miniKanren is actually a family of related programming languages, embedded in a variety of host languages. Unless otherwise specified, we use the term “miniKanren” to refer to the entire family of languages, including `core.logic`, `cKanren`, and any other variants.

Indeed, SQL is arguably the most successful relational (and declarative) programming language. As we will see, miniKanren is more expressive than SQL, although this increased expressivity has disadvantages.

Bibliography