

BROWSE & SEARCH

ihub browse Interactive TUI browser

ihub list **<type>** List artifacts

ihub show **<type>** **<name>** Metadata + body

ihub preview **<type>** **<name>** Render with ANSI markdown

ihub search **<q>** Local full-text search

ihub search **--remote** **<q>** Search remote registry

ihub validate Check fields & cross-refs

ihub projects **[name]** Tree view by project

CREATE & IMPORT

ihub create **<type>** **<name>** Scaffold from template

-i Interactive (prompts all fields)

--from **<template>** Use registry artifact as base

ihub import **<type>** **<path>** Auto-detect source agent

ihub import **<bundle.json>** Import from JSON bundle

PUBLISH & PULL

ihub push **<type>** **<name>** Publish (scans sensitive data)

ihub pull **<type>** **<name>** Download & install

--agent **claude**, **cursor** Install to specific agents

-l / **-g** Project / personal scope

:1.0.0 / **--no-deps** Specific version / skip deps

ihub pull **<url>** Pull from any registry URL

ihub watch Auto-push on file save

ihub remove **<type>** **<name>** Remove (owner only)

REVIEWS & PINNING

ihub comment **<type>** **<name>** Add rating (1-5) + review

ihub comments **<type>** **<name>** View reviews

ihub pin **<type>** **<name>** **[v]** Lock to version

ihub unpin / **pins** Remove pin / list all

DIAGNOSTICS & UTILITIES

ihub doctor Server, auth, storage checks

ihub outdated Local vs registry versions

ihub verify **<type>** **<name>** Check artifact HMAC signature

ihub export **[--project]** **[--type]** JSON bundle to stdout

ihub completions **bash|zsh** Shell completions

ihub man / **version** Manual page / version

Add --json to: list, show, search, comments, whoami, projects, audit, metrics

Type-first syntax: ihub agent show X = ihub show agent X

AUTH

ihub register **<url>** Create account

ihub login **<url>** **[--auth0]** Log in (or via Auth0)

ihub passwd / **whoami** Change API key / current user

ARTIFACT TYPES

Type	Question	Key Fields
Agent	Who does the work?	inputs, outputs, skills, rules
Skill	How is it done?	triggers, args, compatible_agents
Rule	What must be followed?	scope, severity, applies_to
Memory	What was learned?	scope, context_type, related
Prompt	What should AI say?	model, compatible_agents

Memory context_type: decision | architecture | incident | domain | context | learning

ADMINISTRATION (ADMIN ONLY)

ihub config View server config

ihub audit **[--user]** **[--action]** Audit trail

ihub metrics **[--type]** **[--user]** Usage metrics dashboard

ihub backup **[path]** SQLite backup

ihub backup **--full** **[path]** JSON backup (any storage)

ihub restore **<file>** Restore .db or .json

ihub webhook **list|add|remove** Manage HTTP webhooks

ihub federation **sync|status** Upstream registry sync

ihub admin **set-role** **<u>** **<r>** Set user role

ihub admin **approve** **<t>**/**<n>** Unblock artifact

ihub admin **blocked** / **digest** List blocked / Slack digest

TUI KEYBOARD SHORTCUTS

↑ ↓ j k Navigate	↔ Switch type
⌘ Drill in	Esc / q Back
/ Search	space / a / p Select / all / pull
c / w Comments / review	d d Delete (double)
m / t Metrics / audit	i / j Config / projects
G / B Guide / blocked	g / v Graph / versions
{ } Scroll preview	s / f / F Sort / fav / favs

Split-pane preview auto-shows when terminal ≥ 120 cols. Mouse + IHUB_THEME=light supported.

API ENDPOINTS

Method	Path	Description
GET/POST/DEL	/api/type/:name	CRUD artifacts
GET	/api/type/:name/versions	Version history
GET	/api/search?q=	Full-text search
GET/POST/DEL	/api/.../comments[:id]	Comments + ratings
GET	/api/backup/full	JSON export (admin)
POST	/api/backup/full	JSON restore (admin)
GET/POST/DEL	/api/webhooks[:id]	Webhook CRUD (admin)
POST / GET	/api/federation/sync status	Federation (admin)
GET	/api/metrics	Prometheus metrics
GET	/api/audit	Audit log (admin)
POST	/api/register	Create user

SERVER CONFIG (IHUB.CONFIG.JSON)

storage.adapter	sqlite s3 r2 gcs azure fs minio (30+ via files-sdk)
federation.enabled	Sync artifacts from upstream registries
signing.enabled + key	HMAC-SHA256 artifact signing on push/verify on pull
versioning.enforce_semver	Require valid semver bumps, detect breaking changes
plugins: [...]	JS lifecycle hooks: beforePush, afterPush, beforePull
firewall.enabled	IP whitelist (exact, CIDR, wildcard)
security.notify_via	Sensitive data alerts: terminal slack email
slack.enabled	Push notifications + weekly digest

MULTI-AGENT SUPPORT

Agent	Format	Skills Path
Claude Code	SKILL.md dir	~/claude/skills/ .claude/skills/
Gemini CLI	SKILL.md dir	~/gemini/skills/ .gemini/skills/
Qwen Code	SKILL.md dir	~/qwen/skills/ .qwen/skills/
Cursor IDE	.mdc rules	~/cursor/skills/ .cursor/skills/
Codex CLI	SKILL.md dir	~/agents/skills/ .agents/skills/
Open Code	SKILL.md dir	~/config/opensource/skills/

Memories always install to local memories/. Use --agent to target specific agents.

DEPLOY

npm run server Start on :3000

docker compose up -d Full stack + Prometheus + Grafana

kubectl apply -k k8s/ Kubernetes (kustomize)