Fuzzy neural network design using support vector regression for function approximation with outliers [77] Hopfield Network Learning Using Deterministic Latent Variables [46] The sampling theorem, Poissontextquotesingle [26] Application of kernel-based Fisher discriminant analysis to map landslide susceptibility in the Qinggan River delta, Three Gorges, China [57] Small-kernel superresolution methods for microscanning imaging systems [113]

What is... a Higgs bundle [23]

The Self-Duality Equations on a Riemann Surface [62]

Asynchronous networks and event driven dynamics [19]

Lineal A [7]

Semantics of a Typed Algebraic Lambda-Calculus [129]

Semantic Parsing with Neural Hybrid Trees [122]

Logical semantics for concurrent lambda-calculus [37]

Algebras and coalgebras in the light affine Lambda calculus [49]

Topological incompleteness and order incompleteness of the lambda calculus [107]

Interpretations of Classical Logic Using lambda-calculus [1]

Typed lambda calculi and possible worlds models [102]

Language to Logical Form with Neural Attention [39]

Cumulative learning in the lambda calculus [58]

A lambda-calculus foundation for universal probabilistic programming [21]

Soft lambda-Calculus A [14]

On quantum lambda calculi a foundational perspective [147]

Hyper-Lambda Calculi [61]

Bohms Theorem for Resource Lambda Calculus through Taylor Expansion [89]

Infinitary Lambda Calculi from a Linear Perspective [72]

Typing and Optimal reduction for lambda-calculus in variants of Linear logic for Implicit computational complexity [9]

Characterizing Polynomial and Exponential Complexity Classes in Elementary Lambda-Calculus [13]

Relational Reasoning for Markov Chains in a Probabilistic Guarded Lambda Calculus [3]

A Complete Polynomial lambda-Calculus [33]

A Dynamic-Logical Perspective on Quantum Behavior [15]

Synthesis of ternary quantum logic circuits by decomposition [66]

Stochastic control for a class of nonlinear kernels and applications [101]

Kernel Analysis of Deep Networks [95]

Optimizing Kernel Machines using Deep Learning [118]

Estimating Equivalent Kernels for Neural Networks A [25]

Convolutional kernel networks [87]

Deep kernel learning [136]

Dictionary Learning for Sparse Representation of Neural Network Exemplars in Speech Recognition [38]

Greedy deep dictionary learning [125]

Sparse Factorization Layers for Neural Networks with Limited Supervision [68]

Sparse convolutional neural networks [81]

NullHop A [4]

Convolutional Neural Networks Analyzed via Convolutional Sparse Coding [97]

Forming sparse representations by local anti-Hebbian learning [47]

Convolutional deep belief networks for scalable unsupervised learning of hierarchical representations [74]

Ensemble samplers with affine invariance [55]

Fisher discriminant analysis with kernels [93]

Direct linearization method for nonlinear PDEs and the related kernel RBFs [27]

NOTES ON LINEARIZATION STABILITY [29]

Volterra boundary control laws for a class of nonlinear parabolic partial differential equations [130]

A kernel-based method for parabolic equations with nonlinear convection terms [45]

On homotopically equivalent relations for fiber bundles [32]

Modeling nonlinear circuits with linearized dynamical models via kernel regression [52]

Formal linearization and exact solutions of some nonlinear partial differential equations [12]

Control of PDEs [109]

Boundary control of PDEs A course on backstepping designs [70]

New RBF [28]

The Bianchi identity and the Ricci curvature equation [116]

Beyond the Markovian assumption response–excitation probabilistic solution to random nonlinear differential equations in the long time [10]

The meshless kernel-based method of lines for solving the equal width equation [36]

Fluid Simulation in Kernel Space [141]

Identification of a memory kernel in a nonlinear integrodifferential parabolic problem [20]

A High-Order Kernel Method for Diffusion and Reaction-Diffusion Equations on Surfaces [48]

Local solvability of nonlinear partial differential equations of real principal type [54]

A Kernel-free boundary integral method for the nonlinear poisson-boltzmann equation [138]

Boundary control for nonlinear parabolic PDEs by Volterra feedback linearization [131]

The reproducing kernel method for solving the system of the linear Volterra integral equations with variable coefficients [137]

Reproducing kernel method of solving singular integral equation with cosecant kernel [41]

New implementation of reproducing kernel Hilbert space method for solving a fuzzy integro-differential equation of integer and fractional orders [6]

Error estimation for the reproducing kernel method to solve linear boundary value problems [76]

Semigroup linearization for nonlinear parabolic equations [45]

A Novel Method for Solving KdV [63]

Linearization of novel nonlinear diffusion equations with the Hilbert kernel and their exact solutions [91]

Reduced-order modelling of parameter-dependent, linear and nonlinear dynamic partial differential equation models [111]

Applied nonlinear control [115]

Generalization of the equivalent linearization method for non-linear random vibration problems [24]

Stochastic linearization of multi-degree-of-freedom non-linear systems [8]

Direct linearization method for nonlinear PDEs and the related kernel RBFs [27]

A global geometric framework for nonlinear dimensionality reduction [126]

Principal Manifolds and Nonlinear Dimension Reduction via Local Tangent Space Alignment [140]

Global Versus Local Methods in Nonlinear Dimensionality Reduction [34]

Learning a kernel matrix for nonlinear dimensionality reduction [134]

Incremental Nonlinear Dimensionality Reduction by Manifold Learning [73]

Analysis and extension of spectral methods for nonlinear dimensionality reduction [110]

Reducing the Dimensionality of Data with Neural Networks [59]

Laplacian eigenmaps for dimensionality reduction and data representation [16]

Riemannian Manifold Learning for Nonlinear Dimensionality Reduction [78]

System and method for control using quantum soft computing [128]

Type Inference for a Polynomial Lambda Calculus [50]

Understanding Generalization Learning Quantifiers and Negation with Neural Tensor Networks [103]

A Normative Theory of Adaptive Dimensionality Reduction in Neural Networks [98]

Nonlinear Dimensionality Reduction of Data by Deep Distributed Random Samplings [139]

Nonlinear dimensionality reduction by locally linear embedding [105]

Non-linear dimensionality reduction [35]

System identification [82]

Nonlinear Dimensionality Reduction by Semidefinite Programming and Kernel Matrix Factorization [133]

A novel network for nonlinear modeling of neural systems with arbitrary point-process inputs [5]

Support vector method for identification of Wiener models [127]

Artificial neural network for system identification in neural networks [92]

Towards a Volterra series representation from a Neural Network model [120]

Analysis and modification of VolterraWiener neural networks for the adaptive identification of non-linear hysteretic dynamic systems [99]

Recurrent neural networks and robust time series prediction [30]

Non-linear adaptive control via laguerre expansion of volterra kernels [42]

A dynamic neural network approach to nonlinear process modeling [112]

A bibliography on nonlinear system identification [51]

Online prediction of time series data with kernels [104]

Volterra models and three-layer perceptrons [90]

Neural network modeling of nonlinear systems based on volterra series extension of a linear model [117]

An analysis of a noise reduction neural network [123]

Volterra series and neural networks to model an electronic device nonlinear behavior [119]

Multi-layered neural networks and Volterra series The missing link [56]

The analysis of nonlinear synaptic transmission. [69]

Linear and nonlinear analysis of human dynamic cerebral autoregulation [96]

Wiener-Volterra Characterization of Neurons in Primary Auditory Cortex Using Poisson-Distributed Impulse Train Inputs [100]

Greedy deep transform learning [86]

Autoencoders, Minimum Description Length and Helmholtz Free Energy [60]

K-sparse autoencoders [88]

Auto-encoding variational bayes [67]

Stacked Denoising Autoencoders Learning Useful Representations in a Deep Network with a Local Denoising Criterion [132]

Generalized extreme learning machine autoencoder and a new deep neural network [121]

Auto-association by multilayer perceptrons and singular value decomposition [22]

Autoencoder for words [79]

Modeling word perception using the Elman network [80]

Learning Deep Architectures for AI [17]

Learning internal representations by error propagation [106]

A symplectic realization of the Volterra lattice [2]

A rigorous derivation of the chemical master equation [53]

Deterministic-stochastic subspace identification method for identification of nonlinear structures as time-varying linear systems [94]

Message Passing Algorithms for Compressed Sensing [40]

State Evolution for Approximate Message Passing with Non-Separable Functions [18]

Solving Large-Scale Inverse Problems via Approximate Message Passing and Optimization. [83]

Compressive Imaging via Approximate Message Passing With Image Denoising [124]

Compressed Sensing via Universal Denoising and Approximate Message Passing [84]

Approximate Message Passing Algorithm With Universal Denoising and Gaussian Mixture Learning [85]

A context quantization approach to universal denoising [114]

Weighted sparse recovery with expanders [11]

Convex Block-sparse Linear Regression with Expanders - Provably [71]

ROAST [142]

Approximating Sampled Sinusoids and Multiband Signals Using Multiband Modulated DPSS [145]

A super-resolution algorithm for multiband signal identification [146]

The fast Slepian transform [64]

What to Expect When You Are Expecting on the Grassmannian [43]

The Global Optimization Geometry of Low-Rank Matrix Optimization [143]

Atomic norm minimization for modal analysis with random spatial compression [75]

Global optimality in low-rank matrix optimization [144]

Learning the Second-Moment Matrix of a Smooth Function From Point Samples [44]

Fast computations for approximation and compression in Slepian spaces [65]

CoSaMP [31]

Online search Orthogonal Matching Pursuit [135]

Compressive System Identification of LTI [108]

References

- [1] Freddie Agestam. Interpretations of classical logic using λ -calculus.
- [2] M A Agrotis, P A Damianou, and G Marmo. A symplectic realization of the volterra lattice. *Journal of Physics A: Mathematical and General*, 38(28):6327–6334, jun 2005.
- [3] Alejandro Aguirre, Gilles Barthe, Lars Birkedal, Ales Bizjak, Marco Gaboardi, and Deepak Garg. Relational reasoning for markov chains in a probabilistic guarded lambda calculus. *CoRR*, abs/1802.09787, 2018.
- [4] Alessandro Aimar, Hesham Mostafa, Enrico Calabrese, Antonio Rios-Navarro, Ricardo Tapiador-Morales, Iulia-Alexandra Lungu, Moritz B. Milde, Federico Corradi, Alejandro Linares-Barranco, Shih-Chii Liu, and Tobi Delbr"uck. Nullhop: A flexible convolutional neural network accelerator based on sparse representations of feature maps. *CoRR*, abs/1706.01406, 2017.
- [5] Konstantinos Alataris, Theodore W. Berger, and Vasilis Z. Marmarelis. A novel network for nonlinear modeling of neural systems with arbitrary point-process inputs. *Neural Networks*, 13(2):255–266, 2000.
- [6] Asia Khalaf Albzeirat, Muhammad Zaini Ahmad, Shaher Momani, and Israr Ahmad. New implementation of reproducing kernel hilbert space method for solving a fuzzy integro-differential equation of integer and fractional orders. Journal of King Saud University - Science, apr 2017.
- [7] Pablo Arrighi and Gilles Dowek. Lineal: A linear-algebraic lambda-calculus. Logical Methods in Computer Science, 13(1), 2017.

- [8] T Selcuk Atalik and Senol Utku. Stochastic linearization of multi-degree-of-freedom non-linear systems. Earthquake Engineering & Structural Dynamics, 4(4):411–420, 1976.
- [9] Vincent Atassi. Typing and Optimal reduction for λ -calculus in variants of Linear logic for Implicit computational complexity. PhD thesis, Paris 13, 2008.
- [10] GA Athanassoulis, IC Tsantili, and ZG Kapelonis. Beyond the markovian assumption: response–excitation probabilistic solution to random nonlinear differential equations in the long time. *Proc. R. Soc. A*, 471(2183):20150501, 2015.
- [11] Bubacarr Bah. Weighted sparse recovery with expanders. CoRR, abs/1604.01067, 2016.
- [12] VA Baikov and KR Khusnutdinova. Formal linearization and exact solutions of some nonlinear partial differential equations. *Journal of Nonlinear Mathematical Physics*, 3(1-2):139–146, 1996.
- [13] Patrick Baillot, Erika De Benedetti, and Simona Ronchi Della Rocca. Characterizing polynomial and exponential complexity classes in elementary lambda-calculus. In *Lecture Notes in Computer Science*, pages 151–163. Springer Berlin Heidelberg, 2014.
- [14] Patrick Baillot and Virgile Mogbil. Soft lambda-calculus: A language for polynomial time computation. In FoSSaCS, volume 2987 of Lecture Notes in Computer Science, pages 27–41. Springer, 2004.
- [15] Alexandru Baltag and Sonja Smets. A dynamic-logical perspective on quantum behavior. Studia Logica, 89(2):187–211, 2008.
- [16] Mikhail Belkin and Partha Niyogi. Laplacian eigenmaps for dimensionality reduction and data representation. Neural computation, 15(6):1373–1396, 2003.
- [17] Y. Bengio. Learning deep architectures for AI. Foundations and Trends® in Machine Learning, 2(1):1–127, 2009.
- [18] Raphael Berthier, Andrea Montanari, and Phan-Minh Nguyen. State evolution for approximate message passing with non-separable functions. *CoRR*, abs/1708.03950, 2017.
- [19] Christian Bick and Michael Field. Asynchronous networks and event driven dynamics. Nonlinearity, 30(2):558, 2017.
- [20] K. Van Bockstal, M. Slodička, and F. Gistelinck. Identification of a memory kernel in a nonlinear integrodifferential parabolic problem. Applied Numerical Mathematics, 120:305–323, oct 2017.
- [21] Johannes Borgstr"om, Ugo Dal Lago, Andrew D. Gordon, and Marcin Szymczak. A lambda-calculus foundation for universal probabilistic programming. In *ICFP*, pages 33–46. ACM, 2016.
- [22] Hervé Bourlard and Yves Kamp. Auto-association by multilayer perceptrons and singular value decomposition. *Biological cybernetics*, 59(4-5):291–294, 1988.
- [23] Steven B Bradlow, Oscar García-Prada, and Peter B Gothen. What is... a higgs bundle. *Notices of the AMS*, 54(8), 2007.
- [24] A Brückner and YK Lin. Generalization of the equivalent linearization method for non-linear random vibration problems. *International journal of non-linear mechanics*, 22(3):227–235, 1987.
- [25] A. Neil Burgess. Estimating equivalent kernels for neural networks: A data perturbation approach. In NIPS, pages 382–388. MIT Press, 1996.
- [26] P.L. Butzer, P.J.S.G. Ferreira, J.R. Higgins, G. Schmeisser, and R.L. Stens. The sampling theorem, poissons summation formula, general parseval formula, reproducing kernel formula and the paley—wiener theorem for bandlimited signals—their interconnections. *Applicable Analysis*, 90(3-4):431–461, mar 2011.
- [27] W Chen. Direct linearization method for nonlinear pde's and the related kernel rbfs. arXiv preprint math/0110005, 2001.
- [28] W. Chen. New RBF collocation methods and kernel RBF with applications. CoRR, cs.NA/0111063, 2001.
- [29] OTIS CHODOSH. Notes on linearization stability, 2013.
- [30] Jerome T Connor, R Douglas Martin, and Les E Atlas. Recurrent neural networks and robust time series prediction. *IEEE transactions on neural networks*, 5(2):240–254, 1994.
- [31] Mark A. Davenport, Deanna Needell, and Michael B. Wakin. CoSaMP with redundant dictionaries. In 2012 Conference Record of the Forty Sixth Asilomar Conference on Signals, Systems and Computers (ASILOMAR). IEEE, nov 2012.

- [32] Suliman Dawood and Adem Kılıçman. On homotopically equivalent relations for fiber bundles. *Journal of the Egyptian Mathematical Society*, 21(3):295–299, oct 2013.
- [33] Erika De Benedetti and Simona Ronchi Della Rocca. A complete polynomial λ -calculus, 2012.
- [34] Vin de Silva and Joshua B. Tenenbaum. Global versus local methods in nonlinear dimensionality reduction. In NIPS, pages 705–712. MIT Press, 2002.
- [35] David DeMers and Garrison W Cottrell. Non-linear dimensionality reduction. In Advances in neural information processing systems, pages 580–587, 1993.
- [36] Yilmaz Dereli and Robert Schaback. The meshless kernel-based method of lines for solving the equal width equation. *Applied Mathematics and Computation*, 219(10):5224–5232, 2013.
- [37] Mariangiola Dezani-Ciancaglini. Logical semantics for concurrent lambda-calculus. [Sl: sn], 1996.
- [38] Pranay Dighe, Afsaneh Asaei, and Hervé Bourlard. Dictionary learning for sparse representation of neural network exemplars in speech recognition. In *Proceedings of SPARS 2015: Workshop on Signal Processing with Adaptive Sparse Structured Representations*, 2015, number EPFL-CONF-210015, 2015.
- [39] Li Dong and Mirella Lapata. Language to logical form with neural attention. In ACL (1). The Association for Computer Linguistics, 2016.
- [40] David L. Donoho, Arian Maleki, and Andrea Montanari. Message passing algorithms for compressed sensing. CoRR, abs/0907.3574, 2009.
- [41] Hong Du and JiHong Shen. Reproducing kernel method of solving singular integral equation with cosecant kernel. Journal of Mathematical Analysis and Applications, 348(1):308–314, dec 2008.
- [42] Guy A. Dumont and Ye Fu. Non-linear adaptive control via laguerre expansion of volterra kernels. *International Journal of Adaptive Control and Signal Processing*, 7(5):367–382, sep 1993.
- [43] Armin Eftekhari, Laura Balzano, and Michael B. Wakin. What to expect when you are expecting on the grassmannian. *IEEE Signal Process. Lett.*, 24(6):872–876, 2017.
- [44] Armin Eftekhari, Michael B Wakin, Ping Li, and Paul G Constantine. Learning the second-moment matrix of a smooth function from point samples. arXiv preprint arXiv:1612.06339, 2016.
- [45] James F. Epperson. Semigroup linearization for nonlinear parabolic equations. Numerical Methods for Partial Differential Equations, 7(2):147–163, 1991.
- [46] Tristan Fletcher. Hopfield network learning using deterministic latent variables. 2009.
- [47] Peter Földiak. Forming sparse representations by local anti-hebbian learning. *Biological cybernetics*, 64(2):165–170, 1990.
- [48] Edward J. Fuselier and Grady B. Wright. A high-order kernel method for diffusion and reaction-diffusion equations on surfaces. J. Sci. Comput., 56(3):535–565, 2013.
- [49] Marco Gaboardi and Romain P' echoux. Algebras and coalgebras in the light affine lambda calculus. In *ICFP*, pages 114–126. ACM, 2015.
- [50] Marco Gaboardi and Simona Ronchi Della Rocca. Type inference for a polynomial lambda calculus. In *TYPES*, volume 5497 of *Lecture Notes in Computer Science*, pages 136–152. Springer, 2008.
- [51] Georgios B Giannakis and Erchin Serpedin. A bibliography on nonlinear system identification. *Signal Processing*, 81(3):533–580, 2001.
- [52] Daniel J. Gillespie and Daniel P. W. Ellis. Modeling nonlinear circuits with linearized dynamical models via kernel regression. In WASPAA, pages 1–4. IEEE, 2013.
- [53] Daniel T Gillespie. A rigorous derivation of the chemical master equation. *Physica A: Statistical Mechanics and its Applications*, 188(1-3):404-425, 1992.
- [54] John Goodman and Deane Yang. Local solvability of nonlinear partial differential equations of real principal type. preprint, 1988.
- [55] Jonathan Goodman and Jonathan Weare. Ensemble samplers with affine invariance. Communications in Applied Mathematics and Computational Science, 5(1):65–80, jan 2010.

- [56] G. Govind and P.A. Ramamoorthy. Multi-layered neural networks and volterra series: The missing link. In *IEEE International Conference on Systems Engineering*. IEEE.
- [57] Sanwei He, Peng Pan, Lan Dai, Haijun Wang, and Jiping Liu. Application of kernel-based fisher discriminant analysis to map landslide susceptibility in the qinggan river delta, three gorges, china. *Geomorphology*, 171:30–41, 2012.
- [58] Robert John Henderson. Cumulative learning in the lambda calculus. PhD thesis, Imperial College London, UK, 2013.
- [59] G. E. Hinton. Reducing the dimensionality of data with neural networks. Science, 313(5786):504-507, jul 2006.
- [60] Geoffrey E. Hinton and Richard S. Zemel. Autoencoders, minimum description length and helmholtz free energy. In NIPS, pages 3–10. Morgan Kaufmann, 1993.
- [61] Yoichi Hirai. Hyper-Lambda Calculi. PhD thesis, Phd thesis, University of Tokyo, 2013.
- [62] N. J. Hitchin. The self-duality equations on a riemann surface. *Proceedings of the London Mathematical Society*, s3-55(1):59-126, jul 1987.
- [63] Mustafa Inc, Ali Akgül, and Adem Kiliçman. A novel method for solving KdV equation based on reproducing kernel hilbert space method. Abstract and Applied Analysis, 2013:1–11, 2013.
- [64] Santhosh Karnik, Zhihui Zhu, Michael B. Wakin, Justin Romberg, and Mark A. Davenport. The fast slepian transform. Applied and Computational Harmonic Analysis, jul 2017.
- [65] Santhosh Karnik, Zhihui Zhu, Michael B. Wakin, Justin K. Romberg, and Mark A. Davenport. Fast computations for approximation and compression in slepian spaces. In GlobalSIP, pages 1359–1363. IEEE, 2016.
- [66] Faisal Shah Khan and Marek Perkowski. Synthesis of ternary quantum logic circuits by decomposition. arXiv preprint quant-ph/0511041, 2005.
- [67] Diederik P Kingma and Max Welling. Auto-encoding variational bayes. arXiv preprint arXiv:1312.6114, 2013.
- [68] Parker Koch and Jason J. Corso. Sparse factorization layers for neural networks with limited supervision. *CoRR*, abs/1612.04468, 2016.
- [69] HOWARD I Krausz and W OTTO Friesen. The analysis of nonlinear synaptic transmission. *The Journal of general physiology*, 70(2):243–265, 1977.
- [70] Miroslav Krstic and Andrey Smyshlyaev. Boundary control of PDEs: A course on backstepping designs, volume 16. Siam, 2008.
- [71] Anastasios Kyrillidis, Bubacarr Bah, Rouzbeh Hasheminezhad, Quoc Tran-Dinh, Luca Baldassarre, and Volkan Cevher. Convex block-sparse linear regression with expanders provably. In *AISTATS*, volume 51 of *JMLR Workshop and Conference Proceedings*, pages 19–27. JMLR.org, 2016.
- [72] Ugo Dal Lago. Infinitary lambda calculi from a linear perspective. In LICS, pages 447–456. ACM, 2016.
- [73] Martin H. C. Law and Anil K. Jain. Incremental nonlinear dimensionality reduction by manifold learning. *IEEE Trans. Pattern Anal. Mach. Intell.*, 28(3):377–391, 2006.
- [74] Honglak Lee, Roger B. Grosse, Rajesh Ranganath, and Andrew Y. Ng. Convolutional deep belief networks for scalable unsupervised learning of hierarchical representations. In *ICML*, volume 382 of *ACM International Conference Proceeding* Series, pages 609–616. ACM, 2009.
- [75] Shuang Li, Dehui Yang, and Michael B. Wakin. Atomic norm minimization for modal analysis with random spatial compression. In *ICASSP*, pages 3251–3255. IEEE, 2017.
- [76] X. Y. Li and B. Y. Wu. Error estimation for the reproducing kernel method to solve linear boundary value problems. J. Computational Applied Mathematics, 243:10–15, 2013.
- [77] Chin-Teng Lin, Sheng-Fu Liang, Chang-Moun Yeh, and Kan Wei Fan. Fuzzy neural network design using support vector regression for function approximation with outliers. In *SMC*, pages 2763–2768. IEEE, 2005.
- [78] Tony Lin, Hongbin Zha, and Sang Uk Lee. Riemannian manifold learning for nonlinear dimensionality reduction. In *ECCV* (1), volume 3951 of *Lecture Notes in Computer Science*, pages 44–55. Springer, 2006.
- [79] Cheng-Yuan Liou, Wei-Chen Cheng, Jiun-Wei Liou, and Daw-Ran Liou. Autoencoder for words. Neurocomputing, 139:84–96, 2014.

- [80] Cheng-Yuan Liou, Jau-Chi Huang, and Wen-Chie Yang. Modeling word perception using the elman network. *Neuro-computing*, 71(16-18):3150–3157, 2008.
- [81] Baoyuan Liu, Min Wang, Hassan Foroosh, Marshall Tappen, and Marianna Pensky. Sparse convolutional neural networks. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pages 806–814, 2015.
- [82] Lennart Ljung. System identification. In Signal analysis and prediction, pages 163–173. Springer, 1998.
- [83] Yanting Ma et al. Solving large-scale inverse problems via approximate message passing and optimization. 2017.
- [84] Yanting Ma, Junan Zhu, and Dror Baron. Compressed sensing via universal denoising and approximate message passing. *CoRR*, abs/1407.1944, 2014.
- [85] Yanting Ma, Junan Zhu, and Dror Baron. Approximate message passing algorithm with universal denoising and gaussian mixture learning. *IEEE Trans. Signal Processing*, 64(21):5611–5622, 2016.
- [86] Jyoti Maggu and Angshul Majumdar. Greedy deep transform learning. In 2017 IEEE International Conference on Image Processing (ICIP). IEEE, sep 2017.
- [87] Julien Mairal, Piotr Koniusz, Zaid Harchaoui, and Cordelia Schmid. Convolutional kernel networks. In Advances in neural information processing systems, pages 2627–2635, 2014.
- [88] Alireza Makhzani and Brendan Frey. K-sparse autoencoders. arXiv preprint arXiv:1312.5663, 2013.
- [89] Giulio Manzonetto and Michele Pagani. Bohms theorem for resource lambda calculus through taylor expansion. In *Lecture Notes in Computer Science*, pages 153–168. Springer Berlin Heidelberg, 2011.
- [90] Vasilis Z. Marmarelis and Xiao Zhao. Volterra models and three-layer perceptrons. *IEEE Trans. Neural Networks*, 8(6):1421–1433, 1997.
- [91] Y. Matsuno. Linearization of novel nonlinear diffusion equations with the hilbert kernel and their exact solutions. Journal of Mathematical Physics, 32(1):120–126, jan 1991.
- [92] Alicia Costalago Meruelo, David M. Simpson, Sándor Dániel Veres, and Philip L. Newland. Artificial neural network for system identification in neural networks. 2016.
- [93] Sebastian Mika, Gunnar Ratsch, Jason Weston, Bernhard Scholkopf, and Klaus-Robert Mullers. Fisher discriminant analysis with kernels. In *Neural networks for signal processing IX*, 1999. Proceedings of the 1999 IEEE signal processing society workshop., pages 41–48. Ieee, 1999.
- [94] Babak Moaveni and Eliyar Asgarieh. Deterministic-stochastic subspace identification method for identification of nonlinear structures as time-varying linear systems. *Mechanical Systems and Signal Processing*, 31:40–55, aug 2012.
- [95] Gr' egoire Montavon, Mikio L. Braun, and Klaus-Robert M" uller. Kernel analysis of deep networks. *Journal of Machine Learning Research*, 12:2563–2581, 2011.
- [96] Ronney B. Panerai, Suzanne L. Dawson, and John F. Potter. Linear and nonlinear analysis of human dynamic cerebral autoregulation. *American Journal of Physiology-Heart and Circulatory Physiology*, 277(3):H1089–H1099, sep 1999.
- [97] Vardan Papyan, Yaniv Romano, and Michael Elad. Convolutional neural networks analyzed via convolutional sparse coding. *Journal of Machine Learning Research*, 18:83:1–83:52, 2017.
- [98] Cengiz Pehlevan and Dmitri B. Chklovskii. A normative theory of adaptive dimensionality reduction in neural networks. In NIPS, pages 2269–2277, 2015.
- [99] J.-S. Pei, A.W. Smyth, and E.B. Kosmatopoulos. Analysis and modification of volterra/wiener neural networks for the adaptive identification of non-linear hysteretic dynamic systems. *Journal of Sound and Vibration*, 275(3-5):693–718, aug 2004.
- [100] Martin Pienkowski, Greg Shaw, and Jos J. Eggermont. Wiener-volterra characterization of neurons in primary auditory cortex using poisson-distributed impulse train inputs. *Journal of Neurophysiology*, 101(6):3031–3041, jun 2009.
- [101] Dylan Possamaï, Xiaolu Tan, Chao Zhou, et al. Stochastic control for a class of nonlinear kernels and applications. *The Annals of Probability*, 46(1):551–603, 2018.
- [102] Chris N. Potts. Typed lambda calculi and possible worlds models. 2013.
- [103] Michael Repplinger. Understanding Generalization: Learning Quantifiers and Negation with Neural Tensor Networks. PhD thesis, Universiteit van Amsterdam, 2017.

- [104] Cédric Richard, José Carlos M Bermudez, and Paul Honeine. Online prediction of time series data with kernels. *IEEE Transactions on Signal Processing*, 57(3):1058–1067, 2009.
- [105] Sam T Roweis and Lawrence K Saul. Nonlinear dimensionality reduction by locally linear embedding. *science*, 290(5500):2323–2326, 2000.
- [106] David E Rumelhart, Geoffrey E Hinton, and Ronald J Williams. Learning internal representations by error propagation. Technical report, California Univ San Diego La Jolla Inst for Cognitive Science, 1985.
- [107] Antonino Salibra. Topological incompleteness and order incompleteness of the lambda calculus. ACM Transactions on Computational Logic, 4(3):379–401, jul 2003.
- [108] Borhan Molazem Sanandaji, Tyrone L. Vincent, Michael B. Wakin, Roland T'oth, and Kameshwar Poolla. Compressive system identification of LTI and LTV ARX models. In *CDC-ECE*, pages 791–798. IEEE, 2011.
- [109] Alexander Schaum. Control of pdes. 2016.
- [110] Fei Sha and Lawrence K. Saul. Analysis and extension of spectral methods for nonlinear dimensionality reduction. In ICML, volume 119 of ACM International Conference Proceeding Series, pages 784–791. ACM, 2005.
- [111] A. A. Shah, W. W. Xing, and V. Triantafyllidis. Reduced-order modelling of parameter-dependent, linear and non-linear dynamic partial differential equation models. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science*, 473(2200):20160809, apr 2017.
- [112] Andre M Shaw, Francis J Doyle III, and James S Schwaber. A dynamic neural network approach to nonlinear process modeling. Computers & chemical engineering, 21(4):371–385, 1997.
- [113] Jiazheng Shi, Stephen E Reichenbach, and James D Howe. Small-kernel superresolution methods for microscanning imaging systems. *Applied optics*, 45(6):1203–1214, 2006.
- [114] Kamakshi Sivaramakrishnan and Tsachy Weissman. A context quantization approach to universal denoising. *IEEE Trans. Signal Processing*, 57(6):2110–2129, 2009.
- [115] Jean-Jacques E Slotine, Weiping Li, et al. Applied nonlinear control, volume 199. Prentice hall Englewood Cliffs, NJ, 1991.
- [116] Godfrey Smith. The Bianchi identity and the Ricci curvature equation. PhD thesis.
- [117] D.I. Soloway and J.T. Bialasiewicz. Neural network modeling of nonlinear systems based on volterra series extension of a linear model. In *Proceedings of the 1992 IEEE International Symposium on Intelligent Control*. IEEE.
- [118] Huan Song, Jayaraman J. Thiagarajan, Prasanna Sattigeri, and Andreas Spanias. Optimizing kernel machines using deep learning. *CoRR*, abs/1711.05374, 2017.
- [119] G. Stegmayer. Volterra series and neural networks to model an electronic device nonlinear behavior. In 2004 IEEE International Joint Conference on Neural Networks (IEEE Cat. No.04CH37541). IEEE.
- [120] Georgina Stegmayer, Marko Pirola, Giancarlo Orengo, and Omar Chiotti. Towards a volterra series representation from a neural network model. WSEAS Transactions on Systems, 3(2):432–437, 2004.
- [121] Kai Sun, Jiang-She Zhang, Chunxia Zhang, and Junying Hu. Generalized extreme learning machine autoencoder and a new deep neural network. *Neurocomputing*, 230:374–381, 2017.
- [122] Raymond Hendy Susanto and Wei Lu. Semantic parsing with neural hybrid trees. In AAAI, pages 3309–3315. AAAI Press, 2017.
- [123] S. Tamura. An analysis of a noise reduction neural network. In *International Conference on Acoustics, Speech, and Signal Processing*. IEEE.
- [124] Jin Tan, Yanting Ma, and Dror Baron. Compressive imaging via approximate message passing with image denoising. *IEEE Trans. Signal Processing*, 63(8):2085–2092, 2015.
- [125] Snigdha Tariyal, Angshul Majumdar, Richa Singh, and Mayank Vatsa. Greedy deep dictionary learning. arXiv preprint arXiv:1602.00203, 2016.
- [126] Joshua B Tenenbaum, Vin De Silva, and John C Langford. A global geometric framework for nonlinear dimensionality reduction. *science*, 290(5500):2319–2323, 2000.

- [127] Stefan Tötterman and Hannu T. Toivonen. Support vector method for identification of wiener models. *Journal of Process Control*, 19(7):1174–1181, jul 2009.
- [128] Sergei V Ulyanov. System and method for control using quantum soft computing, June 10 2003. US Patent 6,578,018.
- [129] Benoît Valiron. Semantics of a typed algebraic lambda-calculus. In DCM, volume 26 of EPTCS, pages 147–158, 2010.
- [130] Rafael Vazquez and Miroslav Krstic. Volterra boundary control laws for a class of nonlinear parabolic partial differential equations. *IFAC Proceedings Volumes*, 37(13):1253–1258, sep 2004.
- [131] Rafael Vazquez and Miroslav Krstic. Boundary control for nonlinear parabolic pdes by volterra feedback linearization. In *Control Conference (ECC)*, 2007 European, pages 4459–4466. IEEE, 2007.
- [132] Pascal Vincent, Hugo Larochelle, Isabelle Lajoie, Yoshua Bengio, and Pierre-Antoine Manzagol. Stacked denoising autoencoders: Learning useful representations in a deep network with a local denoising criterion. *Journal of Machine Learning Research*, 11:3371–3408, 2010.
- [133] Kilian Q. Weinberger, Benjamin Packer, and Lawrence K. Saul. Nonlinear dimensionality reduction by semidefinite programming and kernel matrix factorization. In *AISTATS*. Society for Artificial Intelligence and Statistics, 2005.
- [134] Kilian Q. Weinberger, Fei Sha, and Lawrence K. Saul. Learning a kernel matrix for nonlinear dimensionality reduction. In *ICML*, volume 69 of *ACM International Conference Proceeding Series*. ACM, 2004.
- [135] Alejandro J. Weinstein and Michael B. Wakin. Online search orthogonal matching pursuit. In SSP, pages 584–587. IEEE, 2012.
- [136] Andrew Gordon Wilson, Zhiting Hu, Ruslan Salakhutdinov, and Eric P Xing. Deep kernel learning. In Artificial Intelligence and Statistics, pages 370–378, 2016.
- [137] Li-Hong Yang, Ji-Hong Shen, and Yue Wang. The reproducing kernel method for solving the system of the linear volterra integral equations with variable coefficients. *J. Computational Applied Mathematics*, 236(9):2398–2405, 2012.
- [138] Wenjun Ying. A kernel-free boundary integral method for the nonlinear poisson-boltzmann equation. Submitted to Journal of Computational Physics (in revision), 2014.
- [139] Xiao-Lei Zhang. Nonlinear dimensionality reduction of data by deep distributed random samplings. In ACML, volume 39 of JMLR Workshop and Conference Proceedings. JMLR.org, 2014.
- [140] Zhenyue Zhang and Hongyuan Zha. Principal manifolds and nonlinear dimension reduction via local tangent space alignment. CoRR, cs.LG/0212008, 2002.
- [141] Yufeng Zhu. Fluid simulation in kernel space.
- [142] Zhihui Zhu, Santhosh Karnik, Michael B. Wakin, Mark A. Davenport, and Justin Romberg. ROAST: rapid orthogonal approximate slepian transform. *CoRR*, abs/1712.04613, 2017.
- [143] Zhihui Zhu, Qiuwei Li, Gongguo Tang, and Michael B Wakin. The global optimization geometry of low-rank matrix optimization.
- [144] Zhihui Zhu, Qiuwei Li, Gongguo Tang, and Michael B. Wakin. Global optimality in low-rank matrix optimization. In *GlobalSIP*, pages 1275–1279. IEEE, 2017.
- [145] Zhihui Zhu and Michael B. Wakin. Approximating sampled sinusoids and multiband signals using multiband modulated DPSS dictionaries. *CoRR*, abs/1507.00029, 2015.
- [146] Zhihui Zhu, Dehui Yang, Michael B Wakin, and Gongguo Tang. A super-resolution algorithm for multiband signal identification. In 51st Asilomar Conference on Signals, Systems and Computers, (Pacific Grove, California), 2017.
- [147] Margherita Zorzi. On quantum lambda calculi: a foundational perspective. *Mathematical Structures in Computer Science*, 26(7):1107–1195, 2016.