




GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(1단 1열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55°멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.





- 타공사이즈 : 1221.4(W) x 692.2(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 27.5(kg)
- 소비전력 : MTQ550-EB5L=160.4(W)
MTQ550-EB7L=213.4(W)

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	☯	PART NAME	1단 1열 설치도
WEDS POWER SYSTEMS			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(1단 2열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.

- 타공사이즈 : 2433.8(W) x 692.2(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브래킷 무게 : 27.5(kg) x 2(EA) = 55(kg)
- 소비전력 : MTQ550-EB5L=160.4(W) X 2(EA) = 약 320.8W
MTQ550-EB7L=213.4(W) X 2(EA) = 약 426.8W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	☯	PART NAME	1단 2열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	






◆MTQ550-EB5L_MTQ550-EB7L(1단 3열)

DESIGNED		CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L	
				ANGLE		PART NAME	1단 3열 설치도	
				UNIT	mm	DATE		ISSUE
				CODE NO.		DWG NO.		

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(1단 4열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터		2.멀티 BRK	
품 명	규격	품 명	규격
모델명	MTQ550-EB5L MTQ550-EB7L	모델명	MV-70
사이즈(WxHxD)	1211.4 x 682.2 x 96.4	사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	19.5kg	무게(kg)	8kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)		

NOTE.

1. 타공사이즈 : 4858.6(W) x 692.2(H) x 212.1(D)mm(테두리 마감 사이즈 포함)

2. 모니터 + 브라켓 무게 : 27.5(kg) x 4(EA) = 112(kg)

3. 소비전력 : MTQ550-EB5L=160.4(W) X 4(EA) = 약 641.6W
MTQ550-EB7L=213.4(W) X 6(EA) = 약 853.6W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	⊕	PART NAME	1단 4열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

◆MTQ550-EB5L_MTQ550-EB7L(2단 1열)

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L	
			ANGLE		PART NAME	2단 1열 설치도	
			UNIT	mm	DATE	ISSUE	
			CODE NO.		DWG NO		





◆MTQ550-EB5L_MTQ550-EB7L(2단 2열)

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L	
			ANGLE		PART NAME	2단 열차도	
			UNIT	mm	DATE	ISSUE	
			CODE NO.		DWG NO		

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(2단 3열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.

- 타공사이즈 : 3646.2(W) x 1375.4(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 27.5(kg) x 6(EA) = 165(kg)
- 소비전력 : MTQ550-EB5L=160.4(W) X 6(EA) = 약 962.4W
MTQ550-EB7L=213.4(W) X 6(EA) = 약 1280.4W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L		
			ANGLE	☉	PART NAME	2단 3열 설치도		
			UNIT	mm	DATE		ISSUE	φ
			CODE NO.		DWG NO			

◆MTQ550-EB5L_MTQ550-EB7L(2단 4열)

Technical drawing of the '미끄럼틀' (Slide) showing front and side views with dimensions.

Front View Dimensions:

- Top width: 660.00
- Inner width: 400.00
- Right side height: 400.00
- Total right side height: 642.00

Side View Dimensions:

- Width: 최소 65.7mm ~ 최대 267.7mm

Caption: [미끄럼틀]




품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

DESIGNED		CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L	
				ANGLE		PART NAME	2단 4열 설치도	
				UNIT	mm	DATE		ISSUE
				CODE NO.		DWG NO.		

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(3단 1열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE





- 타공사이즈 : 1221.4(W) x 2058.6(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 27.5(kg) x 3(EA) = 82.5(kg)
- 소비전력 : MTQ550-EB5L=160.4(W) X 3(EA) = 약 481.2W
MTQ550-EB7L=213.4(W) X 3(EA) = 약 640.2W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	UNIT	PART NAME	3단 1열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(3단 2열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg




- NOTE.
1. 타공사이즈 : 1221.4(W) x 2433.8(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
 2. 모니터 + 브라켓 무게 : 27.5(kg) x 6(EA) = 165(kg)
 3. 소비전력 : MTQ550-EB5L=160.4(W) X 6(EA) = 약 962.4W
MTQ550-EB7L=213.4(W) X 6(EA) = 약 1280.4W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE		PART NAME	3단 2열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(3단 3열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55°멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

- NOTE.
- 타공사이즈 : 1221.4(W) x 3646.2(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
 - 모니터 + 브라켓 무게 : 27.5(kg) x 9(EA) = 247.5(kg)
 - 소비전력 : MTQ550-EB5L=160.4(W) x 9(EA) = 약 1443.6W
MTQ550-EB7L=213.4(W) x 9(EA) = 약 1920.6W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	UNIT	PART NAME	3단 3열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

◆MTQ550-EB5L_MTQ550-EB7L(3단 4열)

55"월티모니터

팝업 브라켓
못피스 고정

50 X 50 각파이프


358.9(팝업 크기)

96.4(제품 크기)

175(인테리어 단공 크기)

212.1(각파이프 포함 단공 크기)

[측면도]






DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L		
			ANGLE		PART NAME	3단 4열 설치도		
			UNIT	mm	DATE		ISSUE	
			CODE NO.		DWG NO.			

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(4단 1열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55\"/>

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg


NOTE

- 타공사이즈 : 1221.4(W) x 2741.8(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 27.5(kg) x 4(EA) = 110(kg)
- 소비전력 : MTQ550-EB5L=160.4(W) X 4(EA) = 약 641.6W
MTQ550-EB7L=213.4(W) X 4(EA) = 약 853.6W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE		PART NAME	4단 1열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(4단 2열)





REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			

1.55"멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg



NOTE


1. 타공사이즈 : 2433.8(W) x 2741.8(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
2. 모니터 + 브래킷 무게 : 27.5(kg) x 8(EA) = 220(kg)
3. 소비전력 : MTQ550-EB5L=160.4(W) X 8(EA) = 약 1283.2W
MTQ550-EB7L=213.4(W) X 8(EA) = 약 1707.2W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	⊕	PART NAME	4단 2열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(4단 3열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			





1.55"멀티모니터

품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L=160.4(W) MTQ550-EB7L=213.4(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg



NOTE.

1. 타공사이즈 : 3646.2(W) x 2741.8(H) x 212.1(D)mm(테두리 마감 사이즈 포함)

2. 모니터 + 브라켓 무게 : 27.5(kg) x 12(EA) = 330(kg)



3. 소비전력 : MTQ550-EB5L=160.4(W) x 12(EA) = 약 1924.8W
MTQ550-EB7L=213.4(W) x 12(EA) = 약 2560.8W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L,MTQ550-EB7L	
			ANGLE		PART NAME	4단 3열 설치도	
			UNIT	mm	DATE	ISSUE	
			CODE NO.		DWG NO		

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-EB5L_MTQ550-EB7L(4단 4열)



REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



품명	규격
모델명	MTQ550-EB5L MTQ550-EB7L
사이즈(WxHxD)	1211.4 x 682.2 x 96.4
무게(kg)	19.5kg
소비전력(W)	MTQ550-EB5L:160.4(W) MTQ550-EB7L:213.4(W)

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

96.4(제품 크기)
175(인테리어 타공 크기)
212.1(각파이프 포함 타공 크기)



- NOTE
- 타공사이즈 : 4858.6(W) x 2741.8(H) x 212.1(D)mm(테두리 마감 사이즈 포함)
 - 모니터 + 브라켓 무게 : 27.5(kg) x 16(EA) = 440(kg)
 - 소비전력 : MTQ550-EB5L=160.4(W) x 16(EA) = 약 2566.4W
MTQ550-EB7L=213.4(W) x 16(EA) = 약 3414.4W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-EB5L_MTQ550-EB7L
			ANGLE	⊕	PART NAME	4단 4열 설치도
WEDS			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ