




GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(1단 1열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.





- 타공사이즈 : 1220.5(W) x 691.22(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 25.2(kg)
- 소비전력 : MTQ550-RB5L=209.0(W)
MTQ550-RB7L=219.0(W)

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	UNIT	PART NAME	1단 1열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(1단 2열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.

- 타공사이즈 : 2432(W) x 691.22(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 25.2(kg) x 2(EA) = 50.4(kg)
- 소비전력 : MTQ550-RB5L=209.0(W) X 2(EA) = 약 418W
MTQ550-RB7L=219.0(W) X 2(EA) = 약 438W





DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	☯	PART NAME	1단 2열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ



GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(1단 3열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L=209.0(W) MTQ550-RB7L=219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.



- 타공사이즈 : 3643.5(W) x 691.22(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 25.2(kg) x 3(EA) = 75.6(kg)
- 소비전력 : MTQ550-RB5L=209.0(W) X 3(EA) = 약 627W
MTQ550-RB7L=219.0(W) X 3(EA) = 약 657W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	⊕	PART NAME	1단 3열 설치도
WEDS ELECTRONIC			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(1단 4열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.

- 타공사이즈 : 4855.0(W) x 691.22(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브래킷 무게 : 25.2(kg) x 4(EA) = 100.8(kg)
- 소비전력 : MTQ550-RB5L=209.0(W) X 4(EA) = 약 836W
MTQ550-RB7L=219.0(W) X 6(EA) = 약 876W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	⊕	PART NAME	1단 4열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

◆MTQ550-RB5L_MTQ550-RB7L(2단 1열)

상부면, 하부면 공기출

200

164.50

0.30

[평면도]

1240.5(인테리어 타공크기)

1210.5(제품 크기)

5.00

385.00(팝업 브라켓 고정 홀 각파이프 센터)

5.00

5.00

180.5

356.4

2-681.2(제품 크기)

1383.44(인테리어 타공크기)

1.00

325.8

356.4

154.4

5.00

393.2

335.0

392.3

50.0

50.0

팝업 브라켓 고정 홀 위치 치수

[측면도]

55"멀티모니터

팝업 브라켓
못피스 고정

50 X 50 각파이프



98.8(제품 크기)

175(인테리어 타공 크기)

214.5(각파이프 포함 타공 크기)

361.3(팝업 크기)

[측면도]



1.55"멀티모니터		2.멀티 BRK	
품 명	규격	품 명	규격
모델명	MTQ550-RB5L MTQ550-RB7L	모델명	MV-70
사이즈(WxHxD)	1210.5 x 681.2 x 98.8	사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	17.2kg	무게(kg)	8kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)		

NOTE.





1. 타공사이즈 : 1220.5(W) x 1373.44(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
2. 모니터 + 브라켓 무게 : 25.2(kg) x 2(EA) = 50.4(kg)
3. 소비전력 : MTQ550-RB5L=209.0(W) X 2(EA) = 약 418W
MTQ550-RB7L=219.0(W) X 2(EA) = 약 438W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RBSL_MTQ550-RB7L		
			ANGLE		PART NAME	2단 1열 설치도		
			UNIT	mm	DATE		ISSUE	Ø
			CODE NO.			DWG NO		

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(2단 2열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터		2.멀티 BRK	
품명	규격	품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L	모델명	MV-70
사이즈(WxHxD)	1210.5 x 681.2 x 98.8	사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	17.2kg	무게(kg)	8kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)		

NOTE.

1. 타공사이즈 : 2432(W) x 1373.44(H) x 214.5(D)mm(테두리 마감 사이즈 포함)

2. 모니터 + 브라켓 무게 : 25.2(kg) x 4(EA) = 100.8(kg)





3. 소비전력 : MTQ550-RB5L=209.0(W) X 4(EA) = 약 836W
MTQ550-RB7L=219.0(W) X 6(EA) = 약 876W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L		
			ANGLE		PART NAME	2단 2열 설치도		
			UNIT	mm	DATE	ISSUE		
			CODE NO.		DWG NO			

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(2단 3열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터		2.멀티 BRK	
품 명	규격	품 명	규격
모델명	MTQ550-RB5L MTQ550-RB7L	모델명	MV-70
사이즈(WxHxD)	1210.5 x 681.2 x 98.8	사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	17.2kg	무게(kg)	8kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)		

NOTE.

1. 타공사이즈 : 3643.5(W) x 1373.44(H) x 214.5(D)mm(테두리 마감 사이즈 포함)

2. 모니터 + 브라켓 무게 : 25.2(kg) x 6(EA) = 151.2(kg)




3. 소비전력 : MTQ550-RB5L=209.0(W) X 6(EA) = 약 1254W
MTQ550-RB7L=219.0(W) X 6(EA) = 약 1314W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L		
			ANGLE	☉	PART NAME	2단 3열 설치도		
			UNIT	mm	DATE	ISSUE		
			CODE NO.		DWG NO			

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(2단 4열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55°멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg

NOTE.

- 타공사이즈 : 4855.0(W) x 1373.44(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 25.2(kg) x 8(EA) = 201.6(kg)
- 소비전력 : MTQ550-RB5L=209.0(W) X 8(EA) = 약 1672W
MTQ550-RB7L=219.0(W) X 8(EA) = 약 1752W


DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	⊕ ⊖	PART NAME	2단 4열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ



GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(3단 1열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터		2.멀티 BRK	
품명	규격	품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L	모델명	MV-70
사이즈(WxHxD)	1210.5 x 681.2 x 98.8	사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	17.2kg	무게(kg)	8kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)		




- NOTE.
- 타공사이즈 : 1220.5(W) x 2055.66(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
 - 모니터 + 브라켓 무게 : 25.2(kg) x 3(EA) = 75.6(kg)
 - 소비전력 : MTQ550-RB5L=209.0(W) X 3(EA) = 약 627W
MTQ550-RB7L=219.0(W) X 3(EA) = 약 657W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L		
			ANGLE		PART NAME	3단 1열 설치도		
			UNIT	mm	DATE	ISSUE		
			CODE NO.				DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(3단 2열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품 명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품 명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg





- NOTE.
1. 타공사이즈 : 2432.0(W) x 2055.66(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
 2. 모니터 + 브래킷 무게 : 25.2(kg) x 6(EA) = 151.2(kg)
 3. 소비전력 : MTQ550-RB5L=209.0(W) X 6(EA) = 약 1254W
MTQ550-RB7L=219.0(W) X 6(EA) = 약 1314W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	☉	PART NAME	3단 2열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(3단 3열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg




- NOTE.
- 타공사이즈 : 3643.5(W) x 2055.66(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
 - 모니터 + 브라켓 무게 : 25.2(kg) x 9(EA) = 226.8(kg)
 - 소비전력 : MTQ550-RB5L=209.0(W) X 9(EA) = 약 1881W
MTQ550-RB7L=219.0(W) X 9(EA) = 약 1971W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L		
			ANGLE		PART NAME	3단 3열 설치도		
			UNIT	mm	DATE		ISSUE	φ
			CODE NO.		DWG NO			

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(3단 4열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터				2.멀티 BRK			
품명	규격	모델명	사이즈(WxHxD)	무게(kg)	소비전력(W)	품명	규격
MTQ550-RB5L	MTQ550-RB7L	MTQ550-RB5L	1210.5 x 681.2 x 98.8	17.2kg	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)	모델명	MV-70
						사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
						무게(kg)	8kg

NOTE.

1. 타공사이즈 : 4855.0(W) x 2055.66(H) x 214.5(D)mm(테두리 마감 사이즈 포함)

2. 모니터 + 브라켓 무게 : 25.2(kg) x 12(EA) = 302.4(kg)





3. 소비전력 : MTQ550-RB5L=209.0(W) X 12(EA) = 약 2508W
MTQ550-RB7L=219.0(W) X 12(EA) = 약 2628W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	⊕	PART NAME	3단 4열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(4단 1열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			



1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg


NOTE

- 타공사이즈 : 1220.5(W) x 2737.9(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 25.2(kg) x 4(EA) = 100.8(kg)
- 소비전력 : MTQ550-RB5L=209.0(W) x 4(EA) = 약 836W
MTQ550-RB7L=219.0(W) x 4(EA) = 약 876W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE		PART NAME	4단 1열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(4단 2열)



REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			

1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg


NOTE

- 타공사이즈 : 2432.0(W) x 2737.9(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
- 모니터 + 브라켓 무게 : 25.2(kg) x 8(EA) = 201.6(kg)
- 소비전력 : MTQ550-RB5L=209.0(W) X 8(EA) = 약 1672W
MTQ550-RB7L=219.0(W) X 8(EA) = 약 1752W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L		
			ANGLE	⊕	PART NAME	4단 2열 설치도		
WEDS DESIGN & BUILD			UNIT	mm	DATE		ISSUE	φ
			CODE NO.		DWG NO			

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(4단 3열)





1.55" 멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L: 209.0(W) MTQ550-RB7L: 219.0(W)

2. 멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg





- NOTE.
- 타공사이즈 : 3643.5(W) x 2737.9(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
 - 모니터 + 브라켓 무게 : 25.2(kg) x 12(EA) = 302.4(kg)
 - 소비전력 : MTQ550-RB5L=209.0(W) X 12(EA) = 약 2508W
MTQ550-RB7L=219.0(W) X 12(EA) = 약 2628W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE		PART NAME	4단 3열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	

GENERAL TOLERANCE UNIT				
DIM	GRD	A	B	C
1~10		±0.05	±0.1	±0.2
10~100		±0.1	±0.2	±0.3
100~500		±0.2	±0.3	±0.5
500~1000		±0.3	±0.5	±1.5

◆MTQ550-RB5L_MTQ550-RB7L(4단 4열)

REV	DATE	REASON OF MODIFY	MODIFIER
△			
△			
△			






1.55"멀티모니터

품명	규격
모델명	MTQ550-RB5L MTQ550-RB7L
사이즈(WxHxD)	1210.5 x 681.2 x 98.8
무게(kg)	17.2kg
소비전력(W)	MTQ550-RB5L:209.0(W) MTQ550-RB7L:219.0(W)

2.멀티 BRK

품명	규격
모델명	MV-70
사이즈(WxHxD)	660(W) x 642(H) x 65.7(D)
무게(kg)	8kg



- NOTE.
1. 타공사이즈 : 4855.0(W) x 2737.9(H) x 214.5(D)mm(테두리 마감 사이즈 포함)
 2. 모니터 + 브라켓 무게 : 25.2(kg) x 16(EA) = 403.2(kg)
 3. 소비전력 : MTQ550-RB5L=209.0(W) X 16(EA) = 약 3344W
MTQ550-RB7L=219.0(W) X 16(EA) = 약 3504W

DESIGNED	CHECKED	APPROVED	SCALE	1:1	MODEL	MTQ550-RB5L_MTQ550-RB7L
			ANGLE	⊕	PART NAME	4단 4열 설치도
			UNIT	mm	DATE	ISSUE
			CODE NO.		DWG NO	φ