




	1	2	3	4	5	6
A	Power MCU File: power.kicad_sch keyboard File: mcu.kicad_sch in_out File: untitled.kicad_sch File: in_out.kicad_sch					A
B						B
C						C
D	Licensed under: CERN-OHL-S https://ohwr.org/cern_ohl_s_v2.pdf Copyright (C) 2026 Wee Noise Makers Sheet: / File: main_pcb.kicad_sch Title: PGB-1 Size: A4Date: 2026KiCad E.D.A. 10.0.1 Rev: v3.4Id: 1/5					D
	1	2	3	4	5	6

LEDs decoupling



RGB LEDs (ws2812 style)



Licensed under:
CERN-OHL-S
https://ohwr.org/cern_ohl_s_v2.pdf

Copyright (C) 2026 Wee Noise Makers


Sheet: /keyboard/
File: untitled.kicad_sch

Title: PGB-1


Size: A4 Date: 2026
KiCad E.D.A. 10.0.1

Rev: v3.4
Id: 2/5



Noise Nugget 2040



OLED Screen



Debug Port



Licensed under:
CERN-OHL-S
https://ohwr.org/cern_ohl_s_v2.pdf Copyright (C) 2026 Wee Noise Makers


Sheet: /MCU/
File: mcu.kicad_sch

Title: PGB-1


Size: A4 Date: 2026
KiCad E.D.A. 10.0.1

Rev: v3.4
Id: 3/5


Power-On LED




Buck/Boost




Battery Charger




Soft-controlled on/off circuit



Battery connector



Battery Charge Sense



Use high resistor value to limit current leaking.
We already use 390k for the screen, so picking the same value here avoids having another component type in the design.

Licensed under:
CERN-OHL-S
https://ohwr.org/cern_ohLs_v2.pdf

Copyright (C) 2026 Wee Noise Makers

Sheet: /Power/
File: power.kicad_sch

Title: PGB-1


Size: A4 Date: 2026

KiCad E.D.A. 10.0.1


Rev: v3.4

Id: 4/5


MIDI In (TRS-A)




MIDI Out (TRS-A)




USB




Audio In




Audio Out (Headset)




Speaker



StemmaQt/Qwiic




Internal Mic




The JACK_DETECT line must be pulled-up.

Two 5.1k resistor to get -10k equivalent. (Saving parts kind in BOM)



Slider Touch Pull can either be up or down depending on the which of these resistor is populated



Slider Touch Strip contacts



Licensed under:
CERN-OHL-S
https://ohwr.org/cern_ohl_s_v2.pdf

Copyright (C) 2026 Wee Noise Makers

Sheet: /in_out/
File: in_out.kicad_sch

Title: PGB-1

Size: A4 Date: 2026

KiCad E.D.A. 10.0.1

Rev: v3.4

Id: 5/5