Output:

```
E. O. Z. *

* E. O. Z. *

* A. A. T. *

2:\Users\Ethan\Documents\MMCM\OOP\Experiment2C\Experiment2C\bin\Debug\net6.0\Experiment2B.exe (process 10712) exited wincode 0.

Fo automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the console when debugging stops.

Press any key to close this window . . .
```

Source code:

```
using Experiment2B;
using System;
class Program
    static void Main(string[] args)
        // Ethan
        char firstInitial = 'E';
        char middleInitial = '0';
        char lastInitial = 'Z';
        // Taps
        char friendFirstInitial = 'A';
        char friendMiddleInitial = 'A';
        char friendLastInitial = 'T';
        // Stored initials using string interpolation
string ethansInitials = $"{firstInitial}. {middleInitial}. {lastInitial}.";
        string tapsInitials = $"{friendFirstInitial}. {friendMiddleInitial}.
{friendLastInitial}.";
        // calls the method with the paramters of where the initials are stored
        DisplayMonogram(ethansInitials);
        DisplayMonogram(tapsInitials);
    }
```

```
static void DisplayMonogram(string initials)
{
    Console.WriteLine("* " + initials + " *");
}
```

Explanation:

Program that displays my initials and a friends initials using the char variables and calls them through a method that accepts a parameter that is different for each persons initials