

Chunking

LING 570

Fei Xia

Week 10: 11/30/09

What is chunking?

- Also called *partial or shallow parsing*.
- Task: to assign some additional structure to tagged input.
 - The structure is often not nested: “dividing input text into non-overlapping segments”
 - Some material in the input can be skipped over.

Ex: The cow in the barn ate ...

Why chunking?

- Used when full parsing is not feasible or not desirable.
- Often application-specific
- An example: find subcategorization frames for verbs:
 - give NP to NP
 - give NP NP
 - give NP up
- Another example: Information Extraction (IE)

General process

- Tokenization:

The student

 bought

two books

- POS tagging:

DT	N
----	---

 V

CD	N
----	---
- Chunking: NP V NP
- Extraction: NP V NP
- ...

Evaluation

- System output: the set of chunks returned by the chunk parser
- Gold system: the set of chunks in the gold standard
- Correct: the correct set of chunks
- $\text{Prec} = \text{Correct} / \text{Guessed}$
- $\text{Recall} = \text{Correct} / \text{Gold}$
- $\text{F-score} = 2 \text{ Prec} * \text{Recall} / (\text{Prec} + \text{Recall})$

Methods

- Rule-based:
 - Ex: regular expression:
NP: DT JJ* NN
- Converting it to a POS tagging problem

Longest Match

- Abney 1995 discusses longest match heuristic:
 - One FSA for each phrasal category
 - Winner is the FSA with the longest match

Time flies like an arrow

Longest Match

- Some example rules:
NP \rightarrow D N
NP \rightarrow D Adj N
VP \rightarrow V
- Encoded each rule as an automaton
- Stored longest matching pattern (the winner)
- If no match for a given word, skipped it (in other words, didn't chunk it)
- Results: Precision 0.92, Recall 0.88

Converting the chunking task into a tagging problem

- Tagset:
 - IOB scheme:
 - B-X: first word of a chunk of type X
 - I-X: non-initial word of a chunk of type X
 - O: outside chunks
 - Other schemes: IOBE, etc.
 - B-X
 - I-X
 - O
 - E-X: the last word of a chunk of type X

An example

We

saw

the

yellow

dog

PRP

VBD

DT

JJ

NN

B-NP

O

B-NP

I-NP

I-NP

As a result of the conversion

- Any classification algorithm
 - MaxEnt
 - SVM
 - Boosting
 - ...
- Any sequence labeling algorithm
 - HMM
 - CRF
 - ...