

Startup Language Documentation

```
:root {
--ink: #14213d;
--muted: #4f5d75;
--accent: #f77f00;
--paper: #ffffff;
--line: #dde3ea;
--code: #f7f9fc;
}
* { box-sizing: border-box; }
body {
margin: 0;
padding: 0;
color: var(--ink);
background: var(--paper);
font-family: "Georgia", "Times New Roman", serif;
line-height: 1.45;
font-size: 11pt;
}
.page {
width: 100%;
max-width: 820px;
margin: 0 auto;
padding: 44px 40px 56px;
}
h1, h2, h3 { margin: 0; line-height: 1.2; }
h1 {
font-size: 28pt;
letter-spacing: 0.2px;
margin-bottom: 8px;
}
h2 {
margin-top: 26px;
margin-bottom: 10px;
font-size: 16pt;
border-bottom: 1px solid var(--line);
padding-bottom: 6px;
}
h3 {
margin-top: 16px;
margin-bottom: 6px;
font-size: 12pt;
}
p { margin: 0 0 10px; color: var(--muted); }
.subtitle {
margin-bottom: 4px;
color: var(--muted);
font-size: 11pt;
}
.badge {
display: inline-block;
margin-top: 4px;
margin-bottom: 14px;
padding: 3px 10px;
border-radius: 999px;
border: 1px solid var(--line);
font-family: "Helvetica", Arial, sans-serif;
```