


## HW7 心得報告

讀書會：林佳葦、楊尚諭、戴翊皓

時間： 12/23 18:30~20:15

地點：線上 MEET 討論



本次的作業讓我更加明白了輸入檔案、輸出檔案、讀取檔案以及覆蓋檔案等等技巧。經過多次的測試，最後發現若將檔案放在與 project 同一層的資料夾，在撰寫程式時就不需要另外再去呼叫路徑，可以直接打上檔名.副檔名，這麼做可以使路徑改變後，也不影響原本程式之運行，也可以讓程式碼較為精簡。

不只是學習到以上東西，還學到了若要呼叫檔案 "w" 、" r" 、" a" 分別代表寫入、讀取以及覆蓋。若在

後面加上 b 則表示轉換成二進制的方式表示。

```
MINGW64/c/Users/ㄗ/Desktop/學校/程式/HW7

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7
$ git init
Initialized empty Git repository in C:/Users/ㄗ/Desktop/學校/程式/HW7/.git/

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7 (master)
$ git add .

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7 (master)
$ git commit -m "first commit"
[master (root-commit) 41993af] first commit
190 files changed, 1624 insertions(+)
create mode 100644 CH7_Lab1/Lab_1/.vs/Lab_1/v15/.suo
create mode 100644 CH7_Lab1/Lab_1/.vs/Lab_1/v15/Browse.VC.db
create mode 100644 CH7_Lab1/Lab_1/.vs/Lab_1/v15/ipch/AutoPCH/28f77050f2a2110/MA
IN.ipch
create mode 100644 CH7_Lab1/Lab_1/.vs/Lab_1/v15/ipch/AutoPCH/d5404e5c8963ccdb/M
AIN.ipch
create mode 100644 CH7_Lab1/Lab_1/.vs/Lab_1/v15/ipch/AutoPCH/d5c2d729b7fa4ac3/M
AIN.ipch
create mode 100644 CH7_Lab1/Lab_1/.vs/Lab_1/v15/ipch/AutoPCH/e7295642a57e58f8/M
AIN.ipch
create mode 100644 CH7_Lab1/Lab_1/Lab_1.sln
create mode 100644 CH7_Lab1/Lab_1/Lab_1/Lab_1.vcxproj
```

```
MINGW64/c/Users/ㄗ/Desktop/學校/程式/HW7

create mode 100644 P18/temp/debug/vc141.idb
create mode 100644 P18/temp/debug/vc141.pdb

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7 (master)
$ git branch -M main

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7 (main)
$ git remote add origin https://github.com/wei122802/HW7.git

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7 (main)
$ git push -u origin main
Enumerating objects: 273, done.
Counting objects: 100% (273/273), done.
Delta compression using up to 16 threads
Compressing objects: 100% (217/217), done.
Writing objects: 100% (273/273), 5.95 MiB | 3.48 MiB/s, done.
Total 273 (delta 128), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (128/128), done.
To https://github.com/wei122802/HW7.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.

lingabi@DESKTOP-IM1K801 MINGW64 ~/Desktop/學校/程式/HW7 (main)
$
```

wei122802 / HW7

Public

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

main

1 branch

0 tags

Go to file

Add file

Code

wei122802 first commit

41993af · 1 minute ago · 1 commit

CH7_Lab1	first commit	1 minute ago
CH7_Lab2	first commit	1 minute ago
P14	first commit	1 minute ago
P15	first commit	1 minute ago
P16	first commit	1 minute ago
P17	first commit	1 minute ago
P18	first commit	1 minute ago
HW7心得報告.docx	first commit	1 minute ago
HW7心得報告.pdf	first commit	1 minute ago

Help people interested in this repository understand your project by adding a README.

Add a README

About

No description, website, or topics provided.

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package