RTI Connext DDS

Core Libraries

Custom Support for Linux 3.8.13 Platforms

Version 5.2.3



© 2016 Real-Time Innovations, Inc.
All rights reserved.
Printed in U.S.A. First printing.
April 2016.

Trademarks

Real-Time Innovations, RTI, NDDS, RTI Data Distribution Service, DataBus, Connext, Micro DDS, the RTI logo, 1RTI and the phrase, "Your Systems. Working as one," are registered trademarks, trademarks or service marks of Real-Time Innovations, Inc. All other trademarks belong to their respective owners.

Copy and Use Restrictions

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form (including electronic, mechanical, photocopy, and facsimile) without the prior written permission of Real-Time Innovations, Inc. The software described in this document is furnished under and subject to the RTI software license agreement. The software may be used or copied only under the terms of the license agreement.

Technical Support

Real-Time Innovations, Inc. 232 E. Java Drive Sunnyvale, CA 94089 Phone: (408) 990-7444

Email: support@rti.com

Website: https://support.rti.com/

1 Supported Platforms

This document supplements the <u>Release Notes</u> and <u>Platform Notes</u>. It provides information specifically for the platform listed in Table 1.1 Custom Supported Linux 3.8.13 Platforms.

Table 1.1 Custom Supported Linux 3.8.13 Platforms

Operating System	CPU	Compiler	RTI Architecture Abbreviation
Linux® 3.8.13	QorIQ™ P4080/P4040/P4081	gcc 4.7.2	ppce500mcLinux3gcc4.7.2

2 Transports

Supported and enabled by default:

- Shared memory (To clean up shared memory resources, reboot the kernel.)
- UDPv4

Supported but disabled by default:

• UDPv6 (The peers list must be modified to support IPv6. Mapping of the TransportPriority QoS is supported.)

Not supported:

• TCP/IPv4

3 Features

These features are supported:

- Modern C++ API
- Multicast
- Monotonic clock
- Request/reply communication
- Control of CPU core affinity for RTI threads
- Distributed Logger

For details on these features, see the Linux section of the Platform Notes.

4 Compiling and Running

Table 4.1 Building Instructions lists the compiler flags and libraries you will need to link into your application.

Table 4.2 Running Instructions shows the environment variables required to be set at run time.

Table 4.3 Library-Creation Details provides details on how these custom libraries were built. This table is provided strictly for informational purposes; you do not need to use these parameters to compile your application. You may find this information useful if you are involved in any in-depth debugging.

Table 4.1 Building Instructions

API	Library Format	Required RTI Libraries ^{a b c}	Required System Libraries	Required Compiler Flags
C++	Static Release	libnddscppz.a or libnddscpp2z.a libnddscz.a libnddscorez.a librticonnextmsgcppz.a		-DRTI_UNIX
	Static Debug	libnddscppzd.a or libnddscpp2zd.a libnddsczd.a libnddscorezd.a librticonnextmsgcppzd.a	-ldl -lnsl -lm	
	Dynamic Release	libnddscpp.so or libnddscpp2.so libnddsc.so libnddscore.so librticonnextmsgcpp.so	-lpthread -lrt	
	Dynamic Debug	libnddscppd.so or libnddscpp2d.so libnddscd.so libnddscored.so librticonnextmsgcppd.so		
С	Static Release	libnddscz.a libnddscorez.a librticonnextmsgcz.a		
	Static Debug	libnddsczd.a libnddscorezd.a librticonnextmsgczd.a	-ldl -lnsl -lm	-DRTI_UNIX
	Dynamic Release	libnddsc.so libnddscore.so librticonnextmsgc.so	-lpthread -lrt	
	Dynamic Debug	libnddscd.so libnddscored.so librticonnextmsgcd.so		

^aThe C/C++ libraries are in <NDDSHOME>/lib/<architecture> (where <NDDSHOME> is where *Connext DDS* is installed, such as /home/your user name/rti connext dds-5.x.y).

bThe *rticonnextmsg* library only applies if you have the Connext DDS Professional, Evaluation, or Basic package type. It is not provided with the Connext DDS Core package type.

 $^{{}^{\}boldsymbol{c}} Choose \ libnddscpp*.* \ for \ the \ Traditional \ C++ \ API \ or \ libnddscpp2*.* \ for \ the \ Modern \ C++ \ API.$

Table 4.2 Running Instructions

RTI Architecture	Library Format	Environment Variables
ppce500mcLinux3gcc4.7.2	Static	None required
	Dynamic	LD_LIBRARY_PATH= \${NDDSHOME}/lib/ <architecture>: \${LD_LIBRARY_PATH}^a</architecture>

Table 4.3 Library-Creation Details

RTI Architecture	Library Format	Compiler Flags Used by RTI
	Release	-m32 -mhard-float -mcpu=e500mc -O2 -pipe -feliminate-unused-debug-types -fPIC -DPOWERPC -O -Wall -Wno-unknown-pragmas -DPtrIntType=long -DCSREAL_IS_FLOAT -DCPU=e500mc -DTARGET=\"ppce500mcLinux3gcc4.7.2\" -DNDEBUG -c -Wp,-MD
ppce500mcLinux3gcc4.7.2	Debug	-m32 -mhard-float -mcpu=e500mc -O2 -pipe -feliminate-unused-debug-types -fPIC -DPOWERPC -O -Wall -Wno-unknown-pragmas -DPtrIntType=long -DCSREAL_IS_FLOAT -DCPU=e500mc -DTARGET=\"ppce500mcLinux3gcc4.7.2\" -g -c -Wp,-MD

^a\${NDDSHOME} represents the root directory of your Connext DDS installation. \${LD_LIBRARY_PATH} represents the value of the LD_LIBRARY_PATH variable prior to changing it to support Connext DDS.