# Correlation

Colby Community College

A **correlation** exists between two variables when the values of one variable are somehow associated with the values of the other variables.

A **correlation** exists between two variables when the values of one variable are somehow associated with the values of the other variables.

## **Definition**

A **linear correlation** exists between two variables when there is a correlation and the plotted points of paired data result in a pattern that can be approximated by a straight line.

A **correlation** exists between two variables when the values of one variable are somehow associated with the values of the other variables.

### Definition

A **linear correlation** exists between two variables when there is a correlation and the plotted points of paired data result in a pattern that can be approximated by a straight line.

#### **Definition**

A **scatterplot** is a plot of paired (x, y) quantitative data with a horizontal x-axis and a vertical y-axis. The horizontal axis is used for the first variable (x), and the vertical axis for the second variable (y).

A **correlation** exists between two variables when the values of one variable are somehow associated with the values of the other variables.

## **Definition**


A **linear correlation** exists between two variables when there is a correlation and the plotted points of paired data result in a pattern that can be approximated by a straight line.

### **Definition**


A **scatterplot** is a plot of paired (x, y) quantitative data with a horizontal x-axis and a vertical y-axis. The horizontal axis is used for the first variable (x), and the vertical axis for the second variable (y).

#### Note

Because conclusions based on visual examinations of scatterplots are largely subjective, we need more objective measures. We use the linear correlation coefficient r, which is a number that measures the strength of the linear association between the two variables.




## Example 1



Distinct straight-line, or linear, pattern. We say that there is a positive linear correlation (r=0.80241) between x and y, since as the x values increase, the corresponding y values also increase.


## Example 2

Data Set 1 "Body Data" in Appendix B includes weights (kg) and pulse rates (bpm) of randomly selected adult subjects.



## Example 2

Data Set 1 "Body Data" in Appendix B includes weights (kg) and pulse rates (bpm) of randomly selected adult subjects.



The points do not show any obvious pattern, and this lack of a pattern suggests that there is no relationship between weights and pulse rates.