CONFIDENTIAL — CYBER THREAT INTELLIGENCE REPORT — NOT FOR DISTRIBUTION

SOC / CTI Intelligence Report — weirdchaos.net Perimeter & Endpoints

Assessment window: **12 Oct 2026, 14:00 → 13 Oct 2026, 02:00 CEST (12 h)** · Sensor: Wazuh SIEM (, 10.0.X.X) · Target perimeter / WAN: **82.67.102.78** · Ruleset: Wazuh + pfSense + BunkerWeb + OpenCTI

DATA SOURCE	Wazuh MCP — single 12 h window call, rule level ≥ 7, **556 raw alerts** (493 after dedupe)	ASSET BASELINE	homelab_inventory.yaml: 11 subnets/VLANs, ~40 mapped devices; exposed: (OPNsense WAN), srv-edge-01 BunkerWeb → srv-web-01 / srv-mail-01 /srv-app-01 nextcloud/srv-mail-01 mail; DMZ: srv-web-01, srv-mail-01
ENRICHMENT	ContrastApi ip_lookup 10/11 hostile IPs (AbuseIPDB + Shodan InternetDB + FireHOL) + asn_lookup fallback; 1 IP geo unresolved	TRAFFIC CLASSIFICATION	Inbound hostile: 9 ext IPs (14 alerts) · Egress-deny 23 · VLAN-deny 7 · WAF-probe 5+1 · Endpoint 60 · FIM/maintenance 446

ASSESSMENT VERDICT — MODERATE / CONTAINED (confidence: High)

External posture fully contained: 11 hostile/threat-adjacent IPs touched the perimeter or WAF in 12 h — zero successful authentications, zero 2xx on probing paths, every inbound SYN stateless-dropped on ix0; highest real risk was the Azure-hosted **webshell-hunt burst against nextcloud.weirdchaos.net** (4× L10, all 403). Internally, one **OPEN endpoint case** — Miyako's laptop WKSTN-LAP-02 produced the window's only L12s: 11× PowerShell→C:\exe within 21 s, then Application-Shim DB loads (T1546.011) at 16:43/18:02/21:25 — consistent with installer tradecraft but not exonerable without host forensics. One Unmapped Internal Asset [WLAN 10.0.X.X] repeatedly blocked egress; iot-media-01 phoning DigitalOcean VPS needs policy review.

1 · EXECUTIVE KPI DASHBOARD

556	9	L12	8
TOTAL L≥7 ALERTS	UNIQUE HOSTILE IPS	HIGHEST RULE TRIGGERED (92058 · ENDPOINT)	IMMEDIATE CONTAINMENT ACTIONS

2 · HIGH-SEVERITY ALERT MATRIX (AGGREGATED, LEVEL ≥ 7)

TIME (CEST)	RULE ID	RULE / DESCRIPTION	SOURCE	TARGET ASSET (INVENTORY)	MITRE / TACTIC	SEVERITY	ACTION
12 16:43–12 21:25	92058	Application Compatibility Database launched (shim DB, sdbinst) — **endpoint persistence chain**	WKSTN-LAP-02 (10.0.X.X, local)	Miyako's laptop (LAN3)	T1546.011 · PrivEsc/ Persist	CRITICAL L12	FORENSIC
12 16:41–12 16:41	92205	PowerShell created executable in Windows root folder (11× burst, 21 s window)	WKSTN-LAP-02 (local)	C:\ root	T1105 · C2/ Exec	MED-HIGH L9	FORENSIC
12 16:18–12 18:01	31151	Webshell/backdoor hunt: GET /consub.php?p=, /133.php, /wp-good.php vs nextcloud vhost (403 WAF)	20.200.211.114 [Azure AS8075]	srv-edge-01 → nextcloud.weirdchaos.net	T1595.002 · T1190	HIGH L10	PERM-BLOCK
12 16:18–12 18:01	31151	WordPress fingerprinting: GET //site/wp-includes/ wlwmanifest.xml (403 WAF)	136.87.30.87 [GCP AS396982]	srv-edge-01 → rresume.weirdchaos.net	T1595.002 · Recon	HIGH L10	BLOCK
01:28–01:28	31333	ModSecurity anomaly-score 10/6 → 403 (CRS phase-2 block)	170.64.224.108 [DO/Sydney]	srv-edge-01 BunkerWeb WAF	T1595 · Discovery	MED-HIGH L7	PERM-BLOCK
14:43–01:43	87702	Edge WAN probes: 6 external sources, SYN/high-port hits on ix0 incl. **:22 SSH**, **:25015 ×2 correlated** [Count: 8 blocks]	6 hostile IPs (§3)	WAN 82.67.102.78 (DMZ services shielded)	T1595.001 · T1110	HIGH L10	PERM-BLOCK
20:48	61643	Multiple Sysmon error events (agent-side collection fault — correlates endpoint chain above)	WKSTN-LAP-02 (local)	Sysmon service	— · TA0004 gap	HIGH L10	MONITOR
12 16:18–12 22:06	100210	OpenCTI indicator match ×14 — IOC 'index.php' typed as domain (malformed feed item)	srv-edge-01 (9) / DESKTOP(5)	Integration pipeline	threat_intel · n/a	HIGH L10	TUNE
12 14:43–01:43	87702	Egress policy denies: IoT tablet tablet-client-01 ×8, 10.0.X.X **Unmapped [WLAN] ×4**, ×2, iot-media-01 ×2 → Cloudflare/Google/AWS/DO	5 internal hosts	/gw-beta WAN (outbound)	policy enforcement	HIGH L10	POLICY-OK
15:38–21:11	87702	VLAN-to-VLAN denies ×7 (LAN2/LAN3/WLAN → SLAN/ MLAN) — segmentation holding	iot-media-01, DESKTOP, z-fold7, tablet-client-01	srv-nas-01 /srv-dns-01 /srv-app-01 / /srv-mon-02 /srv-edge-01	segmentation	HIGH L10	SEG-OK
12 16:25–01:27	550	FIM: integrity checksum changed ×343 (srv-edge-01 317 = BunkerWeb cert/config rotation; hwclock/pve churn) — baseline drift	12 Li agents	all subnets	T1565.001 (auto-map)	MED-HIGH L7	NOISE

12 19:55–12 22:59	510	Rootcheck 'trojaned /bin/md5sum' false-positive signature ×92 (6 hosts, 19:55–22:59 scan window)	srv-sec-01 / srv-mon-02 / srv-dns-02 / srv-ai-01 / / gw-beta / wcn-lx	MLAN/SLAN/perimeter	host-based defense	MED-HIGH L7	NOISE
12 16:41–12 20:48	60227	New external USB device enumerated ×36 — documented laptop power-cycle behaviour (inventory note)	WKSTN-LAP-02	LAN3 workstation	T1092 (auto-map)	MED-HIGH L8	EXPECTED
12 17:08–12 20:48	60110	Windows user-account changed ×4 (coincident with device churn)	WKSTN-LAP-02	local accounts	T1098 · Persist	MED-HIGH L8	REVIEW
17:13–00:03	553/533 /531	Snapd mount deletions ×5, netstat listening-port deltas ×6, loop-device 100% df ×3 — housekeeping	srv-sec-01 / VM-WIN-01 / srv-mon-02 / srv-edge-01 / srv-web-01 / srv-app-01 / wcn-lx	SLAN/MLAN/LAN	T1070.004 (auto-map)	MED-HIGH L7	NOISE

CRITICAL L12+ HIGH L10–11 MED-HIGH L7–9

3 · ADVERSARY IP & THREAT ACTOR DOSSIERS

Enrichment: ContrastApi (RIPE Stat BGP, Shodan InternetDB, AbuseIPDB, FireHOL). Null reputation ≠ clean on all feeds.

170.64.224.108

DigitalOcean abuse VPS — active WFW/CRS blocker

Alerts	**1 × L7 (ModSec CRS anomaly 10)**
ASN / Org	**AS14061 · DigitalOcean, LLC**
Geo	**AU · Sydney (Shodan); registry US**
Reputation	**AbuseIPDB 100/100 · 33 reports · Data Center**
FireHOL	**Not listed**

ANALYST RISK **8/10 · CRITICAL**

OBSERVED SIGNATURE

Coraza/CRS phase-2 block at srv-edge-01 BunkerWeb at 01:28 CEST — inbound anomaly score 10/6, HTTP 403. Shodan InternetDB shows 18 open ports on this host (23/80/443/8080/8121/20208…) fronted by Cloudflare, hostname `dealereprocess.org` — classic abuse/scan VPS footprint.

INTENT ASSESSMENT

Opportunistic but hostile infrastructure: confidence-100 abuse score, multi-service host. Single CRS hit likely tail of a web recon sweep against our vhosts.

TARGET (inventory)

srv-edge-01 (10.0.X.X) reverse-proxy — all exposed vhosts (weirdchaos.net family).

CONTAINMENT

Permanent edge block (ix0, all ports). Do not /24-block DigitalOcean — shared hosting.

20.200.211.114

Azure VM — webshell/backdoor discovery sweep

Alerts	**4 × L10 (rule 31151 cluster)**
ASN / Org	**AS8075 · Microsoft Corporation (Azure)**
Geo	**US (city Unresolved — enrichment unavailable[1])**
Reputation	**Unresolved[1] (ip_lookup upstream error 2×; ASN confirmed via asn_lookup)**
FireHOL	**n/a[1]**

ANALYST RISK **8/10 · CRITICAL**

OBSERVED SIGNATURE

GET `/consub.php?p=`, `/133.php`, `/wp-good.php` against nextcloud.weirdchaos.net 18:00–18:01 CEST, empty User-Agent, every request answered **403** by BunkerWeb. These filenames match known Chinese-market PHP webshell/backdoor families — probing for previously planted shells, i.e. post-compromise hunting on an exposed service.

INTENT ASSESSMENT

Targeted recon/exploit, not mass scan: exact backdoor filenames + no UA rotation + short burst = automated shell-checker run from rented Azure compute.

TARGET (inventory)

srv-edge-01 (10.0.X.X, BunkerWeb) → nextcloud service (srv-app-01 10.0.X.X backend). Nextcloud is a Tier-1 asset (also hosts credentials-adjacent traffic).

CONTAINMENT

Permanent edge block + WAF vhost deny. Hunt: confirm no 200/302 for these paths in srv-edge-01 access logs (window + 7 d). Consider Azure abuse report.

92.119.179.70

M247 bulletproof-style VPS · EOL nginx host, 11 CVEs

Alerts	**1 × L10 (edge SYN probe)**
ASN / Org	**AS9009 · M247 Europe SRL**
Geo	**RO (registry) · NL infra (AbuseIPDB ISP)**
Reputation	**AbuseIPDB 45/100 · 16 reports; 11 CVEs on-host incl. CVE-2021-23017 (7.7), CVE-2019-9511 (7.5), CVE-2023-44487 (7.5) — nginx 1.14.0 EOL, tags: vpn, eol-product**
FireHOL	**Not listed**

ANALYST RISK **7/10 · HIGH**

OBSERVED SIGNATURE

Bare SYN (flags=S) to WAN ephemeral port 61916 at 23:53 CEST, blocked on ix0. InternetDB shows the host itself exposes 22/53/500/1701/1723 (IKE/L2TP/IPsec) — VPN-termination box frequently used for anonymised scanning.

INTENT ASSESSMENT

Opportunistic scanning from anonymisation infrastructure; single-shot pattern typical of bot-module port checkers.

TARGET (inventory)

[redacted] WAN 82.67.102.78 — probe to non-listened port (stateless drop); DMZ services ([redacted]srv-web-01 /srv-mail-01) not directly reached.

CONTAINMENT

Permanent edge block. 92.119.179.0/24 has recurring scanner reputation — /24 candidate for OPNsense abuse-list alias.

172.111.38.128

GTHost VPS — 679 AbuseIPDB reports; port 25015 correlation

Alerts	**1 × L10 (edge probe)**
ASN / Org	**AS63023 · GlobalTeleHost (GTHost)**
Geo	**CA (registry) · US (AbuseIPDB)**
Reputation	**AbuseIPDB 75/100 · 679 reports; netdata agent exposed (statsclient06.soervice.com, ports 8081/19999/50050), CVE-2025-71385 (6.1)**
FireHOL	**Not listed**

ANALYST RISK **6/10 · HIGH**

OBSERVED SIGNATURE

Protocol probe to WAN port **25015** at 21:38 CEST — the SAME port probed 6 minutes later by 46.61.91.240 (Rostelecom RU). Two unrelated networks hitting one ephemeral port inside 6 min = coordinated botnet service-scanner module (targeted app/protocol hunting).

INTENT ASSESSMENT

Botnet / campaign scanning for a specific exposed service; heavily-reported abuse host.

TARGET (inventory)

[redacted] WAN 82.67.102.78; port 25015 is not in our published port set (25/80/443/465/993/4443/8080/8283/8443/9000) → stateless drop, no service impact.

CONTAINMENT

Permanent edge block. Add WAN :25015 probe telemetry to watch queries (next 7 d).

203.57.82.158

GSL Networks transit VPS · SSH service discovery

Alerts	**1 × L10 (edge SYN, dport 22)**
ASN / Org	**AS137409 · GSL Networks Pty LTD**
Geo	**AU (registry) · GB (London, AbuseIPDB)**
Reputation	**AbuseIPDB 63/100 · 20 reports · Data Center; host runs OpenResty 1.27.1.2 + OpenSSH 8.9p1 (InternetDB 22/80/443/9100)**
FireHOL	**Not listed**

ANALYST RISK **6/10 · HIGH**

OBSERVED SIGNATURE

Bare SYN (flags=S) to **WAN:22** at 01:43 CEST, blocked on ix0. SSH is NOT in the published inbound port list, so this is early-stage service discovery / brute-force precursor. OpenSSH 8.9p1 EOL exposure on the source itself.

INTENT ASSESSMENT

Opportunistic SSH hunting (botnets enumerate 22 fleet-wide); no follow-on attempts in window — confidence: Medium.

TARGET (inventory)

[redacted] WAN 82.67.102.78:22 (management plane) — would hit SSH if the edge rule were absent.

CONTAINMENT

Permanent edge block. Confirm OPNsense SSH exposure remains admin-allowlist-only; ensure Fail2ban jail active on 550-series ssh auth failures.

136.87.30.87

Google Cloud VM — WordPress fingerprinting

Alerts	**1 × L10 (rule 31151)**
ASN / Org	**AS396982 · GOOGLE-CLOUD-PLATFORM (Google LLC)**
Geo	**US (city Unresolved)**
Reputation	**AbuseIPDB 62/100 · 9 reports · Data Center/Web Hosting; FireHOL not listed; Shodan: not indexed**
FireHOL	**Not listed**

ANALYST RISK **5/10 · MEDIUM**

OBSERVED SIGNATURE

GET `//site/wp-includes/wlwmanifest.xml` vs rresume.weirdchaos.net 16:18 CEST with fixed Chrome/95 UA — canonical WordPress existence check preceding CVE exploitation waves. Blocked 403 (no WP stack on vhost).

INTENT ASSESSMENT

Opportunistic mass CMS-recon from rented GCP compute (low abuse score, single vhost, single path).

TARGET (inventory)

srv-edge-01 ([redacted]) → rresume vhost only.

CONTAINMENT

WAF-level block (14-day); GCP IPs rotate — permanent single-IP block has low value. Keep CRS 403 behaviour; monitor repeat.

46.61.91.240

Rostelecom RU fixed-line — bot-correlated port 25015

Alerts	**1 × L10 (edge probe)**
ASN / Org	**AS12389 · PJSC Rostelecom**
Geo	**RU (South FD branch)**
Reputation	**AbuseIPDB 0/100 · 0 reports (residential/CGNAT — clean reputation ≠ clean intent)**
FireHOL	**Not listed**

ANALYST RISK **4/10 · MEDIUM**

OBSERVED SIGNATURE

Probe to WAN port **25015** 21:32 CEST, 6 min apart from 172.111.38.128 hitting the same port — pattern of a compromised-CPE botnet module sweeping a campaign target port.

INTENT ASSESSMENT

Likely compromised consumer host (opportunistic). Intent assessment: low individual threat, campaign-level signal.

TARGET (inventory)

[redacted] WAN 82.67.102.78 — non-published port, stateless drop.

CONTAINMENT

Timed block (7 d). Do NOT blanket-block Rostelecom /8. Value here is the 25015 correlation, not the IP.

174.67.237.224

Cox Communications US residential — one-off high-port probe

Alerts	**1 × L10 (edge probe)**
ASN / Org	**AS22773 · Cox Communications Inc.**
Geo	**US (PTR ip174-67-237-224.oc.oc.cox.net — Orlando FL COX netblock)**
Reputation	**AbuseIPDB 0/100 · 0 reports**
FireHOL	**Not listed**

ANALYST RISK **3/10 · LOW**

OBSERVED SIGNATURE

Single stateless-drop probe to WAN:31296 at 21:01 CEST; no follow-up, no scan spread.

INTENT ASSESSMENT

Opportunistic noise / misrouted scan or CGNAT P2P hole-punch attempt.

TARGET (inventory)

[redacted] WAN 82.67.102.78 — closed port.

CONTAINMENT

Log-only watch; block on recurrence.

157.230.111.94

DigitalOcean Frankfurt VPS — ephemeral SYN

Alerts	**1 × L10 (edge SYN, dport 30123)**
ASN / Org	**AS14061 · DigitalOcean, LLC**
Geo	**DE (AbuseIPDB ISP geo Frankfurt)**
Reputation	**AbuseIPDB 16/100 · 3 reports · Data Center**
FireHOL	**Not listed**

ANALYST RISK **3/10 · LOW**

OBSERVED SIGNATURE

Bare SYN (flags=S) to WAN:30123 at 01:01 CEST; single hit, high ephemeral port.

INTENT ASSESSMENT

Research scanner or short-lived VPS scan burst; intent low.

TARGET (inventory)

[redacted] WAN 82.67.102.78 — closed port.

CONTAINMENT

Log-only watch; block on recurrence.

Protocol noise (not adversaries): `213.36.130.9` / `213.36.131.8` — AS12322 PROXAD Free SAS (FR), flags=**SA** SYN-ACK replies to our own outbound flows on ix0 (stateless deny, per pfSense 87702 semantics — orphaned answers, not scans). Self-hosted home-servers (nginx 1.24, :80/:443 open, CVE-2023-44487/2025-23419 noted on their own stack). No action. [1] 20.200.211.114 geo/reputation unresolved: contrastapi ip_lookup returned upstream_error twice — ASN/org resolved via asn_lookup fallback.

4 · ATTACK CLUSTER ANALYSIS & MITRE ATT&CK MAPPING

CLUSTER	VOLUME	PATTERN & IMPACT	MITRE MAPPING / CONFIDENCE
Cluster A — Nextcloud/WordPress app probing	5 × L10 + 1 × L7	Three distinct rented-compute sources (Azure, GCP, DO) ran webshell-hunt + CMS-fingerprint paths against srv-edge-01 vhosts across 16:18–01:28. ALL denied (HTTP 403 / CRS block). No 2xx/302 evidence; zero exploitation success. Azure burst shows exact backdoor filenames → post-compromise shell-checking pattern, highest priority.	T1595.002 · T1190 — **Confidence: High**
Cluster B — Edge port-probe campaign (25015 correlation)	8 × L10 (6 sources)	Six external probes on ix0 in 12 h: SSH:22, :25015 ×2 (GTHost + Rostelecom, 6-min apart), :30123, :61916, :31296. Bare-SYN signatures = discovery; all stateless-dropped. The repeated :25015 on two unrelated ASNs is a campaign artifact worth watching fleet-wide.	T1595.001 · T1110 (SSH precursor) — **Confidence: Medium**
Cluster C — WKSTN-LAP-02 persistence chain (OPEN)	3 × L12 + 11 × L9 + 1 × L10 + 40 × L7–8	16:41:28–49 PowerShell wrote executables into C:\ root (×11 burst) → 16:43:08 Application Compatibility (shim) DB load (T1546.011), repeats at 18:02 and 21:25, Sysmon collection error 20:48. Timeline is consistent EITHER with installer/update tradecraft (RustDesk/Teams/Zoom patching on this laptop — RustDesk is installed per inventory) OR with malware dropping a shim for persistence. Sysmon eventdata was not retrievable this window (indexer 429) — **treat as OPEN until host forensics clears it**. USB (×36) + account-change (×4) events on same host match documented power-cycle behaviour but corroborate a busy evening.	T1546.011 · T1105 · T1098 — **Confidence: Medium** (evidence gap)
Cluster D — Egress & segmentation enforcement	23 × L10 egress + 7 × L10 VLAN	IoT tablet tablet-client-01 (10.21.X.X) blocked ×8 reaching Cloudflare/Google/Fastly/AWS; Unmapped Internal Asset [WLAN] 10.0.X.X ×4; iot-media-01 ×2 to DigitalOcean 143.244.56.52/.54 (smart-TV telemetry to raw VPS — review app allowlist); phones ×4. All VLAN-to-VLAN denies (LAN2/LAN3/WLAN→SLAN/MLAN) = policy working, zero successful lateral.	Defense validation — **Confidence: High**
Cluster E — FIM/rootcheck maintenance noise	435 × L7 + 4 × L8	550 ×343 dominated by srv-edge-01 BunkerWeb cert/config rotation (317); rootcheck 510 ×92 is the known 'trojaned md5sum' signature false-positive during scheduled scans (19:55–22:59); snap/loop deletions, netstat deltas. Classified benign — no correlation with external activity; rootcheck scan-window timing matches.	T1565.001 auto-map (benign) — **Confidence: High**
Cluster F — OpenCTI pipeline noise	14 × L10	Rule 100210 indicator matches on IOC value 'index.php' typed as domain — malformed feed object inflating L10 count (srv-edge-01 9 / desktop 5). No adversary correlation. Pipeline hygiene: retype/remove IOC.	n/a — **Confidence: High** (noise)

5 · CONTAINMENT & FIREWALL ACTION PLAN

5.1 Immediate edge blocklist — OPNsense (gw-alpha, ix0) — alias CTI-20261013

```
block drop in quick on ix0 proto tcp from 20.200.211.114 to any
block drop in quick on ix0 proto tcp from 170.64.224.108 to any
block drop in quick on ix0 proto tcp from 92.119.179.70 to any
block drop in quick on ix0 proto tcp from 172.111.38.128 to any
block drop in quick on ix0 proto tcp from 203.57.82.158 to any
block drop in quick on ix0 proto tcp from 46.61.91.240 to any
block drop in quick on ix0 proto tcp from 136.87.30.87 to any
# 7-day timed: 46.61.91.240 (already above); log-only watch: 174.67.237.224, 157.230.111.94
# /24 candidate (scanner netblock): 92.119.179.0/24 — M247; verify no legit services use it before enabling
```

5.2 iptables one-liner set (perimeter mirrors)

```
iptables -I INPUT -s 20.200.211.114 -j DROP
iptables -I INPUT -s 170.64.224.108 -j DROP
iptables -I INPUT -s 92.119.179.70 -j DROP
iptables -I INPUT -s 172.111.38.128 -j DROP
iptables -I INPUT -s 203.57.82.158 -j DROP
iptables -I INPUT -s 46.61.91.240 -j DROP
iptables -I INPUT -s 136.87.30.87 -j DROP
```

5.3 WAF layer (srv-edge-01 BunkerWeb / Coraza CRS)

- Add `20.200.211.114, 170.64.224.108, 136.87.30.87` to BunkerWeb `DENY_IP` (server-wide, not per-vhost).
- Keep CRS anomaly threshold 6 — it blocked the 170.64.224.108 hit (score 10) and every shell-probe with 403.
- Deny-list paths: `/consub.php /133.php /wp-good.php /wp-includes/ wlwmanifest.xml` at edge (all 404-clean anyway).

5.4 Watch list (log-only / timed)

- `174.67.237.224, 157.230.111.94 — single low-signal probes; escalate on recurrence.`
- `213.36.130.9, 213.36.131.8 — orphaned SYN-ACK replies (protocol noise, no action).`
- 10.0.X.X `— Unmapped Internal Asset [Subnet/VLAN WLAN]: 4 egress denies to Cloudflare/AWS; resolve via DHCP lease table / scanopy on` probe-wlan-01`.`
- iot-media-01 10.0.X.X `→ 143.244.56.52/.54 (DigitalOcean): review LG/Tizen telemetry allowlist; do not open blindly.`

5.5 Endpoint remediation checklist

- WKSTN-LAP-02 (10.0.X.X) — **OPEN**: enumerate executables created in C:\ root 16:41–16:42 CEST; dump `C:\Windows\AppCompat\Programs\*.sdb` + InstallRoot sdb; correlate sdbinst/Prefetch/MFT; verify RustDesk/Teams/Zoom updater lineage; if unexplained → isolate, full AV scan + memory capture.
- Verify Sysmon health on WKSTN-LAP-02 (61643 error burst) — re-enable EID 11/12/13 capture so next window closes the evidence gap.
- Confirm srv-mail-01 /srv-web-01 have no unplanned listeners (533 netstat deltas were clean).

5.6 Proactive hunt queries (next window)

- WAN dport 25015 probes across 7 d (campaign port) — group by ASN.
- All agents: rule 92058 / 92205 / sdbinst / PS file-write events (shim-chain IOC).
- `srv-edge-01` access logs: any non-403 for /consub.php|/133.php|/wp-good.php (would flip Cluster A to INCIDENT).
- 92.119.179.70 infrastructure: CVE-2023-44487 (HTTP/2 rapid reset) — ensure our edge nginx stack is patched against the same class it exposes.

Method: 1 × 12 h whole-window Wazuh MCP fetch (level≥7, compact) + indexer detail query (429-capped) · client-side RFC1918/YAML-subnet classification · ContrastApi ip_lookup/asn_lookup enrichment per hostile IP · MITRE ATT&CK Enterprise mapping. Generated 2026-10-13 02:15 CEST by Sota (Tier-2/3 SOC-CTI agent).