□□□□□□□

	V2.0
	2026-07-20
	18 Word +

0. □□□□□□□□□

《》

1	1.0 –0- .docx
2	1.0 –1- .docx
3	1.0 –2- .docx
4	ok-1.0 –3- .docx
5	1.0 –4- .docx
6	ok-1.0 –5- .docx
7	ok-1.0 –6- -.docx
8	1.0 –7- .docx
9	1.0 –8- .docx
10	ok-1.0 –9- .docx
11	1.0 –10- .docx
12	1.0 –15- .docx
13	1.1 - .docx

14	1.1 - --- .docx
15	1.2 - .docx
16	1.2 - + .docx
17	1.3 - .docx
18	2.0 - .docx

1. □□□□□□□□□□

	30 / +
	API
	tenant_id/member_id
	SN URL
	/ MIME URL
	IP
	/
	SN IP
	3

2. □□□□□□□

/		
		/
		SN

	/ /	

3. □□□□□□

Tenant/Member	id, type, auth_status, legal_subject_id, nickname, vip_level, storage_quota, settings	
User	id, member_id, role_id, phone, wechat_openid, status, last_login_at	
Role/ PermissionGroup	id, member_id, role_name, warehouse_scope, feature_scope	
Warehouse	id, member_id, name, contact, phone, province, city, address, pickup_rule	
Product	id, category, brand, model, memory, condition_level, image, cost, sale_price	
AssetSN	id, product_id, sn_code, warehouse_id, status, purchase_at, warranty_until, insurance_until	
AccessoryItem	id, product_id, mode, virtual_id, status, warehouse_id	SN ID
PackageTemplate	id, member_id, platform, product_id, package_name, bom_json, enabled	
RentalOrder	id, member_id, channel, shop_name, customer_id, lease_start, lease_end, status, rent_amount	
OrderItem	order_id, product_id, package_id, sn_id, accessory_items, quantity	SN
LogisticsOrder	id, order_id, direction, carrier, tracking_no, pickup_time, route_status, fee	/
MediaAsset	id, order_id, type, file_key, detected_sn, uploaded_by, retention_until	

InventorySnapshot	date, member_id, warehouse_id, product_id, free_qty, occupied_qty, expected_qty	
InventoryLedger	id, sn_id/accessory_id, from_status, to_status, reason, ref_type, ref_id	
AfterSalesCase	id, order_id, type, compensation_amount, lost_items, progress, status	
FinanceLedger	id, member_id, type, amount, direction, ref_order_id, pay_channel, invoice_status	
MarketPost	id, member_id, board, product_fields, condition, qty, city, tags, status	
AllianceOrder	id, initiator_id, receiver_id, settlement_price, masked_customer_json, status	
AuditLog	actor_id, action, object_type, object_id, before_json, after_json, ip, created_at	

4. □□□□□

SN		InventoryLedger

□□□

		/	/

	/ / 1	id VIP	
			/
		SN	
	3	3	= - / /
	3		
		openid/unionid	

□□□□□

		/	/
	SN	SN	

□□□□

		/	/
-		/ SN	/
-			
-			
-			OCR
/			/
	/		
	10-11 17		
	A B B		
	2 / /	carrier, tracking_no, pickup_time, source, fee	
	SN	SN	URL
SN	SN	sn_id, warehouse_id, order_id, bind_source	SN
			/
/			
	2		

	A B B A SN B	source_order_id, target_order_id, sn_id, warehouse_id	A/B SN
	SN		
/			
			/
/ /			
	18 18		
/			
	7		

□□□□□□□

		/	/
	SN +	free_sn_qty, free_accessory_qty	
	30 - + -	date, expected_in, pending_out, rented, available	
	+ 12 12-18	route_node,	

	18-22	estimated_arrive_time, time_bucket	
		status_change_reason, amount	
	90%	threshold_type, threshold_value, notify_targets	/ /
		SN	
			SN
	90% 1 0	stock_protection_qty, calculation_mode	
		show_frontend, include_stats, sort_order	
		api_key, scopes, callback_url, stock_version	

SN

SN

		/	/
			SN
	SN SN	mode, sn_code, virtual_id, total_qty	
/		code_type, code_value, download_size	
SN	SN 5	sn, photo, condition, purchase_at, cost, activate_at, warranty_until, insurance_until	SN 1

SN	SN 3	order_count, recent_usage, media_count	
		cost, sale_price, rent_income, roi	SN
PT3	PT3 SN / PT3	category_l1/l2/l3, official_accessory	
	/ PT3 PT4	compatible_product_ids	
		platform, package_name, bom_items	
PT3		BOM	
/			

□□□□

/

		/	/
		date, product_or_package, ship_qty, return_qty	/
	1	pending_ship_total, shipped_count	/
	“ / ”	display_name	

□□□□□

		/	/
	SN	sn_code, matched_order,	

		action	
	SN SN	sn_code, order_id, status	
	SN	focused_field, sn_code	
	/	scan_batch, abnormal_reason, remark	
		tracking_no, phone_prefix, name, matched_order	
	API	tracking_no, route_status, api_status	/ 1 29

□□□□□□□□□

		/	/
	100 9 8	balance, discount, carrier, pickup_info, fee	
		sender, receiver_warehouse, location, order_id	
		route_node, status, abnormal_type	
		tracking_no, eta, route_history	
		ship_date, pickup_time, estimated_arrive	/
		source_priority	
		claim_amount, tracking_no, member_wallet	

□□□□□□□□□

		/	/
		scene, member_id, order_id	
/		phone, code, consent, openid	
		orders, media, logistics	
		return_order, sender_info, receiver_warehouse	
		referrer_name, qr_code	
		video, order_id, upload_user	
	30	session, refresh_at	
		notice_type, target_user, read_status	
	SN	photo, detected_sn, matched_order	

□□□□□□□□□□□□

		/	/
		nickname, wechat_qr, external_accepting	/ /
		warehouse, pickup_rule	

		product_scope, package_template	
		permission_group, warehouse_scope, action_scope	
	15	retention_days, auto_delete	1G
		ledger, invoice_status	
		origin_warehouse, destination, carrier	
		sheet_id, owner	
		amount, category, ref_order/ref_sn	
/		content, size, format	
/		task, owner, due_at	

□□□□□□□□□□□

		/	/
		brand, title, content, attachments	XSS
		title, tags, content	
		title, content, display_days, confirm_required	
		product_id, repeat_customer_count, total_customer_count	
		customer, order_list	

□□□□

		/	/
		member, product, sn_stock, warehouse	SN
		initiator, receiver, settlement_price, masked_customer	1 6
/ /		status, transfer_to, reject_reason	
	A B A A B	shipping_mode, tracking_no, account_owner	
		max_orders, current_orders	
		public_pool_status	

□□□□□□

		/	/
		product, sn_certified_qty, city, status	SN
	/	board, category, brand, model, memory, condition, qty, price_range	
	30	card_fields	
	/	images, condition_detail, tags, message_entry	
	30	filters, sort	

		followed_member, subscribed_product	
		intent_qty, product, city, member	
		conversation, message, source_post	
	500	deposit, report, evidence, decision	
		boundary_flags	

□□□□□□□□□

		/	/
	1G	service_plan	
/	3 1-300 30/ 300/ 300 60/ 600/	monthly_order_count, plan	
	1-500 501-1000 199/ 1900/ 1000 299/ 2900/	route_count, plan, expires_at	
		deposit_free_code, agreement	
VIPA	10G	vip_level, storage_quota	
	90 240 300 100 / 10 10	invitee, active_hours, normal_order_count	IP
	/ 50% 20% 10 / 8	commission_rate, purchase_type	
	15 80 50 VIP	application, reviewer, status	

□□□□□□□□□□

		/	/
		customer_info, code, expires_at	
		order_id, agreement_id, status	
		merchant_id, inventory_system_id	

□□□□□□

				/
POST /orders		/	/	/
POST /orders/{id}/reserve-stock			order_id, warehouse_id, items	
POST /orders/{id}/bind-sn	SN		sn_code/ order_item_id	SN
POST /orders/{id}/ship			tracking_no, media_ids	SN
POST /orders/{id}/return-check			photos, condition, compensation, missing_items	/
POST /orders/{id}/complete			order_id	
POST /logistics/orders		/	sender, receiver, carrier, order_id	
GET /inventory/availability		/	product, package, date_range, warehouse	
POST /warehouse/transfer		/	from_warehouse,	

s			to_warehouse, sn_list	
POST /market/posts			board +	
POST /market/messages			post_id, message	
POST /alliance/orders			receiver, masked_order, settlement_price	
POST /media/upload-token		/	file_type, size, ref	URL
GET /admin/finance/summary		/	date_range, member	

□□□□□□□□□

	SN/ /
	SN
	SN
	SN
	100
	MIME URL

□□□□□□□

MVP	/ /SN/	

1.1		
1.2		
1.3		
2.0		