# maven中如何使用第三方 jar 包

### 一、查看maven 的配置文件获取本地仓库路径


### 二、查看仓库依赖包情况



可以看到现在是空的

### 三、mvn安装第三方jar包到本地仓库

### 1、第三方 jar 包




#### 2、mvn安装

mvn install:install-file -Dfile=/d/dao-support-1.0.10-SNAPSHOT.jar DgroupId=me.codeplayer -DartifactId=dao-support -Dversion=1.0.10-SNAPSHOT Dpackaging=jar

```
[rootqLEMOVO-LAOX1175 d]# mvn installinstall-file -Dfile-/d/dao-support-1.0.10-SMAPSHOT -Dgackaging=jar [INF0] Scanning for projects...
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-clean-plugin/2.5/maven-clean-plugin-2.5.pom
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-clean-plugin/2.5/maven-clean-plugin-2.5.pom
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-plugins/22/maven-plugins/22.pom
@rogress (1): 7.8/13 kB

Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/maven-nodel/2.0.6/maven-model/2.0.6.jar (98 kB at 5.4 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/maven-nodel/2.0.6/maven-model/2.0.6.jar (98 kB at 5.4 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/maven-nodel/2.0.6/maven-artifact/2.0.6.jar (98 kB at 5.4 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/codehnas/pleuss-container-default/1.0-alpha-9-stable-1/pleuss-container-default/1.0-alpha-9-stable-1.jar (194 kB at 11 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/codehnas/pleuss-container-default/1.0-alpha-9-stable-1/pleuss-container-default/1.0-alpha-9-stable-1.jar (194 kB at 11 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/codehnas/pleuss-container-default/1.0-alpha-9-stable-1/pleuss-container-default/1.0-alpha-9-stable-1.jar (194 kB at 11 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/codehnas/pleuss-container-default/1.0-alpha-9-stable-1.jar (194 kB at 11 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/codehnas/pleuss-container-default/1.0-alpha-9-stable-1.jar (194 kB at 11 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/codehnas/pleuss-container-default/1.0-alpha-9-stable-1.jar (194 kB at 11 kB/s)
Downloading from central: https://repo.maven.a
```

#### 3、查看本地仓库



可以看到相关的文件都已经自动生成了。

## 四、pom.xml文件中的使用

直接在pom.xml文件中引入依赖:

```
<dependency>
    <groupId>me.codeplayer</groupId>
    <artifactId>dao-support</artifactId>
    <version>1.0.10-SNAPSHOT</version>
</dependency>
```