### CS280 – Data Structures

Program Design Methodology

### **API**

- Application Programming Interface
- Toolset for other developers (it could be you) to use.
- Data structures are designed to be used by developers. (think about STL).
- Clear distinction between clients and services.

### Clients – Services: Definitions

- Clients: Generally other developers. As opposed to applications or games where clients are usually end-users.
- Services: Provides the implementation for a particular piece of software required by the clients. This is primarily done through outsourcing.

# Software Development Process

### Specifications

- Done by clients.
- Defines what the program should do. i.e. what is the problem that we are trying to solve.

### Design and Implementation

- Done by both clients and services.
  - Clients design the interface
  - Services writes the implementation.

### Verification and validation – Testing

- Done by the services.
- Clients will run their own set of tests to make sure that it passes the requirements and that the problem is indeed solved.

#### Correct

- Does what the user asks it to do
- It really doesn't matter how fast or efficient a program is if it doesn't do what the user needs.
- Programs must not solve the wrong problem.

#### Robust

- Programs need to handle all input, both the expected and the unexpected.
- This is usually due to bad programming logic or bad data
- If the user provides bad data, it's still the programmer's fault if the program crashes.
- Except for physical problems with the hardware, program crashes are almost always the fault of the programmer.

#### Portable

- Many times this is referred to as cross-platform, meaning that the program can run on different computers/devices.
- This generally needs to be factored into the implementation at the outset.
- Trying to "port" programs that were never intended to run on another system is very difficult.
- Many times the developers will simply "start over" rather than to port code.

#### Maintainable

- Some programs can last for many years.
- Because "any software worth using is worth enhancing", programs are in constant development.
- Most code is in maintenance mode.
- This means that 5 minutes after you write a brand new function, it is now just code that needs to be maintained for the rest of its life.

### Readable/User friendliness

- Many people feel this is the most important aspect of a good program.
- If a program is very readable, it's likely that the other characteristics will be much easier to attain.
- C (and thus, C++) has been termed a "write-only" language because it allows programmers to write completely unintelligible code. (At least to the poor maintenance programmer who comes after.)

### Efficient


- This relates to resources (such as memory or CPU time.)
- The goal is for programs to use the least amount of memory, disk storage, CPU cycles, etc. to get the job done.
- Unfortunately, all too often the other characteristics of a good program are traded for the promise of a very fast and efficient program.
- In this class, we are going to learn to choose our battles.

# Software Development Life Cycle

SDLC describes the key stages of software development

- 1. User Requirement Analysis
- 2. Functional Specifications
- 3. Design
- 4. Implementation
- 5. Testing
- 6. Deployment
- 7. Maintenance

# Methodologies Examples



The Waterfall Method

# Methodology Examples

- The waterfall method was the predominant method in the early days of software development.
- The agile method slowly replaced the waterfall method because it was more suited with the modern client expectations, e.g., quick incremental tangible results, flexible development.

## Other Methodologies

- Extreme Programming (XP)
  - www.extremeprogramming.org
- Test Driven Development (TDD) which is a process of creating the tests before you implement the functionality.
- Most complex projects use combination of those methods depending on the type and scale of the project.

### Assignments In CS280

- This course adopts learning by doing
- Assignments are structured based on TDD
- I am the client;
  you are the service
- I provide the interface; you provide the implementation.
- C++ is the language of choice
  - I will provide you with the public interface.
  - You will be in charge of the private interface.