



# Dowill's Green Marine Paint Systems

## Solutions for Your Ships' Low Carbon, Emission Reduction, and Energy Efficiency Upgrading

[www.dowill.cn](http://www.dowill.cn)

Shanghai Dowill Paints Co.,Ltd.  
ADD: No. 188, Zhongchen Road, Songjiang District, Shanghai,China

Tianjin Dowill Paints Technology Co.,Ltd.  
ADD: Building 4, Bio-manufacturing Industrial Park, No. 17 Huiyan Road, Airport Economic Zone,Tianjin.

Tianjin Dowill Paints Co.,Ltd.  
ADD: Building 4, Bio-manufacturing Industrial Park, No. 17 Huiyan Road, Airport Economic Zone,Tianjin.

Shanghai Dowill Paints Technology Co.,Ltd.  
ADD: No. 1269, Linxian Road, Jinshan Industrial Park, Shanghai,China

Shanghai Dowill Powder Coatings Co.,Ltd.  
ADD: No. 518, Jinou Road, Jinshan District, Shanghai,China

Shanghai Dowill New Material Technology Co.,Ltd.  
ADD: Building 9, No. 188, Zhongchen Road, Songjiang District, Shanghai,China

Shanghai Qingqing Environmental Protection Technology Co., Ltd.  
ADD: No. 1269, Linxian Road, Jinshan Industrial Park, Shanghai,China

Jiangsu Dowill Paints Co.,Ltd.  
ADD: Jianghai Road No. 198, Life and Health Industrial Park, Qidong City, Jiangsu Province,China

Tianjin Dowill Paints & Chemicals Co., Ltd.  
ADD: Building 4, Bio-manufacturing Industrial Park, No. 17 Huiyan Road, Airport Economic Zone,Tianjin.

Shandong Dowill Paints Co.,Ltd.  
ADD: No.518, Jianshe Road, Tancheng County, Shandong Province, China

Shanghai Dowill Resin Co.,Ltd.  
ADD: No. 518, Jinou Road, Jinshan District, Shanghai,China

Guangzhou Dowill Paints Co.,Ltd.  
ADD: Room 405, Building D, Yunhe Valley, No. 88 Nanjie, Jixian North Road, Baiyun District, Guangzhou, Guangdong Province, China

Zhuzhou Times Dowill Paints Co.,Ltd.  
ADD: NBuilding 18, Zhichuang Square, Phase 1, Zhongnan High-Tech Industrial Park, Dongli Valley, Tianyuan District, Zhuzhou City, Hunan Province, China

Shanghai Dowill New Energy Materials Co.,Ltd.  
ADD: No. 518, Jinou Road, Jinshan District, Shanghai,China

Shanghai Dowill Paints Co.,Ltd.  
Tianjin Dowill Paints Technology Co.,Ltd.  
Shandong Dowill Paints Co.,Ltd.

# CATALOGUE

01/02

Purifying to Sincerity Shaping the Future Together

03/04

The Profile of Dowill Marine Coatings

05/06

4 Manufactures

11/14

Solvent-Free Marine Coatings Green Products

07/08

Factory and Product Certification

15/16

Anti-Fouling Coatings Products

09

Quality Guarantee

17/18

Customer Project Practices

10

Technical Service

19

Dowill Brand

# PURIFYING TO SINCERITY SHAPING THE FUTURE TOGETHER



## Dear Customers/Partners:

Since its founding in 2004 with an initial capital of RMB 1 million, Dowill Paint has, over two decades, grown into a leading Chinese enterprise in the high-performance industrial coatings sector, achieving annual sales exceeding RMB 3 billion.

The Dowill Paint Group's business covers the fields of marine, container, automotive, wind power and new energy, industrial heavy-duty anticorrosion, and new materials. We focus on the R&D and industrialization of new materials such as waterborne coatings, solvent-free innovative environmentally friendly coatings, solvent-based coatings, powder coatings, base resins, and adhesives, striving to break the technological monopoly of international giants.

We have invested RMB 1.5 billion to build four new professional paint production bases in Qidong (Jiangsu), Linyi (Shandong), Jinshan (Shanghai), and Tianjin Airport Economic Area, among other locations. These bases have a production capacity of 300,000 tons of coatings and new materials. Simultaneously, we have constructed supporting laboratories equipped with advanced experimental equipments and testing instruments, including constant temperature and humidity simulation robotic painting systems and chromatographic analyzers, which have been successively put into operation.

Dowill's Shandong marine coatings factory and Shanghai Jinshan Tinglin factory are equipped with advanced process equipments production lines, including high-performance industrial coating intelligent sand mills (e.g., from Germany's Netzsch) and automatic metering and packaging systems. We globally select high-quality raw materials and supplier partners; we unwaveringly adhere to the industry's highest product technical quality standards and process specifications. We boast an experienced team of product technology experts, process technicians, and technical service engineers in the professional coatings field, with over 800 employees. The company implements ISO9000, APQP, and IATF 16949 quality management systems, providing domestic and international customers with technically reliable, consistently high-quality green coating solutions and technical service support.

In response to China's stringent environmental protection regulations, to meet the requirements of regulations such as IMO EEXI & CII for ship emission reduction and energy efficiency, and to assist domestic and international customers in achieving their low-carbon emission reduction targets and commitments, Dowill consistently takes solving industry pain points as its mission, helping to promote low-carbon emission reduction and environmental protection actions within the industry. For over twenty years, we have been investing heavily in innovative R&D, successfully developing and promoting industry-wide applications of three core technologies with significant industrial influence: the world's first waterborne container coatings, solvent-free marine coatings, and anti-icing coatings for wind turbine blades. We have become the world's largest supplier of waterborne container coatings for ten consecutive years. Dowill fulfills its social responsibility for green development through concrete actions and the achievement of nearly 5 million tons of carbon dioxide emission reduction over the past decade.

The global shipping and automotive industries stand at a crossroads of uncertainty. As low-carbon initiatives and new energy technologies rapidly reshape our industries and daily lives, we remain committed to our founding principle: collaborating with integrity and sincerity. Guided by our core values—Devotion, Quality, Innovation, and Vision—we will continue to invest boldly in R&D, driving new value for the sector and building a shared, prosperous future with you.

We look forward to cooperating with you!

Welcome to the Dowill Paint factory for inspection and guidance!

**Dowill Paint Group**  
Chairman / Vice Chairman: Li Faming / Zhang Xiaocun

# THE PROFILE OF DOWILL MARINE COATINGS



Dowill Marine Coatings Company, established 20 years ago, is dedicated to providing reliable, long-term heavy-duty anticorrosion and long-term antifouling coating comprehensive solutions for modern large oceangoing vessels navigating globally, as well as for offshore and deep-sea marine engineering projects.

Dowill Marine Coatings encompass a full range of products, including new building ship paints adapted for efficient modern ship construction, quick-repair dry dock paint, and ship maintenance paints. They not only meet the special functional protection requirements for hulls, pipelines, and structures dictated by the diverse cargo characteristics and loading methods of different vessel types such as large bulk carriers, container ships, tankers, LNG/LPG carriers, and passenger cruise ships, but also satisfy the needs of passengers and crew for a fresh and clean air environment in living, entertainment, accommodation, and working areas, free from toxic and harmful gas emissions from coatings/coated surfaces. Furthermore, they address the requirements for heavy-duty anticorrosion protection of ship hulls and environmental protection in various functional ship compartments such as ballast tanks, fuel oil tanks, drinking water tanks, cargo holds with different functions, and crew working and living quarters.

Dowill Marine Coatings product technology encompasses product R&D technology, production process technology, and application technology. Its reliability has been validated through extensive practical application on numerous new buildings and docked vessels over thirty years in the industry. It represents the perfect culmination of decades of continuous innovation and R&D in marine coatings technology, industry knowledge, and practical application experience.

## Innovative R&D Results

In response to China's stringent environmental protection regulations and policies, to meet the requirements of regulations such as IMO EEXI&CII for ship emission reduction and energy efficiency, and to assist domestic and international customers in achieving their low-carbon emission reduction targets and commitments, we consistently take aligning with future industry demands and solving industry pain points as our company's mission. For decades, we have continuously invested heavily in innovative R&D focused on low-carbon, emission-reducing, green marine coatings and improving ship sailing efficiency. Among them, the solvent-free green marine coating products are produced at the Qidong Factory of Jiangsu Dowill Paints Co., Ltd., relying on modern production bases, standardized production processes and strict quality control systems, providing solid production capacity and quality support for the green coating of ships. Dowill pioneered the world's first high-solid, low-viscosity, solvent-free innovative environmentally friendly marine coatings, speed-increasing and energy-saving 5-year antifouling paints, and new hard antifouling paint products. Their long-term heavy-duty anticorrosion performance, antifouling performance, and environmental characteristics have passed tests and received approval from ship owners, shipyard customers, and classification societies. They are currently undergoing real-ship trials on several new builds and docked vessels, experiencing performance verification through global navigation.

The performance and quality assurance of Dowill Marine Coatings products stem from innovative technology from top industry expert teams, mature product formulation technology, key raw materials sourced from renowned industry suppliers, mature process technology and first-class key process equipment, strict quality management, and meticulous, responsible technical service and coating application process quality control at the job site.



# 4 MANUFACTURES




Produces: Marine coatings, container coatings, automotive coatings, resins and intermediates, powder coatings;  
Area: 150 mu;  
Annual production capacity for coatings and base resin materials (single shift): 100,000 tons;  
Fixed asset investment: RMB 500 million.



Produces: High-solid, low-viscosity innovative environmental protection marine coatings, waterborne container coatings, automotive coatings, Solvent-Free Green Marine Coatings;  
Area: 120 mu;  
Annual coating production capacity (single shift): 100,000 tons;  
Total fixed asset investment: RMB 400 million .



Produces: Marine coatings, automotive coatings;  
Area: 55 mu;  
Annual coating production capacity (single shift): 20,000 tons;  
Total fixed asset investment: RMB 320 million.



Produces: Wind turbine blade resins, structural adhesives, power battery and energy storage adhesives, waterborne epoxy emulsions;  
Area: 51 mu;  
Annual production capacity: 100,000 tons of wind turbine blade resins, 10,000 tons of new energy industrial adhesives, 20,000 tons of waterborne epoxy emulsions;  
Total fixed asset investment: RMB 400 million.

# FACTORY AND PRODUCT CERTIFICATION

## Dowill Marine Coatings Products Obtain Performance Testing by Professional Authoritative Institutions and Factory Qualification Classification Technology Society Certification

The performance of the full range of Dowill Marine Coatings products, manufactured by Dowill Paint Group's wholly-owned factories - Shandong Dowill Paint Co., Ltd. and Shanghai Dowill Paint Technology Co., Ltd., has obtained CCS and DNV certification. The PSPC series products have a 100% pass rate, reaching the industry's top level.

Factory classification society audit and certification is a key link in Dowill Paint's strategic layout. By subjecting core products and factories to audit and certification, we achieve precise management and supervision throughout the entire process, from raw material procurement, production process control, and product quality testing to the technical application solutions for customer projects, and further to the paint coating quality and process control at the shipyard. This ensures comprehensive management and supervision at every stage of the ship owner's shipbuilding or repair project, from the coating system proposal to product production and construction process application quality.



# QUALITY GUARANTEE

We adopt a zero-tolerance policy towards quality defects, making no compromises and allowing no concessions.

The performance of the Dowill Marine Coatings product system has passed third-party testing and certification by domestic and international classification societies (CCS and DNV). Concurrently, it has obtained the classification society's audit certification for the factory's production and sales qualifications for marine coating products.

The factory implements the ISO 9000 quality management system and establishes corporate standards for product performance testing and process quality control in accordance with the requirements of the marine coatings industry and relevant IMO regulations.

We offer long-term anticorrosion protection for up to 25 years, 10 years, and 5 years, along with 5-year long-term antifouling protection and energy efficiency quality commitments for your new buildings, docked vessels, and marine engineering projects, tailored to different functional compartments. The high-performance intrinsic quality of our products and the appearance quality of the coatings not only protect your vessels from related safety risks during global navigation but also ensure the long-term economic value of your vessel assets, providing you with peace of mind and rewarding your trust and recognition of Dowill Marine Coatings. Our Quality Commitment: Dowill Marine Coatings Are Trustworthy.



# TECHNICAL SERVICE



Marine paint technical service involves not only guiding and supervising the shipyard in correct application to ensure that coating quality risks are strictly controlled, but also assisting the shipyard in improving coating application efficiency and reducing ship repair and construction costs, thereby providing value-added professional solutions and services to ship owner and shipyard customers.

Our technical service leverages profound knowledge of marine coating product application technology and extensive professional experience to meticulously monitor the inherent coating process quality that impacts vessel safety, future operational life, and efficiency. We never compromise or make concessions on existing quality defects.

Through multi-layered organizational collaboration—encompassing full-process quality control in technical service and professional technical support—we establish a closed-loop management system. This is achieved via standardized processes, the expertise of our technical service personnel (certified by passing NACE Level 2 or above and FROSIO exams), effective communication and coordination with ship owners and shipyards, and compliant execution. This ensures the coating application process is under control, delivering coating quality and efficiency that satisfy both ship owners and shipyards.

# SOLVENT-FREE MARINE COATINGS GREEN PRODUCTS

Dowill's world-first solvent-free marine coating products are widely applicable for ballast tanks, cargo holds, fresh water tanks, fuel oil tanks, engine rooms, crew living quarters, as well as the ship hull . In compliance with environmental regulations in China, South Korea, Japan, and developed Western countries, the coating of blocks for newbuildings must be carried out in enclosed painting workshops equipped with VOC collection systems. Outdoor spraying and uncontrolled VOC emissions are strictly prohibited. However, solvent-free coatings are exempt from this requirement as stipulated by applicable regulations.

The application of Dowill solvent-free coatings on blocks enables outdoor painting at shipyards. This not only significantly boosts coating efficiency and shortens newbuilding cycles, but also substantially reduces capital investment in painting facilities and cuts routine environmental compliance costs associated with VOC collection and treatment.

Dowill solvent-free marine coating products offer performance comparable to traditional solvent-based products, while their solvent content is equivalent to that of waterborne paints. They not only meet environmental regulations regarding fugitive emissions for open-air spray application but also significantly reduce the release of organic and inorganic substances in enclosed containers and confined spaces (such as ballast tanks). This largely eliminates risks associated with coating application and welding work in confined spaces, including asphyxiation hazards, health damage to personnel from harmful volatile organic compounds (VOCs), and fire safety risks, thereby greatly improving the working environment. Furthermore, they substantially eliminate irritating odors and health hazards caused by toxic and harmful organic volatiles in engine rooms and crew working and living quarters.

## Solvent-Free Heavy-Duty Anticorrosive Coating Product DW ULV G50

The DW ULV G50 solvent-free heavy-duty anticorrosive coating is widely applicable for interior compartments and structures of vessels under repair or construction, including ballast tanks, cargo holds (for bulk, crude oil, container, chemical, etc.), fuel oil tanks, fresh water tanks, engine rooms, crew living quarters, as well as the ship hull and bottom shell. It can be utilized as a primer or as a direct-to-metal (DTM) coating.

## Solvent-Free Marine Antifouling Coating Product DWAFMARINE G60

The DWAFMARINE G60 solvent-free marine antifouling coating, a hard antifouling paint, is designed for application on the underwater areas of the outer hull of vessels under repair or construction. It is intended for use as a hard antifouling coating in a system with the DW ULV G50 solvent-free heavy-duty anticorrosive coating.

**Corrosion Resistance: better than solvent based coatings**  
**Application Performance: equivalent to solvent based coatings**  
**Environmental Performance: better than waterborne coatings**

- High solid and lower VOCs than water-based coatings.
- No wastewater during the production and application process.
- Complies with GB/T 38597.
- High flash point Non flammable materials. Safe storage and transportation.
- Good application property with conventional spraying equipment.
- Can be applied one or multiple times.Reduce the number of application times. Efficient application.
- Can be dried at room temperature.Convenience application on ships.
- Small molecular.High cross-linking density. Better anti-corrosion performance.
- Special small molecule structure. Excellent wettability to substrate.
- No solvent residue.High hardness and excellent abrasion resistance.

| Item         | Unit | Application Parameter |
|--------------|------|-----------------------|
| Pot life     | h    | 2                     |
| Gell Time    | h    | 4                     |
| SVR          | %    | 96                    |
| Pressure     | Mpa  | 18-25                 |
| Nozzle Tip   | in   | 0.017-0.025           |
| DFT          | μ    | 200-300               |
| Surface Dry  | h    | 4                     |
| Dry to Touch | h    | 12                    |

| Item                                        | Unit | Water-borne Paint | DW ULV G50 Solvent Free |
|---------------------------------------------|------|-------------------|-------------------------|
| Construction volume solid SVR               | %    | 40                | 96                      |
| Construction VOCs                           | g/L  | 50                | 58                      |
| VOCs per unit volume of solid material      | g    | 125               | 61                      |
| VOCs emissions with unit membrane thickness | g/m² | 0.125             | 0.062                   |

| Item                              | Unit  | Result                       | Test Method |
|-----------------------------------|-------|------------------------------|-------------|
| Adhesion                          | Class | 1                            | GB/T 9286   |
|                                   | Mpa   | 6.8                          | GB/T 5210   |
| Flexibility                       | mm    | 2                            | GB/T 6742   |
| Impact resistance                 | kg·cm | 50                           | IICL        |
| Hardness                          | --    | 2H                           | GB 6739     |
| Salt spray resistance SST (1000h) | h     | No peel. No bubble. No rust. | GB/T 10834  |
| Saltwater resistance SWT (1000h)  | h     | No peel. No bubble. No rust. | GB/T 1771   |
| Acid Resistance (5% H2SO4 480h)   | h     | No peel. No bubble.          | GB/T 9274   |
| Alkali Resistance (5% NaOH 480h)  | h     | No peel. No bubble.          | GB/T 9274   |
| Gasoline Resistance (960h)        | h     | No peel. No bubble.          | GB/T 9274   |


## Solvent-Free Marine Antifouling Coating Product DWAFFMARINE G60

Dowill's world-first hard antifouling paint is a new type of solvent-free environmentally friendly coating that fundamentally transforms the antifouling principle of traditional antifouling paints. It not only provides antifouling performance equivalent to traditional paints but also features a smooth, hard surface that effectively reduces main engine fuel consumption for tangible energy savings and effectively increases vessel sailing speed.

**Technical Principle of Hard Antifouling Paint:** The coating is extremely dense and hard, with adhesion to the hull that is many times higher than that of ordinary paints. During the initial stage of marine organism growth, a specially designed underwater cleaning robot is used to clean the organisms from the hull, thereby achieving low-cost and efficient antifouling for the vessel.

Hard antifouling paint technology can completely eliminate the tendency of traditional antifouling paints to lose effectiveness significantly over time.

Dowill's hard antifouling paint has shown excellent antifouling results following 21 months of real-ship test monitoring. It is currently still undergoing testing on actual vessels, with the entire real-ship test monitoring program set to continue for over five years.



Original State




Condition after  
21 Months of Use



Test Duration: 21 months (2024.01 - 2025.09)

Test Results: Excellent anticorrosion, antifouling, and abrasion resistance; favorable test outcomes.

## The hard antifouling paint cleaning robot system



The hard antifouling paint cleaning robot system mainly consists of the robot body (main unit), cable reel, display and control system, and power supply system. It is used to clean and remove initial fouling attachments on the vessel.

By utilizing the robot for relatively high-frequency cleaning while the vessel is at anchor or berthed alongside a dock, the hull is kept in a smooth, clean condition. This helps ship owners reduce or even eliminate the need for high-performance antifouling paints, extends the service life of the paint coating, and prevents issues such as increased fuel consumption caused by biofouling on the vessel.

# ANTI-FOULING COATINGS PRODUCTS


Dowill's long-term antifouling coating products include the 5-year tin-free self-polishing copolymer (SPC) coating, DWAFFMARINE 9000, and our innovatively developed solvent-free marine antifouling coating—the hard antifouling paint, DWAFFMARINE G60.



## Self-Polishing Copolymer (SPC) Coating, DWAFFMARINE 9000

Dowill's five-year long-term antifouling paint, DWAFFMARINE 9000, utilizes a technologically mature product formulation. Its main antifouling raw materials are sourced from world-renowned suppliers. It has not only received antifouling test certification from domestic authoritative institutions through marine panel tests but has also undergone real-ship application verification during global voyages.

### Core Technology - The Firm and Smooth Surface




Guarantees a maximum speed loss rate of 1.5% over 5 years, resulting in a 10.5% fuel savings compared to traditional antifouling paints.

Calculation Basis: Speed loss derived from MARINETEK  
 Average Level DWAFFMARINE 9000 Conversion Factor Fuel Savings  
 $(5\% - 1.5\%) * 3 = 10.5\%$

Ultra-fine fillers and optimized dispersion technology deliver an exceptionally smooth surface.

### Antifouling Performance



Effectively prevents over 90% of marine organism attachment, minimizing the ecological risk of non-native species invading new environments. All indicators easily meet and exceed the environmental and performance standards set by the IMO.

# CUSTOMER PROJECT PRACTICES

Dowill marine coating systems have been validated through 20 years of global ocean-going vessel service, achieving a flawless record with zero coating-related complaints or claims from shipowners.


Whether applied to bulk carriers, container ships, or chemical tankers—for newbuilding or retrofitting of ballast tanks, cargo holds, fuel tanks, freshwater tanks, decks, superstructures, and hull exteriors—Dowill coatings deliver exceptional performance. As heavy-duty anticorrosive coatings for domestic coastal vessels and offshore platforms in demanding environments like the UAE, or as long-lasting antifouling coatings for hull exteriors during newbuilding, retrofitting, or dry-docking, Dowill marine coating systems have consistently proven their reliability and stability under the most complex navigational conditions, earning widespread trust and acclaim from shipowners and shipyards worldwide.

## Vessels Newbuilding / Retrofitting / Dry-Docking Repair Projects Case Studies

| No. | Vessel Name                                                            | Deadweight Tonnage(DWT) | Ship Owner Company                                      | Shipyard                                         | Remarks                             |
|-----|------------------------------------------------------------------------|-------------------------|---------------------------------------------------------|--------------------------------------------------|-------------------------------------|
| 1   | Manila Trader                                                          | 57,016 DWT              | Lomar shipping Co., Ltd.                                | ZhouShan HuaFeng Shipyard                        | Dock repair                         |
| 2   | Huayang Legend                                                         | 77,000 DWT              | Tianjin Hang'an International Ship Management Co., Ltd. | ZhouShan XinYa Shipyard                          | Dock repair                         |
| 3   | Hebei General                                                          | 260,000 DWT             | Hebei Ocean                                             | COSCO Shipping Heavy Industry (Dalian) Co., Ltd. | Retrofit                            |
| 4   | 1765TEU container vessel                                               | 31,000 DWT              | XiaMen KaiQiao Shipping Co., Ltd                        | NingBo JinChuan Shipyard                         | new ship buildings or new buildings |
| 5   | Hebei Century / Hebei Warrior / Hebei Rainbow                          | 250,000 DWT             | Hebei Ocean                                             | Shanhaiguan Shipbuilding Industry                | Retrofit of 3 vessels               |
| 6   | United 5 / United 7 / United 11 / United 20                            | 20,000 DWT              | Ningbo United Container Shipping Co., Ltd.              | Wenzhou Fanshun Shipbuilding Co., Ltd.           | Newbuilding of 4 vessels            |
| 7   | Hebei Wisdom / Hebei Hero / Hebei Success / Hebei Pride / Hebei Genius | 250,000 DWT             | Hebei Ocean                                             | Yiu Lian Dockyards (Shekou) Limited              | Retrofit of 5 vessels               |
| 8   | 1350TEU container vessel                                               | 24,000 DWT              | AnHui JuYuan Shipping Co., Ltd.                         | Jiangsu Shengtaosha Shipping Co., Ltd.           | new ship buildings or new buildings |
| 9   | Oriental Express                                                       | 180,211 DWT             | HuaYang Maritime Center Co., Ltd.                       | ZhouShan ZhongTian Shipyard                      | Dock repair                         |
| 10  | Hebei Flyer                                                            | 70,000 DWT              | Hebei Ocean                                             | Ningbo Zhoushan Nanyang Shipping Industry        | Retrofit                            |
| 11  | Hebei Sincerity                                                        | 190,000 DWT             | Hebei Ocean                                             | Yiu Lian Dockyards Heavy Industry                | Retrofit                            |
| 12  | Hebei Ambition                                                         | 250,000 DWT             | Hebei Ocean                                             | Zhoushan COSCO Shipping Heavy Industry           | Retrofit                            |
| 13  | JIUYANG FORTUNE                                                        | 44,219 DWT              | Jiuyang Shipping Co., Ltd.                              | Yiu Lian Dockyards (Weihai) Limited              | Dock repair                         |
| 14  | Xin Tong Zhou                                                          | 76,000 DWT              | Hainan Tongli Shipping Co., Ltd.                        | Onomichi Dockyard Co., Ltd., Japan               | Dock repair                         |

## Offshore Drilling Platforms Newbuilding / Retrofitting Projects Case Studies

| No. | Name of Drilling Platform | Owner                              | Shipyard                                    | Type of Drilling Platform                |
|-----|---------------------------|------------------------------------|---------------------------------------------|------------------------------------------|
| 1   | Shengli 10                | Sinopec Shengli OilField Co., Ltd. | CSIC Dalian Shipbuilding Offshore Co., Ltd. | Newbuilding Jack-up Platform             |
| 2   | Shengli 4                 | Sinopec Shengli OilField Co., Ltd. | CSIC Dalian Shipyard                        | Conversion - Twin-Hull Floating Platform |
| 3   | New Shengli 1             | Sinopec Shengli OilField Co., Ltd. | CIMC Yantai Raffles Shipyard                | Newbuilding Jacket Platform              |
| 4   | New Shengli 5             | Sinopec Shengli OilField Co., Ltd. | CIMC Yantai Raffles Shipyard                | Newbuilding Jacket Platform              |



# DOWILL BRAND



Dowill, a name born from the fusion of "Do" and "Will," embodies our philosophy: "Do" represents action, execution, and the drive to innovate; "Will" signifies purpose, passion, and the optimism to persevere. Together, they define who we are.

Meaning of Dowill: To sincerely and wholeheartedly focus on what we aspire to do, and to persistently and joyfully accomplish it. To pursue what we love, excel in, and desire, with sincerity and passion. To share happiness and honor together.

Dowill, enclosed within a red ellipse, constitutes the brand of Dowill Paint Company. It symbolizes: action, willpower, goals, calm rationality, and happiness. It encompasses the following meanings and characteristics:

We believe in the power of focus. True achievement and recognition come not from chasing many things, but from committing wholly to one goal—and pursuing it with unwavering action.

Quiet dedication brings clarity. Free from vanity, greed, or the urge to follow trends, we resist the lure of scale for its own sake. Instead, we seek mastery in a single pursuit—persisting, learning, and perfecting it day by day.

We stay alert and agile, attuned to market shifts and ready to adapt. In our chosen fields, we drive leadership through innovation—creating new products, technologies, and value-added solutions. United by a shared vision, we move forward together, embracing our responsibilities and delivering on our commitments.

Our strength lies in our people. We create a fair and inclusive platform where everyone can pursue work they are passionate about, access the resources they need to grow, and share in both the journey and the rewards of success.

# DOWILL PAINT

**We look forward to your inquiry and close cooperation with you! Thank you!**

