



[首页](#) / [mac](#) / mac下非常好用的命令行工具 iTerm2

mac下非常好用的命令行工具 iTerm2

© 2014-11-30 [mac](#) 8206

分享到: [QQ空间](#) [新浪微博](#) [腾讯微博](#) [人人网](#) [微信](#)



今天要说的 iTerm2 应该是mac系统中不可多得的命令行工具之一.简单列出几点给我们带来方便快捷的功能点.

1. 选中即复制

我们之前用过的命令行要么是不能使用常规复制快捷键来复制操作,要么是选中后再按键复制,iTerm2很特殊,选中就自动复制成功.

去你需要粘贴的地方按下 `command + v` 即可粘贴成功. [更多mac相关快捷键](#)

2. 全文查找功能,就和我们在文本编辑器中编辑文字一样,只需要`command + f` 输入要查找的内容,即可在当前命令行页面查找并高亮显示,如图所示:

```
1. bash
bash root@AY1401221458156203... root@AY1401221458156203...
Q Register


User
Game User
  ✓ shound response token when logged (81ms)
Email User
  ✓ shound response token when register (78ms)
  ✓ shound response token when login by email (46ms)
  ✓ shound response token when login by nickname (40ms)
  ✓ shound response token when login by username (email) (44ms)
  ✓ shound response token when login by username (nickname) (41ms)
Name User
  ✓ shound response token when register (59ms)
  ✓ shound response token when login (39ms)
SNS User
  ✓ shound failed when login
  ✓ shound response token when register (89ms)
  ✓ shound ok when bind email
  ✓ shound failed when second bind email
  ✓ shound response token when login by nickname (56ms)
  ✓ shound response token when login by email (46ms)
Simple SNS User
  ✓ shound response token when login&register (58ms)

Friends
Request To Game User
  ✓ shound ignored when self request
  ✓ shound ok when email user request
  ✓ shound ok when name user request
  ✓ shound ok when sns user request
  ✓ shound ok when simple sns user request
  ✓ shound exists when check request
  ✓ shound has 4 rows when list request
  ✓ shound ok when accept email user
  ✓ shound ok when accept name user (74ms)
  ✓ shound ok when accept sns user (40ms)
  ✓ shound ok when accept simple sns user (47ms)
  ✓ shound has 0 rows when list request
  ✓ shound has 4 rows when list friends

Leaderboard
Game User
```


搜索 register 在界面查找并全部高亮显示,点击搜索框右侧箭头可以循环逐个定位

3. 分隔屏幕显示,水平分隔 command +shift +d




水平分隔界面后,黑色的为当前激活窗口,灰色是未激活窗口,我们现在还可以在当前激活窗口再进行垂直分隔,按下快捷键:

垂直分隔 `command+d`




4. 保存ssh远程登录指令,如图左侧是本地ssh 登录服务器地址 和 阿里云服务器登录地址



5. 上图右侧是iTerm2 的另外一个新功能,保存上一次tab按键所在的目录,打开新窗口自动定位到使用tab键所在的目录.

比如下图中我使用tab键定位到 `~/code` 目录 ,接着水平分屏新建了一个窗口,默认自动定位到了 `~/code` 目录下.需要如下设置



6. 按下 `command + ;` 自动补全命令

The image shows a terminal window with a dark background. At the top, there are browser tabs for '1. bash', 'bash', and two instances of 'root@AY1401221458156203...'. Below the tabs is a search bar with the text 'Register'. The terminal output shows a red message 'modified: test/bo_topics.js', followed by a message 'no changes added to commit (use "git add" and/or "git commit -a")'. The user then runs 'git add .' and 'git commit -m 'topic like'', which results in a commit on the 'master' branch. The user then runs 'git push', which successfully pushes the commit to the remote repository. The user then runs 'cd' to return to the home directory, and then 'cd code/' to enter the 'code' directory. At this point, an autocomplete dropdown menu appears, showing 'cd code/' and 'cd zhangzhi'. The user then runs 'cd' again, and the prompt returns to '~/'.

```
modified: test/bo_topics.js


no changes added to commit (use "git add" and/or "git commit -a")
zhangzhi@moke:~/code/ktsg-api$ git add .
zhangzhi@moke:~/code/ktsg-api$ git commit -m 'topic like'
[master e2f9749] topic like
 1 file changed, 71 insertions(+), 1 deletion(-)
zhangzhi@moke:~/code/ktsg-api$ git push
Counting objects: 18, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 609 bytes | 0 bytes/s, done.
Total 4 (delta 3), reused 0 (delta 0)
To git@git.ktplay.cn:ktsg-api/ktsg-api.git
 2eb7f68..e2f9749 master -> master
zhangzhi@moke:~/code/ktsg-api$ cd
zhangzhi@moke:~$ cd code/
zhangzhi@moke:~/code$ cd
Autocomplete
cd code/
cd zhangzhi
Display all 1559 possibilities? (y or n)
zhangzhi@moke:~/code$ cd
```

7. 记录历史输入命令, command + shift +h 全部显示出来

```
Value | Time
-----|-----
zhangzhi | 3 days ago
81 passing (2s) | 3 days ago
shound | 3 days ago
game_id | 3 days ago
user_token | 3 days ago
images | 3 days ago
[master 62771c4] test portal/image 2 files changed, 46 i | 2 days ago
delta | 2 days ago
modified: test/bo_topics.js | 2 days ago
(use "git add <file>..." to update what will be committed) | 2 days ago
/Users/zhangzhi/code/blog2014/lib/router.js | 2 days ago
] | 2 days ago
l ccap 来生成验证码' }, { '108ae6186bb00cc708bc54f02 | 2 days ago
{ '26e2e1c2936b5beaa68df414ffc64ad3': '同一台电脑关于 | 2 days ago
d | 20 hours ago
root@AY140122145815620396Z | 1 hour ago
0122145815620396Z ~]# ssh-agent bash [root@AY14012 | 44 minutes ago
2eb7f68... Object | 41 minutes ago
zhangzhi@moke: c++ b | 41 minutes ago
zhangzhi@moke: Register | 41 minutes ago
zhangzhi@moke: ~/code$ cd code/

Default
zhangzhi@moke:~/code$
Display all 1559 possibilities? (y or n)
zhangzhi@moke:~/code$ cd
```

8. 定义你自己的专属快捷键



你可能感兴趣

- [incr.zsh](#) 补全插件 让你在zsh 模式下全自动补全指令或目录
- [zsh](#) 依赖 [oh-my-zsh](#) 轻松换皮肤模板
- [修改 mac /etc/sudoers 文件后 - sudo 命令不能用 报错syntax error near line](#)
- [Mac OSX 添加环境变量的三种方法](#)
- [mac OS强大的svn 客户端管理软件 sourcetree](#)




本文由 [一介布衣](#) 创作，采用 [知识共享署名 3.0](#) 中国大陆许可协议 进行许可。
可自由转载、引用，但需署名作者且注明文章出处。

[mac好用命令行](#) | [mac下iTerm2](#)

[About](#)

Copyright © 2015 [一介布衣](#)

 [京ICP备14006909号-1](#)